

| F.A.I. | SECTION | COUNTY | TOTAL | SHEET |

62693

NOTES:

- 1. SEE DRAWINGS EI-100 AND EI-101 FOR ELECTRICAL SYMBOLS AND ABBREVIATIONS.
- 2. CONTRACTOR MUST COORDINATE PLACEMENT AND SIZE OF ANCHOR BOLTS WITH IDOT CONTRACT NUMBER 62583.
- 3. CONDUIT, JUNCTION BOXES, AND HANDHOLES MUST BE FURNISHED AND INSTALLED UNDER THIS CONTRACT. ALL CABLES, PROBES, SIGNALS, SIGNS, AND OTHER EQUIPMENT WILL BE FURNISHED AND INSTALLED BY OTHERS UNDER CONTRACT NUMBER 62583.
- 4. CONDUIT MUST BE STUBBED OUT OF CONCRETE A MINIMUM OF 3".
- 5. CENTERLINE OF TYPE A FOUNDATION, STOP BAR, AND CONDUIT STUB UP IN PARAPET WALL FOR FUTURE TRAFFIC SIGNALS SHALL BE LOCATED AT THE STATION SHOWN ON THE PLANS,
- 6. REFER TO THE PLAN DRAWINGS FOR QUANTITY, TYPE, AND SIZE OF CONDUITS TO HANDHOLES.

EI-113B

CHECKED BY: WDS

REVISIONS		ILLINOIS DEPARTMENT OF TRANSPORTATION
NAME	DATE	F.A.I. 90/94 (DAN RYAN EXPRESSWAY)
	1	11/11/2007
		63rd ST TO 59th ST (FRONTAGE ROAD & RAMPS)

		T101011 0110 10000110 1100111 10011
		TYPICAL RAMP METERING INSTALLATION
	1	(TYPE II)
	1	COURT DOT TO COURT
~~~~~		SCALE: NOT TO SCALE DRAWN BY: HAR

DATE: October 29, 2004