

* SECT. 12 & 13 WRS-3
* CONTRACT NO. 62478

Wang Engineering, INC.
Consulting Geotechnical and Environmental Engineers
wangeng3@wangeng.com
100 Fairbank Street
Addison, IL 60101
Telephone: 630 458-0700
Fax: 630 458-0900

BORING LOG BS-019
WEI Job No.: 301-01-01

Datum: NGVD
Elevation: 724.92 ft
North: 1784305.40 ft
East: 1096501.28 ft
Station: 208+17.95
Offset: 37.44 RT

Client: Brighton Engineering Company
Project: GEOT - US. 30, Will Co, IL, IDOT D-91-219-02
Location: T35N, R11E, Sec 22-24, R12E, Sec 19-21

Profile Elevation (ft)	SOIL AND ROCK DESCRIPTION	Depth (ft)	Sample Type	Sample No.	N Values (blw6 in)	Qu (tsf)	Moisture Content (%)	Profile Elevation (ft)	SOIL AND ROCK DESCRIPTION	Depth (ft)	Sample Type	Sample No.	N Values (blw6 in)	Qu (tsf)	Moisture Content (%)
721.9	36-inch thick, dark brown CLAY LOAM --TOPSOIL--	0	X	1	3 4 6	2.00	27	694.9		0	X	11	3 5 7	3.03	13
718.7	Medium dense, brown LOAM	5	X	2	5 5 5	NP	15	30	Boring terminated at 30.00 ft	5	X	12	6 7 8	7.13	16
718.7	Stiff to hard, brown and gray CLAY	10	X	3	3 3 3	1.80	28	35		10	X	4	6 7 7	6.56	21
718.4	Very stiff to hard, gray CLAY to SILTY CLAY	15	X	6	5 7 7	4.51	17	40		15	X	6	5 6 8	4.35	20
		20	X	8	5 6 8	4.59	20	45		20	X	8	4 5 6	3.18	16
		25	X	10	4 5 6	3.28	15	50		25	X	10	4 5 6	3.28	15

GENERAL NOTES		WATER LEVEL DATA	
Begin Drilling	03-05-2003	Complete Drilling	03-05-2003
Drilling Contractor	TSC	Drill Rig	CME 75 TMR
Driller	C&J	Logger	H. Suhail
Checked by	S. Janowski	Time After Drilling	24 hours
Drilling Method	2.25" SSA; Boring backfilled with bentonite chips upon completion	Depth to Water	▽ 23.50 ft
		While Drilling	
		At Completion of Drilling	
		Time After Drilling	
		Depth to Water	

The stratification lines represent the approximate boundary between soil types; the actual transition may be gradual.

Wang Engineering, INC.
Consulting Geotechnical and Environmental Engineers
wangeng3@wangeng.com
100 Fairbank Street
Addison, IL 60101
Telephone: 630 458-0700
Fax: 630 458-0900

BORING LOG BS-020
WEI Job No.: 301-01-01

Datum: NGVD
Elevation: 723.33 ft
North: 1784284.06 ft
East: 1096572.87 ft
Station: 208+92.6
Offset: 40.05 RT

Client: Brighton Engineering Company
Project: GEOT - US. 30, Will Co, IL, IDOT D-91-219-02
Location: T35N, R11E, Sec 22-24, R12E, Sec 19-21

Profile Elevation (ft)	SOIL AND ROCK DESCRIPTION	Depth (ft)	Sample Type	Sample No.	N Values (blw6 in)	Qu (tsf)	Moisture Content (%)	Profile Elevation (ft)	SOIL AND ROCK DESCRIPTION	Depth (ft)	Sample Type	Sample No.	N Values (blw6 in)	Qu (tsf)	Moisture Content (%)
722.6	9-inch thick, dark brown CLAY LOAM --TOPSOIL--	0	X	1	3 3 4	2.00	26	698.3	Boring terminated at 25.00 ft	0	X	11	3 5 7	3.03	13
720.3	Very stiff, brown CLAY	5	X	2	5 5 5	3.44	19	30		5	X	12	6 7 8	7.13	16
720.3	Very stiff to hard, brown and gray CLAY	10	X	3	6 7 9	4.50	14	35		10	X	4	4 6 7	3.20	15
722.8	Very stiff to hard, gray CLAY to SILTY CLAY	15	X	6	5 6 8	4.35	20	40		15	X	6	5 6 8	4.35	20
		20	X	8	4 5 7	3.53	20	45		20	X	8	4 5 7	3.53	20
		25	X	10	6 6 6	4.43	12	50		25	X	10	6 6 6	4.43	12

GENERAL NOTES		WATER LEVEL DATA	
Begin Drilling	02-28-2003	Complete Drilling	02-28-2003
Drilling Contractor	TSC	Drill Rig	CME 75 TMR
Driller	C&J	Logger	H. Suhail
Checked by	S. Janowski	Time After Drilling	72 hours
Drilling Method	2.25" SSA; Boring backfilled with bentonite chips upon completion	Depth to Water	▽ 9.00 ft
		While Drilling	
		At Completion of Drilling	
		Time After Drilling	
		Depth to Water	

The stratification lines represent the approximate boundary between soil types; the actual transition may be gradual.

DESIGNED	WSP
CHECKED	ASP
DRAWN	BGC
CHECKED	WSP

DLZ 85 W. Algonquin Rd. Ste. 220
Arlington Heights IL 60005
DLZ Illinois, Inc.

REVISIONS	
NAME	DATE

**NOISE WALL A
BORINGS**
U.S. ROUTE 30 (LINCOLN HIGHWAY)
F.A.P. 353 (U.S. 30)
SECTION (12 & 13) WRS-3
STATION 201+45.00 TO 212+15.00
WILL COUNTY