

ENTRANCE SCHEDULE

STA	LT / RT	EX AREA FROM CAD	EX APRON	PR AREA FROM CAD	PR ENTRANCE	PR THICKNESS	PRIME COAT ON ASPH		PRIME COAT ON AGG		TYPE	35101400	X4021000	X4022000	40300200	40800050	42300200	42300400	44000200		
		(SQ FT)		(SQ FT)		IN	RATE	APPS.	RATE	APPS.		AGGREGATE BASE COURSE, TYPE B	TEMPORARY ACCESS (PRIVATE ENTRANCE)	TEMPORARY ACCESS (COMMERCIAL ENTRANCE)	BITUMINOUS MATERIALS (PRIME COAT)	INCIDENTAL HMA SURFACING	PCC DRIVEWAY PAVEMENT 6"	PCC DRIVEWAY PAVEMENT 8"	DRIVEWAY PAVEMENT REMOVAL		
												(TON)	(EACH)	(EACH)	(TON)	(TON)	(SQ YD)	(SQ YD)	(SQ YD)		
25+30.00	LT	327	PCC	684	PCC	8					C.E.			1					76.0	36.4	
26+84.00	RT	950	PCC	578	PCC	8					C.E.			1					64.3	105.6	
32+04.00	RT	1252	PCC	653	PCC	8					C.E.			1					72.6	139.2	
32+06.00	LT	1579	PCC	951	PCC	8					C.E.			1					105.7	175.5	
35+33.00	LT	851	BIT	769	PCC	8					C.E.			1					85.5	94.6	
39+82.00	RT	1024	BIT	487	PCC	8					C.E.			1					54.2	113.8	
50+25.00	RT	918	BIT	452	PCC	8					C.E.			1					50.3	102	
51+62.00	RT	937	BIT	463	PCC	8					C.E.			1					51.5	104.2	
53+24.00	RT	1165	BIT	754	PCC	8					C.E.			1					83.8	129.5	
54+42.00	LT	256	BIT	257	BIT	2	0.00038	1	0.001425	1	P.E.	9.8	1		0.05	3.2				28.5	
54+66.00	LT	315	BIT	255	BIT	2	0.00038	1	0.001425	1	P.E.	9.7	1		0.05	3.2				35	
55+09.00	LT	290	BIT	258	BIT	2	0.00038	1	0.001425	1	P.E.	9.8	1		0.05	3.2				32.3	
55+67.00	LT	248	BIT	258	BIT	2	0.00038	1	0.001425	1	P.E.	9.8	1		0.05	3.2				27.6	
56+25.00	LT	255	BIT	258	BIT	2	0.00038	1	0.001425	1	P.E.	9.8	1		0.05	3.2				28.4	
56+89.00	LT	254	BIT	258	BIT	2	0.00038	1	0.001425	1	P.E.	9.8	1		0.05	3.2				28.3	
57+46.00	LT	247	BIT	258	BIT	2	0.00038	1	0.001425	1	P.E.	9.8	1		0.05	3.2				27.5	
58+08.00	LT	247	BIT	258	BIT	2	0.00038	1	0.001425	1	P.E.	9.8	1		0.05	3.2				27.5	
58+71.00	LT	466	BIT	406	BIT	2	0.00038	1	0.001425	1	P.E.	15.4	1		0.08	5.1				51.8	
59+33.00	LT	241	BIT	258	BIT	2	0.00038	1	0.001425	1	P.E.	9.8	1		0.05	3.2				26.8	
59+90.00	LT	463	PCC	369	PCC	6					P.E.		1				41.0			51.5	
60+54.00	LT	307	BIT	258	BIT	2	0.00038	1	0.001425	1	P.E.	9.8	1		0.05	3.2				34.2	
61+13.00	LT	285	BIT	258	BIT	2	0.00038	1	0.001425	1	P.E.	9.8	1		0.05	3.2				31.7	
61+79.00	LT	274	BIT	258	BIT	2	0.00038	1	0.001425	1	P.E.	9.8	1		0.05	3.2				30.5	
62+36.00	LT	268	BIT	258	BIT	2	0.00038	1	0.001425	1	P.E.	9.8	1		0.05	3.2				29.8	
62+57.00	LT	316	BIT	258	BIT	2	0.00038	1	0.001425	1	P.E.	9.8	1		0.05	3.2				35.2	
63+23.00	LT	397	BIT	332	BIT	2	0.00038	1	0.001425	1	P.E.	12.6	1		0.07	4.1				44.2	
63+85.00	LT	642	BIT	479	BIT	2	0.00038	1	0.001425	1	P.E.	18.2	1		0.10	6.0				71.4	
64+56.00	LT	273	BIT	258	BIT	2	0.00038	1	0.001425	1	P.E.	9.8	1		0.05	3.2				30.4	
67+27.00	LT	345	BIT	295	BIT	2	0.00038	1	0.001425	1	P.E.	11.2	1		0.06	3.7				38.4	
67+76.00	LT	533	BIT	369	BIT	2	0.00038	1	0.001425	1	P.E.	14.0	1		0.07	4.6				59.3	
68+18.00	LT	270	PCC	258	PCC	6					P.E.		1				28.7			30	
69+10.00	LT	423	BIT	332	BIT	2	0.00038	1	0.001425	1	P.E.	12.6	1		0.07	4.1				47	
69+99.00	LT	271	BIT	258	BIT	2	0.00038	1	0.001425	1	P.E.	9.8	1		0.05	3.2				30.2	
70+32.00	LT	348	BIT	258	BIT	2	0.00038	1	0.001425	1	P.E.	9.8	1		0.05	3.2				38.7	
70+97.00	LT	471	BIT	369	BIT	2	0.00038	1	0.001425	1	P.E.	14.0	1		0.07	4.6				52.4	
71+62.00	LT	343	BIT	258	BIT	2	0.00038	1	0.001425	1	P.E.	9.8	1		0.05	3.2				38.2	
72+20.00	LT	278	PCC	258	PCC	6					P.E.		1				28.7			30.9	
72+89.00	LT	326	BIT	332	BIT	2	0.00038	1	0.001425	1	P.E.	12.6	1		0.07	4.1				36.3	
73+48.00	LT	290	BIT	258	BIT	2	0.00038	1	0.001425	1	P.E.	9.8	1		0.05	3.2				32.3	
74+10.00	LT	396	BIT	332	BIT	2	0.00038	1	0.001425	1	P.E.	12.6	1		0.07	4.1				44	
TOTAL												309.2	31	9	1.61	101.6	98.4	643.9	2,151.1		
USE												310	31	9	2	102	99	644	2,152		

NOTE: QUANTITY FOR PRIME COAT IS INCLUDED IN PAVING SCHEDULE.