



Illinois Department of Transportation

2300 South Dirksen Parkway / Springfield, Illinois / 62764

January 13, 2011

SUBJECT: FAP 344 (IL 83)
Project M-9003(660)
Section 09-00057-00-CH (Elk Grove Village)
Cook County
Contract No. 63523
Item 12
January 21, 2011 Letting
Addendum (B)

TO PROSPECTIVE BIDDERS:

Due to clarify information necessary to revise the following:

Proposal – Schedule of Prices – pages 10, 11, 12, 13, 14, 15 & 16, Index of Special Provisions, added pages 160a & 160b to the Special Provisions.

Plans – Sheet 2 & 6.

Prime contractors must utilize the enclosed material when preparing their bid and must include any Schedule of Prices changes in their bidding proposal.

Bidders using computer-generated bids are cautioned to reflect any and all Schedule of Prices changes, if involved, into their computer programs.

Very truly yours,

Scott Stitt
Acting Engineer of Design and Environment

A handwritten signature in cursive script, appearing to read 'Ted B. Walschleger', followed by the initials 'AE'.

By: Ted B. Walschleger
Engineer of Project Development
and Implementation

ITEM NUMBER	PAY ITEM DESCRIPTION	UNIT OF MEASURE	QUANTITY	UNIT PRICE		TOTAL PRICE	
				DOLLARS	CENTS	DOLLARS	CTS
60266600	VALVE BOX ADJ	EACH	1.000 X	=			
60500050	REMOV CATCH BAS	EACH	1.000 X	=			
60500060	REMOV INLETS	EACH	14.000 X	=			
60600095	CLASS SI CONC OUTLET	CU YD	4.000 X	=			
60600605	CONC CURB TB	FOOT	279.000 X	=			
60603800	COMB CC&G TB6.12	FOOT	298.000 X	=			
60605000	COMB CC&G TB6.24	FOOT	1,743.000 X	=			
60605400	COMB CC&G TB6.24 SPL	FOOT	1,023.000 X	=			
60605900	COMB CC&G TB9.12	FOOT	1,803.000 X	=			
60618300	CONC MEDIAN SURF 4	SQ FT	1,397.000 X	=			
60620800	CONC MED TSB9.12	SQ FT	146.000 X	=			
60624600	CORRUGATED MED	SQ FT	119.000 X	=			
66900200	NON SPL WASTE DISPOS *	CU YD	1,600.000 X	=			
66900205	SPL WASTE DISPOSAL	CU YD	322.000 X	=			
66900450	SPL WASTE PLNS/REPORT	L SUM	1.000 X	=			

* Revised 1-13-2011

ITEM NUMBER	PAY ITEM DESCRIPTION	UNIT OF MEASURE	QUANTITY	UNIT PRICE		TOTAL PRICE	
				DOLLARS	CENTS	DOLLARS	CTS
66900530	SOIL DISPOSAL ANALY *	EACH	7.000 X				
66900565	PNAS SOIL ANALYSIS	EACH	2.000 X				
66900590	RCRA MET TCLP SL ANAL	EACH	1.000 X				
67000400	ENGR FIELD OFFICE A	CAL MO	9.000 X				
67100100	MOBILIZATION	L SUM	1.000 X				
70106800	CHANGEABLE MESSAGE SN	CAL MO	36.000 X				
70300100	SHORT TERM PAVT MKING	FOOT	8,177.000 X				
70300210	TEMP PVT MK LTR & SYM	SQ FT	290.000 X				
70300220	TEMP PVT MK LINE 4	FOOT	11,328.000 X				
70300240	TEMP PVT MK LINE 6	FOOT	1,150.000 X				
70300280	TEMP PVT MK LINE 24	FOOT	178.000 X				
70301000	WORK ZONE PAVT MK REM	SQ FT	11,446.000 X				
72000100	SIGN PANEL T1	SQ FT	289.000 X				
72000200	SIGN PANEL T2	SQ FT	25.000 X				
72400100	REMOV SIN PAN ASSY TA	EACH	27.000 X				

* Revised 1-13-2011

*

ITEM NUMBER	PAY ITEM DESCRIPTION	UNIT OF MEASURE	QUANTITY	UNIT PRICE		TOTAL PRICE	
				DOLLARS	CENTS	DOLLARS	CTS
72400200	REMOV SIN PAN ASSY TB	EACH	3.000 X				
72800100	TELES STL SIN SUPPORT	FOOT	555.000 X				
78000100	THPL PVT MK LTR & SYM	SQ FT	439.000 X				
78000200	THPL PVT MK LINE 4	FOOT	2,746.000 X				
78000400	THPL PVT MK LINE 6	FOOT	1,355.000 X				
78000650	THPL PVT MK LINE 24	FOOT	243.000 X				
78008200	POLYUREA PM T1 LTR-SY	SQ FT	110.000 X				
78008210	POLYUREA PM T1 LN 4	FOOT	3,741.000 X				
78008230	POLYUREA PM T1 LN 6	FOOT	1,488.000 X				
78008250	POLYUREA PM T1 LN 12	FOOT	144.000 X				
78008270	POLYUREA PM T1 LN 24	FOOT	82.000 X				
78100100	RAISED REFL PAVT MKR	EACH	114.000 X				
78300100	PAVT MARKING REMOVAL	SQ FT	2,425.000 X				
78300200	RAISED REF PVT MK REM	EACH	114.000 X				
81000600	CON T 2 GALVS	FOOT	693.000 X				

* Revised 1-13-2011

*

ITEM NUMBER	PAY ITEM DESCRIPTION	UNIT OF MEASURE	QUANTITY	UNIT PRICE		TOTAL PRICE	
				DOLLARS	CENTS	DOLLARS	CTS
81000700	CON T 2 1/2 GALVS	FOOT	262.000 X	=		=	
81000800	CON T 3 GALVS	FOOT	120.000 X	=		=	
81001000	CON T 4 GALVS	FOOT	60.000 X	=		=	
81018500	CON P 2 GALVS	FOOT	531.000 X	=		=	
81018600	CON P 2 1/2 GALVS	FOOT	30.000 X	=		=	
81018900	CON P 4 GALVS	FOOT	512.000 X	=		=	
81400100	HANDHOLE	EACH	3.000 X	=		=	
81400200	HD HANDHOLE	EACH	5.000 X	=		=	
81400300	DBL HANDHOLE	EACH	2.000 X	=		=	
81603085	UD 3#4#4GXLPUSE 1 1/4	FOOT	406.000 X	=		=	
81900200	TR & BKFIL F ELECT WK	FOOT	1,180.000 X	=		=	
81900302	TR & BKFIL W SCR/SAND	FOOT	310.000 X	=		=	
83600200	LIGHT POLE FDN 24D	FOOT	20.000 X	=		=	
84400105	RELOC EX LT UNIT	EACH	2.000 X	=		=	
85000200	MAIN EX TR SIG INSTAL	EACH	1.000 X	=		=	

*Revised 1-13-2011

ITEM NUMBER	PAY ITEM DESCRIPTION	UNIT OF MEASURE	QUANTITY	UNIT PRICE		TOTAL PRICE	
				DOLLARS	CENTS	DOLLARS	CTS
85700205	FAC T4 CAB SPL	EACH	1.000 X			=	
86400100	TRANSCEIVER - FIB OPT	EACH	1.000 X			=	
87301215	ELCBL C SIGNAL 14 2C	FOOT	1,554.000 X			=	
87301225	ELCBL C SIGNAL 14 3C	FOOT	2,275.000 X			=	
87301245	ELCBL C SIGNAL 14 5C	FOOT	2,385.000 X			=	
87301255	ELCBL C SIGNAL 14 7C	FOOT	2,842.000 X			=	
87301305	ELCBL C LEAD 14 1PR	FOOT	4,253.000 X			=	
87301805	ELCBL C SERV 6 2C	FOOT	112.000 X			=	
87502500	TS POST GALVS 16	EACH	2.000 X			=	
87700170	S MAA & P 26	EACH	1.000 X			=	
87700200	S MAA & P 32	EACH	1.000 X			=	
87700250	S MAA & P 42	EACH	1.000 X			=	
87700290	S MAA & P 50	EACH	1.000 X			=	
87700300	S MAA & P 52	EACH	1.000 X			=	
87700400	S MAA & P 60	EACH	1.000 X			=	

* Revised 1-13-2011

*

ITEM NUMBER	PAY ITEM DESCRIPTION	UNIT OF MEASURE	QUANTITY	UNIT PRICE		TOTAL PRICE	
				DOLLARS	CENTS	DOLLARS	CTS
87800100	CONC FDN TY A	FOOT	8.000 X	=		=	
87800150	CONC FDN TY C	FOOT	4.000 X	=		=	
87800400	CONC FDN TY E 30D	FOOT	30.000 X	=		=	
87800415	CONC FDN TY E 36D	FOOT	45.000 X	=		=	
87800420	CONC FDN TY E 42D	FOOT	21.000 X	=		=	
87900200	DRILL EX HANDHOLE	EACH	2.000 X	=		=	
88030020	SH LED 1F 3S MAM	EACH	8.000 X	=		=	
88030110	SH LED 1F 5S MAM	EACH	10.000 X	=		=	
88030240	SH LED 2F 1-3 1-5 BM	EACH	2.000 X	=		=	
88102747	PED SH LED 2F BM CDT	EACH	4.000 X	=		=	
88200210	TS BACKPLATE LOU ALUM	EACH	18.000 X	=		=	
88500100	INDUCTIVE LOOP DETECT	EACH	15.000 X	=		=	
88600100	DET LOOP T1	FOOT	652.000 X	=		=	
88700200	LIGHT DETECTOR	EACH	3.000 X	=		=	
88700300	LIGHT DETECTOR AMP	EACH	1.000 X	=		=	

* Revised 1-13-2011

ITEM NUMBER	PAY ITEM DESCRIPTION	UNIT OF MEASURE	QUANTITY	UNIT PRICE		TOTAL PRICE	
				DOLLARS	CENTS	DOLLARS	CTS
88800100	PED PUSH-BUTTON	EACH	8.000 X				
89000100	TEMP TR SIG INSTALL	EACH	1.000 X				
89502300	REM ELCBL FR CON	FOOT	3,513.000 X				
89502375	REMOV EX TS EQUIP	EACH	1.000 X				
89502380	REMOV EX HANDHOLE	EACH	10.000 X				
89502385	REMOV EX CONC FDN	EACH	9.000 X				

* Revised 1-13-2011

NOTE:

1. EACH PAY ITEM SHOULD HAVE A UNIT PRICE AND A TOTAL PRICE.
2. THE UNIT PRICE SHALL GOVERN IF NO TOTAL PRICE IS SHOWN OR IF THERE IS A DISCREPANCY BETWEEN THE PRODUCT OF THE UNIT PRICE MULTIPLIED BY THE QUANTITY.
3. IF A UNIT PRICE IS OMITTED, THE TOTAL PRICE WILL BE DIVIDED BY THE QUANTITY IN ORDER TO ESTABLISH A UNIT PRICE.
4. A BID MAY BE DECLARED UNACCEPTABLE IF NEITHER A UNIT PRICE NOR A TOTAL PRICE IS SHOWN.

TOTAL \$

Traffic Signal Painting	93
Illuminate Street Name Sign	94
Re-Optimize Traffic Signal System	95
Optimize Traffic Signal System	97
Temporary Traffic Signal Timings	100
Pedestrian Push-Button	101
Controller Cabinet and Peripheral Equipment	101
Railroad, Full-Actuated Controller and Cabinet	102
Uninterruptible Power Supply	102
Electric Cable	104
Traffic Signal Post	104
Mast Arm Assembly and Pole	105
Signal Heads	105
Signal Head, Light Emitting Diode	105
Pedestrian Countdown Signal Head, Light Emitting Diode	108
Signal Head, Backplate	109
Inductive Loop Detector	109
Illuminate Sign, Light Emitting Diode	109
Illuminated Street Name Sign	109
Full Actuated Controller and Cabinet (Special)	114
Remove Fiber Optic cable from Conduit	115
Wireless Interconnect (Complete)	116
Removal and Disposal of Regulated Substances	117
Emerald Ash Borer Compliance Agreement	118
Soils Report	119
Storm Water Pollution Prevention Plan	148
IEPA Notice of Intent	156
IEPA Incidence of Non-Compliance	159
Removal and Disposal of Regulated Substances	160a

Revised 1-13-2011

REMOVAL AND DISPOSAL OF REGULATED SUBSTANCES

This work shall be according to Article 669 of the Standard Specifications and the following:

Qualifications. The term environmental firm shall mean an environmental firm with at least five (5) documented leaking underground storage tank (LUST) cleanups or that is pre-qualified in hazardous waste by the Department. Documentation includes but not limited to verifying remediation and special waste operations for sites contaminated with gasoline, diesel, or waste oil in accordance with all Federal, State, or local regulatory requirements and shall be provided to the Engineer for approval. The environmental firm selected shall not be a former or current consultant or have any ties with any of the properties contained within and/or adjacent to this construction project.

General. This Special Provision will likely require the Contractor to subcontract for the execution of certain activities. .

All contaminated materials shall be managed as non-special waste. This work shall include monitoring and potential sampling, analytical testing, and management of a material contaminated by regulated substances.

- A) The Environmental Firm shall continuously monitor for worker protection and the Contractor shall manage and dispose of all soils excavated within the following areas as classified below. The lateral distance is measured from centerline and the farthest distance is the offset distance or construction limit whichever is less. Soil samples or analysis without the approval of the Engineer will be at no additional cost to the Department. Phase I Preliminary Engineering information is available through the District's Environmental Studies Unit.
1. Station 76+90 to Station 77+90 0 to 100 feet RT (Wirtz Beverage, Site 2137-05, 1925 Busse Road, Elk Grove Village) – non-special waste. Contaminants of concern sampling parameters: PNAs and Lead.
 2. Station 401+20 to Station 401+65 0 to 50 feet RT (Arbee Transparent, Site 2137-I, 1450 Pratt Boulevard, Elk Grove Village) – non-special waste. Contaminants of concern sampling parameters: PNAs.
 3. Station 406+80 to Station 407+60 0 to 50 feet RT (Daltile, Site 2137-09, 1601 Pratt Boulevard, Elk Grove Village) – non-special waste. Contaminants of concern sampling parameters: PNAs.
 4. Station 412+35 to Station 413+15 0 to 60 feet LT (Wirtz Beverage, Site 2137-05, 1925 Busse Road, Elk Grove Village) – non-special waste. Contaminants of concern sampling parameters: PNAs.
- B) The Environmental Firm shall continuously monitor for worker protection and the Contractor shall manage any excavated soils **within the construction limits of this project as fill**. Although the soil concentrations exceed a residential property's Tier 1 soil remediation objective for the ingestion exposure pathway, they can be utilized within the construction limits as fill because the roadway is not considered a residential property. All storm sewer excavated soils can be placed back into the excavated trench as backfill unless trench backfill is specified. If the soils cannot be utilized within the construction limits as fill then

Added 1-13-2011

160a.

they must be managed off-site as a non-special waste. The following areas can be managed within the construction limits as fill.

1. Station 76+00 to Station 76+40 0 to 80 feet LT (Daltile, Site 2137-09, 1601 Pratt Boulevard, Elk Grove Village) – non-special waste. Contaminants of concern sampling parameters: Lead.
2. Station 402+35 to Station 403+05 0 to 50 feet RT (Multiple Tenant, Site 2137-12, 1501 – 1551 Pratt Boulevard, Elk Grove Village) – non-special waste. Contaminants of concern sampling parameters: Arsenic.
3. Station 410+80 to Station 412+80 0 to 60 feet RT (Vacant Commercial Building, Site 2137-06, 1951 Busse Road, Elk Grove Village) – non-special waste. Contaminants of concern sampling parameters: Arsenic and Lead.

S:\GEN\WPDOCS\GOBELMAN\Districts\Distr1\PS\Andrews3\37sp ae3.docx
rev January 7, 2011

Added 1-13-2011

160 b.