



PLAN	SURVEYED	BY	DATE
	NOTE BOOK		
	ALIGNMENT CHECKED		
	PLAN CHECKED		
	FILE NAME		
	NO.		

PROFILE	SURVEYED	BY	DATE
	NOTE BOOK		
	PROFILES CHECKED		
	PLAN CHECKED		
	FILE NAME		
	NO.		



CONTROLLER EGH
CIRCUIT LOAD TABLE

CIRCUIT NO.	TOTAL FIXTURE AMPS	KW LOAD
A	13.0	3.1
B	11.7	2.8
C	13.65	2.8
D	11.05	2.7
E	13.65	3.3
F	13.65	3.3
G	14.95	3.6
H	16.25	3.9
I	3.90	0.9
J	3.90	0.9
K	3.90	0.9
L	1.95	0.9
M	3.90	0.9
N	1.95	0.5
O	3.90	0.9
P	3.90	0.9
TOTAL	139.1	33.2

400W LUMINAIRE = 1.95A
250W LUMINAIRE = 1.30A

CONTROLLER EGG
CIRCUIT LOAD TABLE

CIRCUIT NO.	TOTAL FIXTURE AMPS	KW LOAD
A	13.00	3.1
B	13.00	3.1
C	9.75	2.3
D	9.75	2.3
E	14.30	3.4
F	14.30	3.4
G	9.75	2.3
H	9.75	2.3
I	3.25	0.8
J	3.25	0.8
K	2.60	0.6
L	3.25	0.8
M	3.25	0.8
N	2.60	0.6
O	1.30	0.3
P	3.25	0.8
TOTAL	116.4	27.7

400W LUMINAIRE = 1.95A
250W LUMINAIRE = 1.30A

- LEGEND**
- LITHONIA LUMINAIRE, SODIUM VAPOR 400W, 240V ON RED WIRE
 - LITHONIA LUMINAIRE, SODIUM VAPOR 400W, 240V ON BLACK WIRE
 - (S) ○ LITHONIA LUMINAIRE, SODIUM VAPOR 250W, 240V ON RED WIRE
 - KIM LUMINAIRE, SODIUM VAPOR 250W, 240V ON RED WIRE
 - KIM LUMINAIRE, SODIUM VAPOR 250W, 240V ON BLACK WIRE
 - ▣ PROPOSED LIGHTING CONTROLLER 240/480V, 1 ϕ, 3-WIRE
 - UNIT DUCT, WITH 3-1/C NO. 4 AND 1-1/C NO. 4 GROUND, 600V (XLP-TYPE USE) 1 1/4" DIA. POLYETHYLENE
 - - - UNIT DUCT, WITH 3-1/C NO. 8 AND 1-1/C NO. 8 GROUND, 600V (XLP-TYPE USE) 1" DIA. POLYETHYLENE