

**BEAM 3**

Location	Station	Offset	Theoretical Grade Elevations	Theoretical Grade Elevations Adjusted For Dead Load Deflection
Bk. N. Abut.	88+21.21	11.33	634.02	634.02
C/L Brg. N. Abut.	88+23.50	11.33	634.13	634.13
A1	88+33.50	11.33	634.63	634.66
B1	88+43.50	11.33	635.14	635.17
C1	88+53.50	11.33	635.64	635.67
D1	88+63.50	11.33	636.14	636.16
E1	88+73.50	11.33	636.65	636.65
C/L Pier 1	88+83.50	11.33	637.15	637.15
A2	88+93.50	11.33	637.64	637.66
B2	89+03.50	11.33	638.13	638.17
C2	89+13.50	11.33	638.61	638.67
D2	89+23.50	11.33	639.08	639.15
E2	89+33.50	11.33	639.55	639.60
F2	89+43.50	11.33	640.01	640.04
G2	89+49.92	11.33	640.30	640.31
H2	89+59.92	11.33	640.75	640.75
C/L Pier 2	89+65.17	11.33	640.98	640.98
A3	89+75.17	11.33	641.42	641.43
B3	89+85.17	11.33	641.85	641.87
C3	89+95.17	11.33	642.27	642.31
D3	90+05.17	11.33	642.69	642.73
E3	90+15.17	11.33	643.10	643.14
F3	90+25.17	11.33	643.50	643.53
G3	90+35.17	11.33	643.90	643.91
C/L Pier 3	90+45.43	11.33	644.30	644.30
A4	90+55.43	11.33	644.68	644.69
B4	90+65.43	11.33	645.06	645.08
C4	90+75.43	11.33	645.42	645.46
D4	90+85.43	11.33	645.79	645.83
E4	90+95.43	11.33	646.14	646.18
F4	91+05.43	11.33	646.50	646.53
G4	91+15.43	11.33	646.87	646.88
C/L Pier 4	91+25.70	11.33	647.23	647.23
A5	91+35.70	11.33	647.59	647.59
B5	91+40.95	11.33	647.77	647.78
C5	91+50.95	11.33	648.11	648.15
D5	91+60.95	11.33	648.44	648.51
E5	91+70.95	11.33	648.77	648.84
F5	91+80.95	11.33	649.09	649.15
G5	91+90.95	11.33	649.41	649.45
H5	92+00.95	11.33	649.72	649.74
C/L Pier 5	92+11.07	11.33	650.04	650.04
A6	92+21.07	11.33	650.35	650.35
B6	92+31.07	11.33	650.66	650.68
C6	92+41.07	11.33	650.97	651.00
D6	92+51.07	11.33	651.28	651.31
E6	92+61.07	11.33	651.59	651.62
C/L Brg. S. Abut.	92+74.32	11.34	652.00	652.00
Bk. S. Abut.	92+76.64	11.35	652.07	652.07

**BEAM 4**

Location	Station	Offset	Theoretical Grade Elevations	Theoretical Grade Elevations Adjusted For Dead Load Deflection
Bk. N. Abut.	88+21.21	18.00	634.12	634.12
C/L Brg. N. Abut.	88+23.50	18.00	634.24	634.24
A1	88+33.50	18.00	634.74	634.76
B1	88+43.50	18.00	635.24	635.27
C1	88+53.50	18.00	635.74	635.78
D1	88+63.50	18.00	636.25	636.27
E1	88+73.50	18.00	636.75	636.75
C/L Pier 1	88+83.50	18.00	637.25	637.25
A2	88+93.50	18.00	637.74	637.76
B2	89+03.50	18.00	638.23	638.27
C2	89+13.50	18.00	638.71	638.77
D2	89+23.50	18.00	639.18	639.25
E2	89+33.50	18.00	639.65	639.71
F2	89+43.50	18.00	640.11	640.14
G2	89+49.92	18.00	640.40	640.42
H2	89+59.92	18.00	640.85	640.85
C/L Pier 2	89+65.17	18.00	641.08	641.08
A3	89+75.17	18.00	641.52	641.53
B3	89+85.17	18.00	641.95	641.98
C3	89+95.17	18.00	642.37	642.42
D3	90+05.17	18.00	642.79	642.84
E3	90+15.17	18.00	643.20	643.24
F3	90+25.17	18.00	643.61	643.63
G3	90+35.17	18.00	644.00	644.01
C/L Pier 3	90+45.43	18.00	644.40	644.40
A4	90+55.43	18.00	644.78	644.79
B4	90+65.43	18.00	645.16	645.18
C4	90+75.43	18.00	645.53	645.57
D4	90+85.43	18.00	645.89	645.93
E4	90+95.43	18.00	646.25	646.28
F4	91+05.43	18.00	646.61	646.64
G4	91+15.43	18.00	646.99	647.00
C/L Pier 4	91+25.70	18.00	647.37	647.37
A5	91+35.70	18.00	647.74	647.75
B5	91+40.95	18.00	647.93	647.95
C5	91+50.95	18.00	648.28	648.33
D5	91+60.95	18.00	648.63	648.70
E5	91+70.95	18.00	648.97	649.04
F5	91+80.95	18.00	649.30	649.37
G5	91+90.95	18.00	649.64	649.68
H5	92+00.95	18.00	649.96	649.98
C/L Pier 5	92+11.07	18.00	650.28	650.28
A6	92+21.07	18.00	650.60	650.60
B6	92+31.07	18.00	650.92	650.94
C6	92+41.07	18.00	651.24	651.27
D6	92+51.07	18.00	651.55	651.59
E6	92+61.07	18.00	651.87	651.90
C/L Brg. S. Abut.	92+74.46	18.01	652.30	652.30
Bk. S. Abut.	92+76.77	18.02	652.37	652.37