

RESURFACING SCHEDULE					
LOCATION	HMA SURFACE REMOVAL 2"	BITUMINOUS MATERIALS (PRIME COAT)	AGGREGATE (PRIME COAT)	LEVELING BINDER (MACHINE METHOD) IL-9.5FG, N90, 3/4"	POLYMERIZED HMA SURFACE COURSE, 1 1/2"
LOCATION	(SQ YD)	(TON)	(TON)	(TON)	(TON)
IL 159					
23+44 TO 30+00	6608	4.1	19.8	278	555
30+00 TO 36+00	2914	1.8	8.7	122	245
36+00 TO 40+85	3575	2.2	10.7	150	300
RAMP B					
14+32.74 TO 18+00		0.8	3.7	51	103
18+00 TO 19+81.83	411	0.3	2.7	38	35
RAMP C					
13+14.61 TO 19+24.53	506	0.9	4.1	58	116
TOTAL:					
	14014	10.1	49.8	697	1353

BRIDGE APPROACH SHOULDER DRAIN					
LOCATION	TYPE C INLET BOX, STANDARD 609006	PIPE DRAINS 12"	END SECTIONS 12"	CONCRETE THRUST BLOCKS	
STA	RT/LT	(EACH)	(FOOT)	(FOOT)	(EACH)
IL 159					
33+74.12	LT	1	120	1	1
36+64.62	LT	1	96	1	1
TOTAL :					
		2	216	2	2

DELINEATORS				
LOCATION	RT/LT	QUANTITY		
STA	TO	STA	(EACH)	
RAMP "B"				
15+00	TO	18+00	RT	4
RAMP "C"				
14+00	TO	18+00	RT	6
RAMP F				
2+75	TO	10+80	LT	26
TOTAL :				
				36

SHOULDER RESURFACING SCHEDULE						
LOCATION	HMA SURFACE REMOVAL 1 1/2"	BITUMINOUS MATERIALS (PRIME COAT)	AGGREGATE (PRIME COAT)	HMA SHOULDERS, 1 1/2"	HMA SHOULDERS, 2 1/2"	
STA	TO	STA	(SQ YD)	(TON)	(TON)	(TON)
IL 159						
23+53.7	TO	27+27	332	0.10	0.5	28
28+91.8	TO	33+61.9	209	0.07	0.3	18
36+23.7	TO	39+21	447	0.14	0.7	38
40+13	TO	41+85	50	0.02	0.1	4
RAMP "B"						
14+27.74	TO	17+21		0.04	0.2	18
RAMP "C"						
13+09.61	TO	19+22.95		0.13	0.6	60
RAMP "D"						
0+90.8	TO	1+88		0.01	0.1	6
TOTAL:						
			1038	0.5	2.5	87

TRAFFIC CONTROL					
LOCATION	RT/LT	TEMPORARY CONCRETE BARRIER (FOOT)	IMPACT ATTENUATORS, TEMPORARY (NON-REDIRECTIVE), TEST LEVEL 2 (EACH)	IMPACT ATTENUATORS, TEMPORARY (FULLY REDIRECTIVE, NARROW), TEST LEVEL 3 (EACH)	
STA	TO	STA			
IL 159					
31+39.39	TO	38+51.89	LT	709.5	
FAI ROUTE 64					
534+83	TO	546+90	RT	1207	1
536+10	TO	536+97	MEDIAN	87	1
536+15	FO	537+12	MEDIAN	97	1
535+06	FO	535+89	LT	83	1
TOTAL :					
				1474	4

CONCRETE BARRIER							
LOCATION	RT/LT	CONCRETE BARRIER REMOVAL (FOOT)	PROTECTIVE COAT (SQ YD)	CONCRETE BARRIER TRANSITION (FOOT)	CONCRETE BARRIER, SINGLE FACE, 42" (FOOT)	POROUS GRANULAR EMBANKMENT (CU YD)	CONCRETE MEDIAN SURFACE 4" (SQ FT)
STA	TO	STA					
FAI ROUTE 64							
536+35	TO	536+87	MEDIAN	52			
536+35	TO	536+73	MEDIAN	36	38	12	173
536+73	TO	536+87	MEDIAN	15	28		
TOTAL :							
				52	52	38	28

TEMPORARY RAMPS	
LOCATION	TEMPORARY RAMPS (SQ YD)
IL 159	
STA. 23+44	53
STA. 40+85	42
RAMP A	
STA. 0+89	17
RAMP B	
STA. 19+83.60	82
RAMP C	
STA. 19+24.53	80
RAMP D	
STA. 1+93	12
RAMP E	
STA. 2+58	14
TOTAL:	
	300