


**SIGNING LEGEND**  
 RE = RELOCATE SIGN PANEL ASSEMBLY, TYPE A  
 DG = FURNISH AND INSTALL POLE, DIG METHOD

- NOTES:**
1. THE COST FOR ALL SPLICING SHALL BE INCLUDED IN THE COST OF ELECTRIC CABLE IN TRENCH, 1/C NO. 6 600V (EPR-TYPE RHW) CABLING.
  2. THE CONTRACTOR SHALL VERIFY THE EXISTING LIGHTING CABLE SIZE AND INSULATION TYPE AND ADJUST THE PROPOSED CABLING TO MATCH THE EXISTING CABLE. THE DIFFERENCE IN COST OF THE REVISED CABLE SIZE/INSULATION TYPE WILL BE ADDED OR DEDUCTED FROM THE CONTRACT.

ELECTRIC CABLE IN TRENCH, 2-1/C NO. 6 600V (EPR-TYPE RHW)-4.5' SPLICE TO EXISTING LIGHTING CIRCUIT TRENCH AND BACKFILL FOR ELECTRICAL WORK-1.5' TOPSOIL FURNISH AND PLACE, 6"-0.25 SY SODDING, SALT TOLERANT-0.25 SY

**DRAINAGE STRUCTURES**

STRUCTURE	STATION	OFFSET	RIM	INVERT
1 - EXISTING MH	99+91.86	3.45' RT	684.50	677.21 (SE), 665.51 (E/W)
2 - CB TY A, 4' DIA., TYPE 1 F, OPEN LID	100+37.11	17.40' RT	683.13	677.63 (NW)
3 - CB TY A, 4' DIA., TYPE 11 F&G	103+39.64	17.40' RT	684.64	679.14 (NE)
4 - EXISTING MH	103+82.45	6.11' RT	685.65	678.75 (SW), 665.67 (E/W)



**LEGEND**

- X - CHAIN LINK FENCE, 5'
- [Pattern] SODDING, SALT TOLERANT AND TOPSOIL FURNISH AND PLACE, 6"
- [Pattern] PROPOSED PAVEMENT
- xxx.xx ELEVATION OF TOP OF CURB AT POINT INDICATED
- xxx.xx ELEVATION OF FLOW LINE OF GUTTER AT POINT INDICATED

FILENAME = g:\d\19883\roadsheets\of\19883\1st\1st\1st.dwg  
 USER NAME = ESNeubauer  
 PLOT DATE = 12/8/2009 1:00:31 PM

DESIGNED - ESN  
 DRAWN - AJP  
 CHECKED - DWB  
 DATE - 12-09-09

REVISED -  
 REVISED -  
 REVISED -  
 REVISED -

**STATE OF ILLINOIS  
 DEPARTMENT OF TRANSPORTATION**

**FIRST STREET ON-STREET PARKING CONSTRUCTION  
 IMPROVEMENT PLAN  
 MYRTLE AVE TO EVERGREEN AVE**

SCALE: 1"=20'  
 SHEET NO. 1 OF 4 SHEETS  
 STA. 99+88.65 TO STA. 104+89.10

F.A.U. R.T.E.	SECTION	COUNTY	TOTAL SHEETS	SHEET NO.
1392	09-00172-00-PK	DUPAGE	18	5

CONTRACT NO. 63382  
 FED. ROAD DIST. NO. [ILLINOIS] FED. AID PROJECT

PROPOSED IMPROVEMENTS