

FURNISHED EXCAVATION

LOCATION	CU YD
RT STA 310+44.00 TO STA 314+56.00	170
LT STA 311+64.00 TO STA 315+51.00	140
RT STA 368+54.00 TO STA 372+66.00	225
LT STA 369+74.00 TO STA 373+86.00	115
TOTAL	650

SHOULDER EXCAVATION

LOCATION	CU YD
RT STA 79+77.02 TO STA 97+78.64	166.82
RT STA 121+68.98 TO STA 331+56.17	1,943.26
RT STA 335+01.66 TO STA 453+40.00	1,096.14
LT STA 79+77.02 TO STA 97+78.64	166.82
LT STA 121+68.98 TO STA 331+56.17	1,943.26
LT STA 335+01.66 TO STA 453+40.00	1,096.14
TOTAL	6,412.44

EARTH EXCAVATION (WIDENING)

LOCATION	WIDTH	CU YD
RT STA 79+07.02 TO STA 79+77.02	9.5'	20.52
LT STA 79+07.02 TO STA 79+77.02	9.5'	20.52
TOTAL		41.04

SEEDING, CLASS 2 (SPECIAL)

LOCATION	ACRE
LT STA 311+64.00 TO STA 315+51.00	0.2
LT STA 369+74.00 TO STA 373+86.00	0.2
RT STA 310+44.00 TO STA 314+56.00	0.2
RT STA 368+54.00 TO STA 372+66.00	0.2
TOTAL	0.8

EROSION CONTROL BLANKET

LOCATION	SQ YD
LT STA 312+99.00 TO STA 313+55.00	76.44
LT STA 371+04.00 TO STA 371+64.00	110.89
RT STA 312+49.00 TO STA 313+29.00	94.56
RT STA 370+70.00 TO STA 371+44.00	90.22
TOTAL	372.11

TEMPORARY EROSION CONTROL SEEDING

LOCATION	POUND
LT STA 311+64.00 TO STA 315+51.00	20
LT STA 369+74.00 TO STA 373+86.00	20
RT STA 310+44.00 TO STA 314+56.00	20
RT STA 368+54.00 TO STA 372+66.00	20
TOTAL	80

TRAFFIC BARRIER TERMINAL, TYPE 1 (SPECIAL) TANGENT

LOCATION	EACH
LT STA 311+95.00 TO STA 312+45.00	1
LT STA 314+70.00 TO STA 315+20.00	1
RT STA 310+75.00 TO STA 311+25.00	1
RT STA 313+75.00 TO STA 314+25.00	1
LT STA 370+05.00 TO STA 370+55.00	1
LT STA 373+05.00 TO STA 373+55.00	1
RT STA 368+85.00 TO STA 369+35.00	1
RT STA 371+85.00 TO STA 372+35.00	1
TOTAL	8

STEEL PLATE BEAM GUARD RAIL, TYPE A

LOCATION	FOOT
LT STA 312+45.00 TO STA 313+07.50	62.500
LT STA 313+26.25 TO STA 314+70.00	143.750
RT STA 311+25.00 TO STA 312+84.38	159.375
RT STA 313+03.13 TO STA 313+75.00	71.875
LT STA 370+55.00 TO STA 371+20.63	65.625
LT STA 371+42.50 TO STA 373+05.00	162.500
RT STA 369+35.00 TO STA 371+03.75	168.750
RT STA 371+25.63 TO STA 371+85.00	59.375
TOTAL	893.75

STEEL PLATE BEAM GUARD RAIL, ATTACHED TO STRUCTURES

LOCATION	FOOT
LT STA 313+07.50 TO STA 313+26.25	18.750
RT STA 312+84.38 TO STA 313+03.13	18.750
LT STA 371+20.63 TO STA 371+42.50	21.875
RT STA 371+03.75 TO STA 371+25.63	21.875
TOTAL	81.250

GUARDRAIL MARKERS

LOCATION	EACH
LT STA 312+45.00 TO STA 314+70.00	4
LT STA 370+55.00 TO STA 373+05.00	4
RT STA 311+25.00 TO STA 313+75.00	4
RT STA 369+35.00 TO STA 371+85.00	4
TOTAL	16

TERMINAL MARKER - DIRECT APPLIED

LOCATION	EACH
LT STA 311+95.00	1
LT STA 315+20.00	1
LT STA 370+05.00	1
LT STA 373+55.00	1
RT STA 311+25.00	1
RT STA 314+25.00	1
RT STA 368+85.00	1
RT STA 372+35.00	1
TOTAL	8



JOB = 2233	DESIGNED - NAK	REVISED -
FILE NAME = 2233 S00.dgn	DRAWN - AJH	REVISED -
PLOT SCALE = 1/8" = 1' / IN.	CHECKED - NAK	REVISED -
PLOT DATE = 11/28/2009	DATE - 9/15/2009	REVISED -

CHRISTIAN COUNTY
CH 1 IMPROVEMENTS

SCHEDULE OF QUANTITIES

SCALE:	SHEET NO.	OF	SHEETS	STA.	TO STA.
--------	-----------	----	--------	------	---------

F.A.S. RTE.	SECTION	COUNTY	TOTAL SHEETS	SHEET NO.
645	05-00071-05-RS	CHRISTIAN	28	5
CONTRACT NO.				
FED. ROAD DIST. NO. ILLINOIS FED. AID PROJECT				