

# TABULATION OF RESURFACING QUANTITIES

LOCATION	LENGTH	HMA	HMA	HMA	NOTES	POLY BIT	AGG	POLYMERIZED	HMA BC	POLY HMA	HMA	HMA	AGG	
		SURF REM	SURF REM	SURF REM		PRIME CT	PRIME CT	IL 19.0 N 90	IL 19.0 N 50	SC MIX E	SC MIX D	SC MIX D	SHLDS	TYPE
	ft	BUTT JOINT	1 1/2 "	3 1/4 "		ton	ton	2 1/4 "	2 1/4 "	N90 1 1/2 "	2 1/4 "	1 1/2 "		
		sq yd	sq yd	sq yd				ton	ton	ton	ton	ton	ton	ton
Knox Co. West Bound Lanes													LT	RT
129+44 to 154+85 BK	2541		9599.3		STA EQU	5.05	28.8	854.84	355.7	569.9	142.3	236.3	73.7	73.7
5+00 AHD to 26+30	2130		8046.7			4.24	24.14	716.58	298.2	477.72	119.3	198.1	61.8	61.8
26+30 to 26+90	60	253.3				0.1	0.76	10.1	4.2	13.46	3.4	5.6	1.7	1.7
26+90 to 26+96	6				EXP JNT									
26+96 to 27+06	10	42.2				0.02	0.13			2.24		0.9		
27+06 to 28+07	101		381.6			0.2	1.15			22.65		13.2		
28+07 to 28+17	10	42.2			BR JNT	0.02	0.13			2.24		0.9		
28+17 to 28+27 SN 048-0002	10	42.2			BR JNT	0.02	0.13			3.14				
28+27 to 29+48 SN 048-0002	121		510.9		BRIDGE	0.2	1.53			42.9				
29+48 to 29+58 SN 048-0002	10	42.2			BR JNT	0.02	0.13			3.14				
29+58 to 29+68	10	42.2			BR JNT	0.02	0.13			2.24		0.9		
29+68 to 30+66	98		370.2			0.2	1.11			21.98		12.8		
30+66 to 30+76	10	42.2				0.02	0.13			2.24		0.9		
30+76 to 30+82	6				EXP JNT									
30+82 to 31+42	60	253.3				0.1	0.76	10.1	4.2	13.46	3.4	5.6	1.7	1.7
31+42 to 83+71	5229		19754			10.4	59.26	1759.1	732.1	1172.76	292.8	486.3	151.6	151.6
83+71 to 85+66 BK	195		823.3		BR CLR	0.33	2.47	15.12	8.8	43.74	4.5	18.1	2.6	2.6
236+79 AHD to 238+14	135		570		BR CLR	0.23	1.71	15.12	8.8	30.28	4.5	12.6	2.6	2.6
238+14 to 285+05	4691		17721.6			9.33	53.17	1578.1	656.7	1052.1	262.7	436.3	136	136
285+05 to 288+35	330		1393.3		BR CLR	0.56	4.18	30.24	17.6	74.01	9	30.7	5.2	5.2
288+35 to 394+44	10609		40078.4			21.1	120.24	3569.1	1485.3	2379.4	594.1	986.6	307.7	307.7
394+44 to 397+74	330		1393.3		BR CLR	0.56	4.18	30.24	17.6	74.01	9	30.7	5.2	5.2
397+74 to 414+94	1720		6497.8			3.42	19.49	578.64	240.8	385.76	96.3	159.9	49.9	49.9
414+94 to 415+54	60	253.3				0.1	0.76	10.1	4.2	13.46	3.4	5.6	1.7	1.7
415+54 to 415+60	6				EXP JNT									
415+60 to 415+70	10	42.2				0.02	0.13			2.24		0.9		
415+70 to 416+63	93		392.7			0.15	1.2			20.8		12.2		
416+63 to 417+78 SN 048-0004	115		485.6		BRIDGE	0.21	1.4			40.8				
417+78 to 418+71	93		392.7			0.15	1.2			20.8		12.2		
418+71 to 418+81	10	42.2				0.02	0.13			2.24		0.9		
418+81 to 418+87	6				EXP JNT									
418+87 to 419+47	60	253.3				0.1	0.76	10.1	4.2	13.46	3.4	5.6	1.7	1.7