



F.A.P. RTE.	SECTION	COUNTY	TOTAL SHEETS	SHEET NO.
326		LIVINGSTON	354	84
STA.		TO STA.		
FED. ROAD DIST. NO.		ILLINOIS FED. AID PROJECT		
		*(123,123XRS-3,(124)RS-5,(123)BR-3		



**STAGE I SEQUENCE OF OPERATIONS**

1. REMOVE THE EXISTING 1.5' WIDE PAVED SHOULDER ON BOTH SIDES OF THE EXISTING PAVEMENT AS SHOWN IN THESE DETAILS.
2. CONSTRUCT 3' WIDE HOT-MIX ASPHALT BASE COURSE, 9" LT. OF THE EXISTING PAVEMENT.
3. INSTALL TEMPORARY TRAFFIC SIGNALS, ATTENUATORS, CONCRETE BARRIERS, DRUMS, STRIPING, WIDTH RESTRICTION SIGNING AND ALL OTHER ITEMS PER THESE DETAILS, TRAFFIC CONTROL AND PROTECTION STANDARD 701321 AND AS MODIFIED IN SPECIAL PROVISION "TEMPORARY BRIDGE TRAFFIC SIGNALS (STD. 701321)". MAINTAIN ALL TRAFFIC ON NORTHBOUND LANE.
4. ERECT THE PERIMETER EROSION BARRIER AND HIGH VISIBILITY FENCING RT. SIDE AS PER THE PLANS. CONSTRUCT THE PROPOSED 24" PIPE AND MANHOLE, RT. SIDE STA. 943+80 TO STA. 948+65.
5. REMOVE THE STAGE I PORTION OF THE EXISTING STRUCTURE AND GUARDRAIL AS SHOWN ELSEWHERE IN THE PLANS AND THIS DETAIL.

6. CONSTRUCT THE 3' WIDE HOT-MIX ASPHALT BASE COURSE, 9" RT. OF THE EXISTING PAVEMENT AS SHOWN IN THESE DETAILS TO SUPPORT THE PROPOSED GRADE RAISE.
7. CONSTRUCT THE STAGE I PORTION OF THE NEW STRUCTURE, BRIDGE APPROACH PAVEMENT, HOT-MIX ASPHALT BINDER COURSE (GRADE RAISE), HOT-MIX ASPHALT BASE COURSE, 9" AND GUARDRAIL AS SHOWN ELSEWHERE IN THE PLANS AND THIS DETAIL.



REVISIONS	
NAME	DATE

ILLINOIS DEPARTMENT OF TRANSPORTATION

STATION 949+25  
STAGE I CONSTRUCTION PLANS

SCALE: VERT. \_\_\_\_\_  
HORIZ. \_\_\_\_\_

DATE \_\_\_\_\_ DRAWN BY \_\_\_\_\_  
CHECKED BY \_\_\_\_\_