



# Illinois Department of Transportation

2300 South Dirksen Parkway / Springfield, Illinois / 62764

February 21, 2008

SUBJECT: FAP Route 785 (IL 140)  
Project ACHSIP-0785 (028)  
Section (134,135)I  
Madison County  
Contract No. 76B34  
Item No. 17, March 7, 2008 Letting  
Addendum A

## NOTICE TO PROSPECTIVE BIDDERS:

Attached is an addendum to the plans or proposal. This addendum involves revised and/or added material.

1. Revised page 1 of the Schedule of Prices.
2. Revised sheets 4, 5A, and 17 of the fold-up plans.

Prime contractors must utilize the enclosed material when preparing their bid and must include any Schedule of Prices changes in their bidding proposal.

Bidders using computer-generated bids are cautioned to reflect any and all Schedule of Prices changes, if involved, into their computer programs.

Very truly yours,

Eric E. Harm  
Interim Bureau Chief  
Bureau of Design and Environment

A handwritten signature in black ink, appearing to read 'Ted B. Walschleger' with a small 'P.E.' to the right.

By: Ted B. Walschleger, P. E.  
Engineer of Project Management

cc: Mary C. Lamie, Region 5, District 8; Roger Driskell; Estimates

TBW:DB:jc

ILLINOIS DEPARTMENT OF TRANSPORTATION  
 SCHEDULE OF PRICES  
 CONTRACT NUMBER - 76B34

State Job # - C-98-004-08  
 PPS NBR - 8-08800-1708  
 County Name - MADISON - -  
 Code - 119 - -  
 District - 8 - -  
 Section Number - (134,135)]

Project Number  
 ACHSIP-0785/028/

Route  
 FAP 785

Item Number	Pay Item Description	Unit of Measure	Quantity	x	Unit Price	=	Total Price
* 20200100	EARTH EXCAVATION	CU YD	504.000				
20400800	FURNISHED EXCAV	CU YD	1,132.000				
25000210	SEEDING CL 2A	ACRE	0.900				
25000400	NITROGEN FERT NUTR	POUND	81.000				
25000500	PHOSPHORUS FERT NUTR	POUND	81.000				
25000600	POTASSIUM FERT NUTR	POUND	81.000				
25100120	MULCH METHOD 2	TON	1.800				
28000250	TEMP EROS CONTR SEED	POUND	90.000				
28000400	PERIMETER EROS BAR	FOOT	2,580.000				
44000400	GUTTER REM	FOOT	182.000				
44004250	PAVED SHLD REMOVAL	SQ YD	512.000				
48102100	AGG WEDGE SHLD TYPE B	TON	254.000				
48203029	HMA SHOULDERS 8	SQ YD	3,025.000				
63100167	TR BAR TRM T1 SPL TAN	EACH	4.000				
63200310	GUARDRAIL REMOV	FOOT	200.000				
63300575	R&R RAIL ELEM EX GDRL	FOOT	3,786.000				
* REVISED : FEBRUARY 21, 2008							

# SUMMARY OF QUANTITIES

CODE NO	ITEM	UNIT	90% FED. 10% STATE TOTAL QUANTITIES			CONSTRUCTION TYPE CODE		
			CU YD	ACRE	POUND	TON	1000 ROADWAY	Y031-IF BRAKE RD.
20400800	<del>20400800 EARTH EXCAVATION</del> FURNISHED EXCAVATION	CU YD	1132		504		504	
25000210	SEEDING, CLASS 2A	ACRE	0.9				0.9	
25000400	NITROGEN FERTILIZER NUTRIENT	POUND	81				81	
25000500	PHOSPHORUS FERTILIZER NUTRIENT	POUND	81				81	
25000600	POTASSIUM FERTILIZER NUTRIENT	POUND	81				81	
25100120	MULCH, METHOD 2	TON	1.8				1.8	
28000250	TEMPORARY EROSION CONTROL SEEDING	POUND	90				90	
28000400	PERIMETER EROSION BARRIER	FOOT	2580				2580	
44000400	GUTTER REMOVAL	FOOT	182				182	
44004250	PAVED SHOULDER REMOVAL	SQ YD	512				512	
48102100	AGGREGATE WEDGE SHOULDER, TYPE B	TON	254				254	
48203029	HOT-MIX ASPHALT SHOULDERS, 8"	SQ YD	3025				3025	
63100167	TRAFFIC BARRIER TERMINAL, TYPE 1 (SPECIAL) TANGENT	EACH	4				4	
63200310	GUARDRAIL REMOVAL	FOOT	200				200	
63300575	REMOVE AND RE-ERECT RAIL ELEMENT OF EXISTING GUARD RAIL	FOOT	3786				3786	
64200105	SHOULDER RUMBLE STRIP	FOOT	6806				6806	
67000400	ENGINEER'S FIELD OFFICE, TYPE A	CAL MO	2				2	
67100100	MOBILIZATION	L SUM	1				1	

TOTAL SHEETS	SHEET NO.
29	4
CONTRACT NO.: 76B34	

## SUMMARY OF QUANTITIES

FAP 785 (IL 140)  
SECTION (134,135)I  
MADISON COUNTY

PLOT DATE: \*DATE-TIME\*

\*\*DATE\*\*  
\*DATE-TIME\*  
\*DGN-SPEC\*

Rev. 7-21-00 \*SPECIALTY ITEMS Rev.

SSDATESS  
 \*DATE-TIME\*  
 \*IGN-SPEC\*

# SUMMARY OF QUANTITIES

CODE NO	ITEM	UNIT	90% FED. 10% STATE		CONSTRUCTION TYPE CODE		
			TOTAL QUANTITIES	I000 ROADWAY	Y031-IF BRAKE.RD.	Y031-IF QRC5 GR. RD.	407
*87301225	ELECTRIC CABLE IN CONDUIT, SIGNAL NO. 14 3C	FOOT	507		100		407
*87502690	TRAFFIC SIGNAL POST, ALUMINUM 15 FT.	EACH	2		1		1
*87800100	CONCRETE FOUNDATION, TYPE A	FOOT	6		3		3
*88040020	SIGNAL HEAD, POLYCARBONATE, LED, 1-FACE, 1-SECTION, BRACKET MOUNTED	EACH	4		2		2

TOTAL SHEETS	SHEET NO.
29	5A

CONTRACT NO.: 76B34

△  
 \*SPECIALTY ITEMS

△ Rev-2-21-08

## SUMMARY OF QUANTITIES

FAP 785 (IL 140)  
 SECTION (134,135)I  
 MADISON COUNTY

PLOT DATE: \*DATE-TIME\*

## SHOULDER SCHEDULE

LOCATION		HOT-MIX ASPHALT SHOULDER, 8" SQ YD	SHOULDER RUMBLE STRIPS FOOT	AGGREGATE SHOULDER TON	FURNISHED EXCAVATION CU YD	EARTH EXCAVATION CU YD
MILE TO MILE	RT/LT					
0.080 TO 0.119	LT	91.52	205.92	7.82		15.3
0.129 TO 0.341	LT	497.49	1119.36	42.49	267	82.9
0.080 TO 0.339	RT	607.79	1367.52	51.92	169	101.3
0.357 TO 0.563	LT	483.41	1087.68	41.29		80.5
0.356 TO 0.561	RT	481.07	1082.40	41.09		80.2
0.582 TO 0.765	LT	429.44	966.24	35.01	112.9	71.6
0.580 TO 0.765	RT	434.13	976.80	34.05	188.4	72.3
<b>TOTAL</b>		<b>3025</b>	<b>6806</b>	<b>254</b>	<b>737</b>	<b>504</b>

FURNISHED EXCAVATION TO BE USED FOR SHOULDER WIDENING PURPOSES.

## SEEDING SCHEDULE

LOCATION	TEMPORARY EROSION CONTROL SEEDING (AC)	SEEDING CLASS 2A (AC)	NITROGEN FERT NUTR (LB)	PHOSPHORUS FERT NUTR (LB)	POTASSIUM FERT NUTR (LB)	MULCH METHOD 2 (TON)
ROUTE 140	0.9	0.9	81.0	81.0	81.0	1.8
<b>TOTAL</b>	<b>0.9</b>	<b>0.9</b>	<b>81.0</b>	<b>81.0</b>	<b>81.0</b>	<b>1.8</b>

SEEDING AND TEMPORARY EROSION CONTROL SEEDING ARE TO BE USED IN AREAS WHERE FURNISHED EXCAVATION IS BEING PLACED.

## PERIMETER EROSION BARRIER SCHEDULE

LOCATION	RT/LT	PERIMETER EROSION BARRIER (FOOT)
0.129 TO 0.261	LT	700
0.129 TO 0.261	RT	700
0.654 TO 0.765	LT	590
0.654 TO 0.765	RT	590
<b>TOTAL</b>		<b>2580</b>

PERIMETER EROSION BARRIER SHALL BE PLACED AT THE TOE OF ALL FURNISHED EXCAVATION SLOPES.

### SCHEDULES OF QUANTITIES

F.A. ROUTE 785 (IL 140)  
SECTION (134, 135) I  
MADISON COUNTY

PLOT DATE: 12/17/2007

△ Rev. 2-21-08