

BRIDGE APPROACH SCHEDULE

LOCATION STATION TO STATION	POROUS GRANULAR EMBANKMENT (SPECIAL)	SUBBASE GRANULAR MATERIAL, TYPE A THICKNESS VARIES	BRIDGE APPROACH PAVEMENT	BRIDGE APPROACH PAVEMENT CONNECTOR (PCC) SPECIAL	PROTECTIVE COAT	BRIDGE DECK GROOVING
	CU YD	TONS	SQ YD	SQ YD	SQ YD	SQ YD
IL 37						
STA 375+14.91 TO 375+29.50		33		66.5	210.5	193
STA 375+29.50 TO 375+59.50	72		144			
BRIDGE OMISSION						
STA 375+59.50 TO 377+34.50						
STA 377+34.50 TO 377+64.50	72		144			
STA 377+64.50 TO 377+78.88		33		66.5	210.5	193
TOTALS	144	**66	288	133	421	*386

* GROOVING FOR ANY APPROACH PAVEMENTS AND CONNECTOR PAVEMENTS IS ADDITIONAL TO QUANTITY NEEDED FOR BRIDGE DECK

**TO BE INCLUDED IN COST OF BRIDGE APPROACH PAVEMENT

PAVEMENT MARKING SCHEDULE

LOCATION	SHORT-TERM PAVEMENT MARKING	TEMPORARY PAVEMENT MARKING LINE-4"	PAINT PAVEMENT MARKING LINE-4"	PAINT PAVEMENT MARKING LINE-4"
	FOOT	FOOT	FOOT	SQ FT
IL 37				
MAINLINE				
STA 370+55 TO 375+14	88	1836	1836	612
STA 375+14 TO 377+78	28	1056	1056	352
STA 377+78 TO 381+05	57	1,308	1,308	436
RUNAROUND				
STA 0+00 TO 8+50		1,450		
TOTALS	173	5,650	4,200	1,400

PAVEMENT REMOVAL AND MISCELLANEOUS SCHEDULE

LOCATION	PAVEMENT REMOVAL	HMA SURFACE REMOVAL BUTT JOINT	TEMPORARY RAMP	PIPE CULVERTS CLASS D TYPE 1, 15' (TEMP.)	GUTTER REMOVAL
	SQ YD	SQ YD	SQ YD	FOOT	
IL 37					
STA 370+54.5 TO 370+86		84	12		
STA 375+14 TO 375+68	144				
STA 377+26 TO 377+78	139				
STA 380+75 TO 381+04.5		79	12		
LT STA 371+00 TO 375+18					418
RT STA 371+00 TO 375+18					418
RT STA 377+20.3 TO 380+17.3					297
RUNAROUND					
STA 2+50				44	
STA 5+75				83	
STA 0+00 TO 1+25	73				
STA 1+25 TO 3+41.72	337				
STA 5+07.89 TO 7+25	338				
STA 7+25 TO 8+49	74				
TOTALS	1105	163	24	127	1133

HOT-MIX ASPHALT SCHEDULE

LOCATION	SUBBASE GRANULAR MATERIAL, TYPE A	HOT-MIX ASPHALT BINDER COURSE IL-19, N90	HOT-MIX ASPHALT SURFACE COURSE, MIX "C", N90	BITUMINOUS MATERIAL (PRIMECOAT)
	TON	TON	TON	GALLON
IL 37				
MAINLINE				
STA 370+45 TO 371+00			15	15
STA 371+00 TO 373+60.85			49	68
STA 373+60.85 TO 375+14.55	289	299	29	142
BRIDGE & APPROACH				
STA 375+14.55 TO 377+79.45	211			
STA 377+79.45 TO 378+47.24		132	13	63
STA 378+47.24 TO 380+50		150	38	53
STA 380+50 TO 381+05			15	15
RUNAROUND				
STA 0+10 TO 1+24.55		43		
STA 1+24.55 TO 3+41.72		202		
BRIDGE & APPROACH				
STA 3+41.72 TO 5+07.89				
STA 5+07.89 TO 7+25.14		202		
STA 7+25.14 TO 8+41.36		44		
TOTALS	500	1330	159	356

SEEDING SCHEDULE

LOCATION	SEEDING CLASS 2	SEEDING CLASS 7	NITROGEN (N)	PHOSPHORUS (P)	POTASSIUM (K)	AGRICULTURAL GROUND LIMESTONE	MULCH METHOD 2	TEMPORARY EROSION CONTROL SEEDING
	ACRES	ACRES	LBS	LBS	LBS	TON	ACRES	POUND
IL 37								
LT STA 371+00 TO 377+22	0.08	0.08	14.3	9.6	9.6	0.16	0.01	8
LT STA 372+50 TO 37+650	0.27	0.27	48.3	32.4	32.4	0.54		27
RT STA 371+00 TO 376+25	0.5	0.5	89.4	60.0	60.0	1.0	0.13	50
LT STA 376+75 TO 380+10	0.15	0.15	26.8	18.0	18.0	0.3	0.01	15
RT STA 376+50 TO 380+10	0.7	0.7	125.2	84.0	84.0	1.4	0.35	70
RUNAROUND								
LT STA 2+00 TO 4+10		0.02						2
RT STA 0+51 TO 3+97		0.31						31
LT STA 4+43 TO 6+50		0.02						2
RT STA 4+38 TO 8+48		0.45						45
TOTALS	1.7	2.5	304	204	204	3.4	0.5	250

SHOULDER SCHEDULE

LOCATION	AGGREGATE SHOULDERS TYPE A, 8"	HOT MIX ASPHALT SHOULDERS, 8"
	SQ YD	SQ YD
IL 37		
RT STA 371+00.0 TO 371+35.8	19.9	12
RT STA 371+35.8 TO 372+08.4		83.1
RT STA 372+08.4 TO 375+14.8		366
RT STA 375+14.8 TO 375+50.8		8
LT STA 371+00.0 TO 371+35.8	19.9	12
LT STA 371+35.8 TO 372+68.1		211.8
LT STA 372+68.1 TO 375+14.8		294.7
LT STA 375+14.8 TO 375+68.3		12
RT STA 377+25.1 TO 377+78.6		12
RT STA 377+78.6 TO 379+32.0		183.2
RT STA 379+32.0 TO 380+04.9		84
RT STA 380+04.9 TO 380+50.0	22.3	15
LT STA 377+42.9 TO 377+78.9		8
LT STA 377+78.9 TO 379+35.6		187.3
LT STA 379+35.6 TO 380+08.7		83.1
LT STA 380+08.7 TO 380+50.0	22.9	13.8
TOTALS	85	1586