


NOTES:

1. LIGHT POLE SET BACK SHALL BE FROM BACK OF CURB TO CENTER OF POLE. 7' SETBACK IS WITHIN SIDEWALK, 8' SETBACK IS ONE FOOT BEYOND SIDEWALK.
2. ALL UNIT DUCT FOR CIRCUITS G & H SHALL BE 3 1/2" \* 2 WITH 1/2" \* 4 GROUND IN 1/4" DIA. POLYETHYLENE.



COMPANY NAME: HRGreen  
 PROJECT CONTACT: HRGreen.com  
 CLIENT: MCHENRY COUNTY  
 DATE PLOTTED: 12/19/2012 3:06:20 PM  
 FILE NAME: RLP-03.dgn  
 PLOT SCALE: 1" = 30'  
 PLOT DATE: 12/19/2012

HRGreen.com <small>© 2012 Professional Design Firm #184-001322</small>	USER NAME = jettane FILE NAME = RLP-03.dgn PLOT SCALE = 1" = 30' PLOT DATE = 12/19/2012	DESIGNED - DRAWN - CHECKED - DATE = 12/19/12	REVISED - REVISED - REVISED - REVISED -
---	--	---	--

**MCHENRY COUNTY  
DIVISION OF TRANSPORTATION**

<b>LIGHTING PLAN</b>	
SCALE:	SHEET NO. 3 OF 13 SHEETS
STA.	TO STA.

F.A.U. RTE.	SECTION	COUNTY	TOTAL SHEETS	SHEET NO.
168	05-00314-00-WR	MCHENRY	187	111
CONTRACT NO.			63515	
FED. ROAD DIST. NO. ILLINOIS FED. AID PROJECT				

RLP-03