



MINIMUM MANHOLE DIAMETERS		
PIPE SIZE	MIN. DIAMETER	MIN. WALL THICKNESS
8" - 16"	4"	5"
18" - 24"	5"	6"
24" - 36"	6"	7"

(OR AS DIRECTED BY THE DISTRICT)

ROCK RIVER WATER RECLAMATION DISTRICT
 3333 KISHWAUKEE ST., P.O. BOX 7480, ROCKFORD, ILLINOIS 61126-7480 - PH. (815) 387-7660/FAX (815) 387-7665

REVISED: 5/19/09 PAD **STANDARD DETAIL SHEET**

FILE: DETAIL_SHT_09.DWG
SHEET OF

ROCK RIVER WATER RECLAMATION DISTRICT	USER NAME = BOB FREY	DESIGNED MKR	REVISED 11/27/2012 BPF	STATE OF ILLINOIS DEPARTMENT OF TRANSPORTATION	PROPOSED SANITARY SEWER DETAILS IL RTE 2	F.A.P. RTE.	SECTION	COUNTY	TOTAL SHEETS	SHEET NO.
	PLOT SCALE = AS NOTED	CHECKED DLC	REVISED -			742	(32, 33) R-1	WINNEBAGO	705	354
	PLOT DATE = 07/16/2012	DATE 04/20/2012	REVISED -			SCALE: N/A	SHEET NO. 354 OF 705 SHEETS	CONTRACT NO. 64821	ILLINOIS FED. AID PROJECT	