



LEGEND

① EXIST. 4" SUB-BASE GRANULAR MATERIAL	⑩ PROP. COMBINATION CURB AND GUTTER REMOVAL	⑭ PROP. HMA BASE COURSE 11" ***	⑲ PROP. HOT-MIX ASPHALT SURFACE COURSE, MIX "D", N70 1 1/2"
② EXIST. 8" P.C.C. PAVEMENT	⑪ PROP. CONCRETE MEDIAN SURFACE REMOVAL	⑮ PROP. PCC BASE COURSE WIDENING 9"	⑳ PROP. COMBINATION CONCRETE CURB AND GUTTER, TYPE M-4.24
③ EXIST. 8" H.M.A. SHOULDER	⑫ PROP. SUBBASE GRANULAR MATERIAL, TYPE B 4"		㉑ PROP. CONCRETE MEDIAN SURFACE, 4"
④ EXIST. 4" OVERLAY	⑬ PROP. SUBBASE GRANULAR MATERIAL, TYPE A 8"		㉒ PROP. CONCRETE MEDIAN, TYPE SM-4.24
⑤ EXIST. COMBINATION CURB AND GUTTER, TYPE B-6.06			㉓ PROP. AGGREGATE WEDGE SHOULDER, TYPE B
⑥ PROP. PAVEMENT REMOVAL			㉔ PROP. MODIFIED URETHANE PAVEMENT MARKING - LINE 5"
⑦ PROP. PAVED SHOULDER REMOVAL			㉕ PROP. MODIFIED URETHANE PAVEMENT MARKING - LINE 8"
⑧ PROP. HOT-MIX ASPHALT SURFACE REMOVAL (VARIABLE DEPTH) *			㉖ PROP. PREFORMED PLASTIC PAVEMENT MARKING, TYPE B TYPE B - LINE 5"
⑨ PROP. HOT-MIX ASPHALT SURFACE REMOVAL, 1 1/2"			㉗ PROP. PREFORMED PLASTIC PAVEMENT MARKING, TYPE B TYPE B - LINE 6"

- ** NOTES:**
- (A) LT TURN LANE WIDTH VAR. FR. 5'-3" TO 9'-9" FR. STA. 339+17.49 TO 340+04.65 LT & VAR. FR. 8'-9" TO 0' FR. STA. 339+17.49 TO 340+86.68 RT.
 - (B) PROP. HMA SHOULDER 6.5" & CONC. MEDIAN ENDS AT STA. 340+04.65 LT
 - (C) PAINTED MEDIAN WIDTH VAR. FR. 13'-0" TO 6'-3" FR. STA. 340+04.65 TO 341+28.98 LT.
 - (D) PROP. HMA SHOULDERS 6 1/2" IS LOCATED STA. 339+53.14 TO 339+85.76 RT.

* NOMINAL MILLING DEPTH 1/2" @ CL OR PGL
 *** WHERE WIDENING IS GREATER THAN 6' OR UNDER NEW TURN LANE