



Illinois Department of Transportation

2300 South Dirksen Parkway / Springfield, Illinois / 62764

February 22, 2024

SUBJECT: FAU 2791 (Austin Avenue)
Section 12-00106-00-PV (Morton Grove)
Cook County
Contract No. 61D77
Item 130
March 8, 2024 Letting
Addendum (A)

NOTICE TO PROSPECTIVE BIDDERS:

Attached is an addendum to the plans or proposal. This addendum involves revised and/or added material.

- 1. Revised the Schedule of Prices**
- 2. Revised Plan Sheets 7, 10, 30, 33-44, & 78**
- 3. Revised Special Provision Index**
- 4. Revised pages 11 & 65 of the Special Provisions**

Prime contractors must utilize the enclosed material when preparing their bid and must include any changes to the Schedule of Prices in their bid.

Very truly yours,

A handwritten signature in black ink, appearing to read 'Jack A. Elston'.

Jack A. Elston, P.E.
Bureau Chief, Design and Environment

INDEX OF SPECIAL PROVISIONS

LOCATION OF PROJECT 1

DESCRIPTION OF PROJECT 1

COMPLETION DATE PLUS WORKING DAYS..... 2

INTERIM COMPLETION DATE 2

MAINTENANCE OF ROADWAYS (D1)..... 3

STATUS OF UTILITIES (D1) 3

TRAFFIC CONTROL PLAN (D1)10

PUBLIC CONVENIENCE AND SAFETY (D1).....11

TRAFFIC CONTROL AND PROTECTION (ARTERIALS) (D1)12

KEEPING ARTERIAL ROADWAYS OPEN TO TRAFFIC (LANE CLOSURES ONLY).....13

TEMPORARY INFORMATION SIGNING.....14

SUPPLEMENTAL WATERING15

PLANTING WOODY PLANTS16

FAILURE TO COMPLETE PLANT CARE AND ESTABLISHMENT WORK ON TIME.....24

MULCH PLACEMENT FOR EXISTING WOODY PLANTS25

WATER MAIN26

PROPOSED SEWER CONNECTION TO EXISTING MANHOLE28

PROPOSED MANHOLE / CATCH BASIN CONNECTION OVER EXISTING SEWER28

OUTLET SPECIAL.....29

WATER MAIN REMOVAL.....29

STORM SEWER (WATER MAIN REQUIREMENTS).....29

AGGREGATE SURFACE COURSE FOR TEMPORARY ACCESS (D1)30

FRAMES AND LIDS TO BE ADJUSTED (SPECIAL)31

HOT-MIX ASPHALT SURFACE REMOVAL, VARIABLE DEPTH31

ADJUSTMENTS AND RECONSTRUCTIONS (D1)32

DRAINAGE AND INLET PROTECTION UNDER TRAFFIC (D1)33

FRICTION AGGREGATE (D1).....34

HOT-MIX ASPHALT BINDER AND SURFACE COURSE (D1)37

HOT-MIX ASPHALT – MIXTURE DESIGN VERIFICATION AND PRODUCTION (D1).....42

MAST ARM SIGN PANELS43

SIGN SHOP DRAWING SUBMITTAL43

TRAFFIC SIGNAL GENERAL REQUIREMENTS44

RE-OPTIMIZE TRAFFIC SIGNAL SYSTEM60

SERVICE INSTALLATION (TRAFFIC SIGNALS)62

KEEPING ARTERIAL ROADWAYS OPEN TO TRAFFIC (LANE CLOSURES ONLY)
TEMPORARY TRAFFIC SIGNAL TIMING

VEHICLE AND EQUIPMENT WARNING LIGHTS (BDE)
WORK ZONE TRAFFIC CONTROL DEVICES (BDE)

PUBLIC CONVENIENCE AND SAFETY (D1)

Effective: May 1, 2012
Revised: July 15, 2012

Add the following to the end of the fourth paragraph of Article 107.09:

“If the holiday is on a Saturday or Sunday, and is legally observed on a Friday or Monday, the length of Holiday Period for Monday or Friday shall apply.”

Add the following sentence after the Holiday Period table in the fourth paragraph of Article 107.09:

“The length of Holiday Period for Thanksgiving shall be from 5:00 AM the Wednesday prior to 11:59 PM the Sunday after”

Delete the fifth paragraph of Article 107.09 of the Standard Specifications:

“On weekends, excluding holidays, roadways with Average Daily Traffic of 25,000 or greater, all lanes shall be open to traffic from 3:00 P.M. Friday to midnight Sunday except where structure construction or major rehabilitation makes it impractical.”

Basis of Payment.

The service installation shall be paid for at the Contract unit price each for SERVICE INSTALLATION of the type specified which shall be payment in full for furnishing and installing the service installation complete. The CONCRETE FOUNDATION, TYPE A, which includes the ground rod, shall be paid for separately. SERVICE INSTALLATION, POLE MOUNTED shall include the 3/4 in. (20mm) grounding conduit, ground rod, and pole mount assembly. Any charges by the utility companies shall be approved by the Engineer and paid for as an addition to the Contract according to Article 109.05 of the Standard Specifications.

COILABLE NON-METALLIC CONDUIT

Effective: May 22, 2002

Revised: July 1, 2015

810.01TS

Description.

This work shall consist of furnishing and installing empty coilable non-metallic conduit (CNC).

General.

The CNC installation shall be in accordance with Sections 810 and 811 of the Standard Specifications except for the following: