



Notes

1. COMPACTION SHALL BE IN ACCORDANCE WITH SECTION 205 OF THE SPECIAL PROVISIONS.
2. ALL PROPOSED SPECIAL EXCELSIOR BLANKET ARE SHOWN WITH A CIRCLED NUMBER. THE LENGTHS OF EACH OF THESE BLANKETS CAN BE FOUND IN A TABLE ON PAGE 32.
3. THE CONSTRUCTED TERRACES SHALL HAVE 4' BOTTOM WIDTHS AND 4H:1V UPSLOPES 2' IN HEIGHT. THE SPECIAL EXCELSIOR BLANKET SHALL BE PLACED OVER THE 4' BOTTOM WIDTH AND 4' OF THE UPSLOPE.



	EXISTING CONTOUR
	PROPOSED CONTOUR
	PROPOSED CONSTRUCTION LIMITS
	BASILINE FOR CROSS SECTIONS
	TREE LINE
	SECTION LINE
	OVERHEAD ELECTRIC LINE
	EDGE OF WATER
	EXISTING GRASS LANE
	BORING LOCATION
	EXISTING STRUCTURE
	PROPOSED EXCELSIOR BLANKET (8' WIDTH)

Legend



Drawn By: JLU Date: 2/5/07  
Checked By: