


F.A.I. RTE.	SECTION	COUNTY	TOTAL SHEETS	SHEET NO.
90/94	2006-040 I	COOK	46	7
STA.		TO STA.		
FED. ROAD DIST. NO. 1		ILLINOIS FED. AID PROJECT		

60C02



CURVE SBAUX4

P.I. STA= 9017+58.36
N= 1,863,599.16
E= 1,175,605.59
Δ= 3° 38' 40"
D= 1° 35' 30"
R= 3600.00'
T= 114.53'
L= 228.99'
E= 1.82'
e= N/A
T.R.= N/A
S.E. RUN= N/A
P.C. STA= 9016+43.83
N= 1,863,713.69
E= 1,175,606.54
P.T. STA= 9018+72.82
N= 1,863,484.92
E= 1,175,597.35

CURVE SBAUX3

P.I. STA= 9013+94.96
N= 1,863,962.56
E= 1,175,608.62
Δ= 1° 57' 20"
D= 1° 02' 30"
R= 5500.00'
T= 93.88'
L= 187.72'
E= 0.80'
e= N/A
T.R.= N/A
S.E. RUN= N/A
P.C. STA= 9013+01.08
N= 1,864,056.35
E= 1,175,612.60
P.T. STA= 9014+88.82
N= 1,863,868.69
E= 1,175,607.83

CURVE SBAUX2

P.I. STA= 9005+64.11
N= 1,864,791.41
E= 1,175,584.78
Δ= 4° 45' 49"
D= 1° 02' 30"
R= 5500.00'
T= 228.77'
L= 457.27'
E= 4.76'
e= N/A
T.R.= N/A
S.E. RUN= N/A
P.C. STA= 9003+35.35
N= 1,865,020.09
E= 1,175,578.53
P.T. STA= 9007+92.62
N= 1,864,564.03
E= 1,175,610.01

CURVE SBLOC01

P.I. STA= 3448+16.06
N= 1,865,764.28
E= 1,175,631.89
Δ= 3° 14' 59"
D= 0° 50' 33"
R= 6800.00'
T= 192.90'
L= 385.69'
E= 2.74'
e= 2.52'
T.R.= 41' (41')
S.E. RUN= 103' (103')
P.C. STA= 3446+23.16
N= 1,865,571.45
E= 1,175,637.16
P.T. STA= 3450+08.86
N= 1,865,957.09
E= 1,175,637.55

CURVE SBDR06

P.I. STA= 1444+17.27
N= 1,865,361.46
E= 1,175,708.72
Δ= 3° 35' 11"
D= 0° 27' 29"
R= 12510.00'
T= 391.66'
L= 783.06'
E= 6.13'
e= NC
T.R.= N/A
S.E. RUN= N/A
P.C. STA= 1440+25.61
N= 1,864,969.95
E= 1,175,719.53
P.T. STA= 1448+08.67
N= 1,865,752.88
E= 1,175,722.42

CURVE SBDR07

P.I. STA= 1455+16.63
N= 1,866,460.40
E= 1,175,747.19
Δ= 3° 33' 01"
D= 0° 27' 31"
R= 12490.00'
T= 391.09'
L= 773.94'
E= 6.00'
e= NC
T.R.= N/A
S.E. RUN= N/A
P.C. STA= 1451+29.54
N= 1,866,073.55
E= 1,175,733.65
P.T. STA= 1459+03.48
N= 1,866,847.36
E= 1,175,736.75

CURVE NBDR05

P.I. STA= 2438+80.23
N= 1,864,809.56
E= 1,175,813.83
Δ= 1° 19' 40"
D= 0° 22' 11"
R= 15500.00'
T= 179.59'
L= 359.17'
E= 1.44'
e= NC
T.R.= N/A
S.E. RUN= N/A
P.C. STA= 2437+00.64
N= 1,864,630.02
E= 1,175,817.97
P.T. STA= 2440+59.81
N= 1,864,989.16
E= 1,175,813.86

CURVE NBDR06

P.I. STA= 2452+38.92
N= 1,866,168.26
E= 1,175,814.03
Δ= 1° 35' 21"
D= 0° 22' 55"
R= 15000.00'
T= 286.43'
L= 416.02'
E= 1.44'
e= NC
T.R.= N/A
S.E. RUN= N/A
P.C. STA= 2450+30.89
N= 1,865,960.24
E= 1,175,814.00
P.T. STA= 2454+46.92
N= 1,866,376.21
E= 1,175,808.29

CURVE NBLOC03

P.I. STA= 4433+74.36
N= 1,864,307.20
E= 1,175,888.18
Δ= 2° 20' 39"
D= 0° 24' 33"
R= 14000.00'
T= 272.79'
L= 572.79'
E= 2.93'
e= NC
T.R.= N/A
S.E. RUN= N/A
P.C. STA= 4430+87.93
N= 1,864,020.87
E= 1,175,895.72
P.T. STA= 4436+60.71
N= 1,864,593.61
E= 1,175,892.37

CURVE NBLOC04

P.I. STA= 4443+61.67
N= 1,865,294.49
E= 1,175,902.60
Δ= 2° 24' 19"
D= 0° 24' 33"
R= 14000.00'
T= 293.90'
L= 587.72'
E= 3.08'
e= NC
T.R.= N/A
S.E. RUN= N/A
P.C. STA= 4440+67.76
N= 1,865,000.61
E= 1,175,898.31
P.T. STA= 4446+55.48
N= 1,865,588.28
E= 1,175,894.56

CURVE SBAUX1

P.I. STA= 9001+46.37
N= 1,865,209.16
E= 1,175,573.36
Δ= 4° 39' 23"
D= 1° 35' 30"
R= 3600.00'
T= 146.37'
L= 292.57'
E= 2.97'
e= N/A
T.R.= N/A
S.E. RUN= N/A
P.C. STA= 9000+00.00
N= 1,865,354.66
E= 1,175,557.49
P.T. STA= 9002+92.57
N= 1,865,062.84
E= 1,175,577.36

CURVE NBAUX1

P.I. STA= 9504+85.87
N= 1,863,921.64
E= 1,175,976.69
Δ= 3° 12' 54"
D= 1° 35' 30"
R= 3600.00'
T= 101.03'
L= 202.00'
E= 1.42'
e= N/A
T.R.= N/A
S.E. RUN= N/A
P.C. STA= 9503+84.85
N= 1,863,821.23
E= 1,175,969.30
P.T. STA= 9505+86.85
N= 1,864,022.51
E= 1,175,971.13

CURVE NBAUX2

P.I. STA= 9507+37.23
N= 1,864,172.66
E= 1,175,962.85
Δ= 2° 26' 29"
D= 1° 02' 30"
R= 5500.00'
T= 117.20'
L= 234.36'
E= 1.25'
e= N/A
T.R.= N/A
S.E. RUN= N/A
P.C. STA= 9506+20.03
N= 1,864,055.64
E= 1,175,969.30
P.T. STA= 9508+54.39
N= 1,864,289.30
E= 1,175,951.42

CURVE NBAUX3

P.I. STA= 9510+47.04
N= 1,864,481.34
E= 1,175,939.03
Δ= 0° 31' 39"
D= 0° 24' 38"
R= 13952.00'
T= 64.23'
L= 128.46'
E= 0.15'
e= N/A
T.R.= N/A
S.E. RUN= N/A
P.C. STA= 9509+82.81
N= 1,864,417.11
E= 1,175,938.90
P.T. STA= 9511+11.27
N= 1,864,545.57
E= 1,175,939.75

CURVE NBAUX4

P.I. STA= 9514+90.68
N= 1,864,923.14
E= 1,175,977.06
Δ= 7° 14' 54"
D= 1° 02' 30"
R= 5500.00'
T= 348.36'
L= 695.79'
E= 11.02'
e= N/A
T.R.= N/A
S.E. RUN= N/A
P.C. STA= 9511+42.32
N= 1,864,576.47
E= 1,175,942.80
P.T. STA= 9518+38.12
N= 1,865,271.36
E= 1,175,967.30

CURVE NBAUX5

P.I. STA= 9520+41.51
N= 1,865,447.69
E= 1,175,962.35
Δ= 5° 06' 31"
D= 1° 54' 35"
R= 3000.00'
T= 133.83'
L= 267.48'
E= 2.98'
e= 2.4
T.R.= 11' (0')
S.E. RUN= 66' (0')
P.C. STA= 9518+80.68
N= 1,865,313.91
E= 1,175,966.10
P.T. STA= 9521+48.16
N= 1,865,581.27
E= 1,175,970.53

CURVE BL_WELL-1

P.I. STA= 521+27.16
N= 1,864,522.25
E= 1,175,556.14
Δ= 1° 54' 54"
D= 4° 55' 05"
R= 5715.00'
T= 19.47'
L= 38.94'
E= 0.16'
e= N/A
T.R.= N/A
S.E. RUN= N/A
P.C. STA= 521+07.69
N= 1,864,502.79
E= 1,175,556.68
P.T. STA= 521+46.63
N= 1,864,541.72
E= 1,175,556.25

CURVE BL_WELL-2

P.I. STA= 528+60.56
N= 1,865,255.64
E= 1,175,560.31
Δ= 1° 57' 29"
D= 1° 00' 09"
R= 5715.00'
T= 97.67'
L= 195.31'
E= 0.83'
e= N/A
T.R.= N/A
S.E. RUN= N/A
P.C. STA= 527+62.89
N= 1,865,157.98
E= 1,175,559.75
P.T. STA= 529+58.21
N= 1,865,353.27
E= 1,175,557.53

CURVE BL_WELL-3

P.I. STA= 536+78.45
N= 1,866,073.22
E= 1,175,537.02
Δ= 10° 22' 17"
D= 4° 02' 16"
R= 1419.00'
T= 128.78'
L= 256.86'
E= 5.83'
e= N/A
T.R.= N/A
S.E. RUN= N/A
P.C. STA= 535+49.67
N= 1,865,944.49
E= 1,175,540.68
P.T. STA= 538+06.53
N= 1,866,200.51
E= 1,175,556.58

NOTES:
1. AVERAGE GROUND TO GRID CONVERSION FACTOR = 0.999989011466388
AVERAGE GRID TO GROUND CONVERSION FACTOR = 1.000010988654360
2. FOR BENCH MARK INFORMATION, SEE SHEET 1 OF ALIGNMENT PLAN SHEETS.

REVISIONS	
NAME	DATE

ILLINOIS DEPARTMENT OF TRANSPORTATION
F.A.I. 90/94 (DAN RYAN EXPRESSWAY)
MEDALLION CONTRACT
(59TH STREET TO 51ST STREET)
ALIGNMENT PLAN

SCALE: 1"=100'
DATE: OCTOBER 23, 2006
DRAWN BY: NJH/AMM
CHECKED BY: JAL/MS

CTE | AECOM

10/19/2006 03:22:48 PM