


FOR INDEX OF SHEETS AND HIGHWAY
STANDARDS, SEE SHEET 2.


STATE OF ILLINOIS
DEPARTMENT OF TRANSPORTATION
DIVISION OF HIGHWAYS

CONTRACT: 72A84
SHEET 1 OF 3

**PLANS FOR PROPOSED
CONTRACT MAINTENANCE
FAP ROUTE 63 (US 24)
SECTION D6 BRIDGE WASHING 2007
ADAMS COUNTY
C96-019-07 /D-96-008-07**



LOCATION OF SECTION INDICATED THUS: [shaded box]



NET LTH OF SEC 4508 FT = 0.85 MILE

J. U. L. I. E.
JOINT UTILITY LOCATION INFORMATION FOR EXCAVATION
1-800-892-0123

BRIDGE INSPECTION ENGINEER: DAVE COPENBARGER
PHONE: (217) 785-5306

CONTRACT NO. 72A84

STATE OF ILLINOIS
DEPARTMENT OF TRANSPORTATION
DIVISION OF HIGHWAYS

SUBMITTED DECEMBER 15, 2006
Chris M Reed
DEPUTY DIRECTOR OF HIGHWAYS, REGION FOUR ENGINEER

February 2, 2007
Eric E. Hamm
INTERIM ENGINEER OF DESIGN AND ENVIRONMENT

February 2, 2007
Milton R. Sees
DIRECTOR, DIVISION OF HIGHWAYS

INDEX OF SHEETS

1	COVER SHEET
2	INDEX, STANDARDS, & GENERAL NOTES
3	SUMMARY OF QUANTITIES

STANDARDS

701101-01
701106-01
701601-04
702001-06

STATE OF ILLINOIS DEPARTMENT OF TRANSPORTATION DIVISION OF HIGHWAYS DISTRICT 6
EXAMINED <u>December 20 06</u> <i>[Signature]</i> ENGINEER OF OPERATIONS
EXAMINED <u>Dec 11 20 06</u> <i>[Signature]</i> ENGINEER OF PROGRAM IMPLEMENTATION
EXAMINED <u>DECEMBER 12 20 06</u> <i>[Signature]</i> ENGINEER OF PROGRAM DEVELOPMENT

GENERAL NOTES:

BRIDGE #1 - 001-0019: US 24 (EB) AND MAINE STREET OVER THE MISSISSIPPI RIVER AT THE WEST EDGE OF QUINCY IN ADAMS COUNTY.

THE AREAS OF THE TRUSS SPANS TO BE WASHED SHALL INCLUDE THE FOLLOWING:

- ALL STRUCTURAL STEEL INCLUDING LOWER CHORD TO A POINT OF 10' ABOVE THE BRIDGE DECK
- THE ENTIRE DECK SURFACE, CURB, JOINTS, DRAINS, AND RAILINGS
- ALL FLOOR BEAMS, DIAGONAL BRACING, STRINGERS, AND OTHER STRUCTURAL STEEL FROM THE LOWER CHORD INWARD TO AND INCLUDING THE OUTSIDE AND BOTTOM OF EXTERIOR STRINGERS
- ALL ABUTMENT WALLS, WINGWALLS, AND PIER CAPS

BRIDGE #2 - 001-0068: US 24 (WB) AND BROADWAY STREET OVER THE MISSISSIPPI RIVER AT THE WEST EDGE OF QUINCY IN ADAMS COUNTY.

THE AREAS OF THE CABLE STAYED SPANS TO BE WASHED SHALL INCLUDE THE FOLLOWING:

- ALL STRUCTURAL STEEL AND CONCRETE INCLUDING CABLES AND TOWERS TO A POINT OF 10' ABOVE THE BRIDGE DECK
- ALL STRUCTURAL STEEL LOCATED UP TO 10' EACH SIDE OF PIERS
- THE OUTSIDE AND BOTTOM OF THE FASCIA BEAMS
- THE ENTIRE DECK SURFACE, CURB, JOINTS, DRAINS, AND RAILINGS
- ALL ABUTMENT WALLS, WINGWALLS, AND PIER CAPS

THE AREAS TO BE WASHED ON THE APPROACH SPANS FOR BOTH BRIDGES SHALL INCLUDE THE FOLLOWING:

- ALL DECK JOINTS AND DECK DRAINS
- THE ENTIRE DECK SURFACE, CURB, AND RAILINGS
- THE OUTSIDE AND BOTTOMS OF FASCIA BEAMS
- ALL STRUCTURAL STEEL LOCATED UP TO 10' EACH SIDE OF ALL PIERS
- ALL ABUTMENT WALLS, WINGWALLS, AND PIER CAPS

INDEX & GENERAL NOTES
FAP 63 (US 24)
D6 BRIDGE WASHING 2007
ADAMS COUNTY

SUMMARY OF QUANTITIES

URBAN
50% Illinois
50% Missouri
SFTY- 2A

ITEM NO.	DESCRIPTION	UNIT	QTY
59200101	BRIDGE WASHING NO. 1	EACH	1
59200102	BRIDGE WASHING NO. 2	EACH	1
67100100	MOBILIZATION	L SUM	1
70103700	TRAFFIC CONTROL COMPLETE	LSUM	1

QUANTITIES
FAP 63 (IL 24)
D6 BRIDGE WASHING 2007
ADAMS COUNTY