

ROUTE NO.	SECTION	COUNTY	TOTAL SHEETS	SHEET NO.
T.R. 189	01-11127-00-BR	IROQUOIS	20	11
ROAD DIST.	ILLINOIS	DOUGLAS		

CONTRACT NO. 87287

Midwest Testing Services, Inc.
3705 Progress Blvd
Peru, IL 61354
Phone: 815-223-6696
Fax: 815-223-6659
E-Mail: Midwest@TheRamp.net

BORING LOG
Sheet 4 of 5

Client: Ozyurt and Stone, Inc.
Project Name: Section 01-11127-00-BR
Project Site: Iroquois County Douglas Road District
T.R. 189 Over Spring Creek

Boring No. B-1
Surface Elev. 100.20
Auger Depth 85.00 Rotary Depth NA
Start Date 10/11/03 Finish Date 10/11/03

Location: 2' RT of station 14+26
0

DEPTH ELEV.	DESCRIPTION OF MATERIALS	Sample No.	Sample Type	Cu (TSF)	N Value (Blow)	Friction / Shear	Moisture (%)	Dry Density (PCF)	REMARKS
37.20		23	SS	2.1	11	B	23		
36.20	Very Stiff Gray Silty Clay Till	26	SS	2.2	13	B	23		
35.20		27	SS	---	65	---	---		
34.20		28	SS	---	61	---	12		
33.20		29	SS	---	57	---	11		
32.20		30	SS	---	56	---	11		
31.20	Very Dense Gray Silty Loam Till	31	SS	---	63	---	10		
30.20		32	SS	---	84	---	9		
29.20		33	SS	---	71	---	9		

Groundwater Data: Static water level after drilling - elevation 84.3
Comments: * Chiseled square Northeast wingwall assumed as 100.0

Midwest Testing Services, Inc.
3705 Progress Blvd
Peru, IL 61354
Phone: 815-223-6696
Fax: 815-223-6659
E-Mail: Midwest@TheRamp.net

BORING LOG
Sheet 5 of 5

Client: Ozyurt and Stone, Inc.
Project Name: Section 01-11127-00-BR
Project Site: Iroquois County Douglas Road District
T.R. 189 Over Spring Creek

Boring No. B-1
Surface Elev. 100.20
Auger Depth 86.00 Rotary Depth NA
Start Date 10/11/03 Finish Date 10/11/03

Location: 2' RT of station 14+26
0

DEPTH ELEV.	DESCRIPTION OF MATERIALS	Sample No.	Sample Type	Cu (TSF)	N Value (Blow)	Friction / Shear	Moisture (%)	Dry Density (PCF)	REMARKS
16.20		24	SS	---	70	---	10		
15.20	Very Dense Gray Silty Loam Till Elev. 112.5								
14.20									
13.20									
12.20									
11.20									
10.20	Bottom of Boring								

Groundwater Data: Static water level after drilling - elevation 84.3
Comments: * Chiseled square Northeast wingwall assumed as 100.0

DESIGNED	SFM
CHECKED	FJS
DRAWN	SAP
CHECKED	SFM

SOIL BORING NO. 1
SECTION 01-11127-00-BR
DOUGLAS ROAD DISTRICT
IROQUOIS COUNTY
STA. 15+07