



- (19) MANHOLE, TYPE A, 4' DIA., WITH TYPE 1 FRAME, CLOSED LID
28.00' LT. STA. 110+37.50 TOP/CASTING 779.73
INV. 775.24 (15"W) INV. 775.34 (12"E)
INV. 775.34 (12"S)
- (20) INLET, TYPE G-1
19.33' LT. STA. 110+37.50
TOP/CURB 779.49 EDGE/PAVT 779.11
INV. 775.42 (12"N) INV. 775.52 (12"S)
- (21) INLET, TYPE G-1
19.33' RT. STA. 110+37.50
TOP/CURB 779.49 EDGE/PAVT 779.11
INV. 775.90 (12"N)
- (22) MANHOLE, TYPE A, 4' DIA., WITH TYPE 1 FRAME, CLOSED LID
28.00' LT. STA. 112+90.50 TOP/CASTING 785.18
INV. 780.78 (12"W) INV. 780.88 (12"S)
- (23) INLET, TYPE G-1
19.33' LT. STA. 112+90.50
TOP/CURB 784.94 EDGE/PAVT 784.56
INV. 780.96 (12"N) INV. 781.06 (12"S)
- (24) INLET, TYPE G-1
19.33' RT. STA. 112+90.50
TOP/CURB 784.94 EDGE/PAVT 784.56
INV. 781.44 (12"N)
- (19)-(20) STORM SEWER, TYPE 2, RCCP, CLASS 3, 12"
8 FT. @ 1.00% TRENCH BACKFILL = 2 C.Y.
- (20)-(21) STORM SEWER, TYPE 2, RCCP, CLASS 3, 12"
38 FT. @ 1.00% TRENCH BACKFILL = 7 C.Y.
- (19)-(22) STORM SEWER, TYPE 2, RCCP, CLASS 3, 12"
253 FT. @ 2.15%
- (22)-(23) STORM SEWER, TYPE 2, RCCP, CLASS 3, 12"
8 FT. @ 1.00% TRENCH BACKFILL = 2 C.Y.
- (23)-(24) STORM SEWER, TYPE 2, RCCP, CLASS 3, 12"
38 FT. @ 1.00% TRENCH BACKFILL = 7 C.Y.

DRIVEWAY & FIELD ENTRANCE LEGEND

- AGGREGATE SURFACE COURSE, TYPE B, 8"
- P.C.C. DRIVEWAY PAVEMENT, 6"

NOTE: EXISTING CRUGER ROAD TO BE REMOVED - SEE GENERAL NOTE 5 (SHEET 2 OF 47)

NOTE: ALL EXIST. UTILITIES ARE APPROXIMATE AND SHOWN FOR INFORMATION ONLY AND ARE TO BE VERIFIED IN THE FIELD BY THE CONTRACTOR.

STORM SEWER QUANTITIES ARE MEASURED FROM CENTERLINE OF STRUCTURE TO CENTERLINE OF STRUCTURE.

SCALES:
 1" = 20' HOR
 1" = 5' VER

