

F.A. RTE.	SECTION	COUNTY	TOTAL SHEETS	SHEET NO.
132	(42X)I-3	SALINE	46	7
STA.		TO STA.		
FED. ROAD DIST. NO.		ILLINOIS FED. AID PROJECT		

PAVEMENT SCHEDULE

LOCATION STATION TO STATION	SUB-BASE GRANULAR MATERIAL TYPE A, 4"	PCC BASE COURSE, 10"	POLYMERIZED BITUMINOUS MATERIALS (PRIME COAT)	AGGREGATE (PRIME COAT)	PCC DRIVEWAY PAVEMENT, 7"	PCC DRIVEWAY PAVEMENT, 8"	STRIP REFLECTIVE CRACK CONTROL TREATMENT	PROTECTIVE COAT	TEMPORARY RAMP	POLYMERIZED LEVELING BINDER (MACHINE METHOD) N105	POLYMERIZED HOT-MIX ASPHALT SURFACE COURSE MIX E, N105
	SQ YD	SQ YD	GALLON	TON	SQ YD	SQ YD	FOOT	SQ YD	SQ YD	TON	TON
10+54.53 TO 23+31.18	1560	1542	642	9						97	600
10+54.53, 7' LT TO 23+31.18, 7' LT							1277				
10+54.53, 7' RT TO 23+31.18, 7' RT							1277				
10+54.53, 19' RT TO 23+31.18, 19' RT							1277				
10+54.53									21.7		
11+27.14	78				78			78			
12+62.48	67				67			67			
13+30.37	59				59			59			
13+79.32	27				27			27			
17+91.61	63					63		63			
18+55.84	54				54			54			
19+40.40	56				56			56			
20+25.80	52					52		52			
20+97.87	54				54			54			
22+57.59	27				27			27			
23+31.18									21.7		
TOTALS	2097	1542	642	9	422	115	3831	537	43	97	600

SEEDING AND EROSION CONTROL

LOCATION STATION TO STATION	TOPSOIL FURNISH AND PLACE, 12"	SEEDING CLASS 1B	NITROGEN FERTILIZER NUTRIENT	PHOSPHORUS FERTILIZER NUTRIENT	POTASSIUM FERTILIZER NUTRIENT	AGRICULTURAL GROUND LIMESTONE	EROSION CONTROL BLANKET	TEMPORARY EROSION CONTROL SEEDING	TEMPORARY DITCH CHECKS
	SQ YD	ACRE	POUND	POUND	POUND	TON	SQ YD		EACH
10+54.53 TO 23+31.18		0.34	40	40	40	0.7	1627	68	
10+60									1
12+10									1
16+30									1
16+60 TO 17+78	116.6								
18+03 TO 18+36	41.1								
18+75 TO 19+23	59								
19+58 TO 20+07	74.9								
TOTALS	292	0.34	40	40	40	0.7	1627	68	3

PAVEMENT MARKING

LOCATION STATION TO STATION	SHORT TERM PAVEMENT MARKING	THERMOPLASTIC PAVEMENT MARKING			RAISED REFLECTIVE PAVEMENT MARKER REM.
		LETTERS AND SYMBOLS	4 INCH WHITE	4 INCH YELLOW	
	FOOT	SQ FT	FOOT	FOOT	EACH
10+54.53 TO 23+31.18	2088				75
10+54.53 TO 23+31.18 19' RT (SKIP DASH)			320		
10+54.53 TO 23+31.18 7' RT				1277	
10+54.53 TO 23+31.18 6' -6 1/2" RT (SKIP DASH)				320	
10+54.53 TO 23+31.18 6' -6 1/2" LT (SKIP DASH)				320	
10+54.53 TO 23+31.18 7' LT				1277	
10+54.53 TO 23+31.18 19' LT (SKIP DASH)			320		
11+12 (TWLT)		17.6			
13+15 (TWLT)		17.6			
16+30 (TWLT)		17.6			
18+15 (TWLT)		17.6			
20+50 (TWLT)		17.6			
22+65 (TWLT)		17.6			
TOTALS	2088	105.6	640	3194	75

EARTHWORK SCHEDULE

LOCATION STATION TO STATION	EARTH EXCAVATION	EARTH EXCAVATION ADJUSTED FOR SHRINKAGE	EMBANKMENT	EARTHWORK BALANCE WASTE(+) OR SHORTAGE(-)
	CU YD	CU YD	CU YD	CU YD
10+54.53 TO 23+31.18	911	683	174	+509
TOTALS	911			

25% SHRINKAGE FOR EARTH EXCAVATION

PLOT DATE = 11/16/2006
 FILE NAME = c:\pave\pave\p98944\p98944.dwg
 USER NAME = rroberts

SCHEDULES: SEEDING AND EROSION CONTROL, PAVEMENT MARKING, EARTHWORK