

03-09-12 LETTING ITEM 009


ROUTE	SECTION	COUNTY	TOTAL SHEETS	SHEET NUMBER
VARIOUS	2011-075-I	COOK	13	1

CONTRACT NO.: 60P99

FOR INDEX OF SHEETS SEE SHEET 2

STATE OF ILLINOIS
DEPARTMENT OF TRANSPORTATION
DIVISION OF HIGHWAYS
DISTRICT ONE
PROPOSED HIGHWAY PLANS
VARIOUS ROUTES
VARIOUS LOCATIONS (NEAR MIDWAY AIRPORT)
SECTION 2011-075-I
CURB AND GUTTER REPAIR
COOK COUNTY
C-91-009-12


D-91-009-12



IMPROVEMENTS ARE
LOCATED WITHIN THE CITY
OF CHICAGO

IMPROVEMENT
LOCATION

LOCATION OF IMPROVEMENT INDICATED THUS: 



STATE OF ILLINOIS
DEPARTMENT OF TRANSPORTATION
DIVISION OF HIGHWAYS
SUBMITTED: DECEMBER 21, 2011
Diane M. O'Keefe
DEPUTY DIRECTOR OF HIGHWAYS, REGION ENGINEER
Feb 3 2012
John D. Baranzelli, P.E.
acting ENGINEER OF DESIGN AND ENVIRONMENT
Feb 3 2012
William R. Frey
acting DIRECTOR OF HIGHWAYS, CHIEF ENGINEER

PRINTED BY THE AUTHORITY
OF THE STATE OF ILLINOIS

C.U.A.N.: CHICAGO UTILITY ALERT
NETWORK
(312) 744-7000

Plan Preparation Engineer: Issam Rayyan
Project Manager: Robert Boro (847)-705-4237

CONTRACT NO. 60P99

ROUTE	SECTION	COUNTY	TOTAL SHEETS	SHEET NUMBER
VARIOUS	2011-075-1	COOK	13	2

CONTRACT NO.: 60P99

INDEX OF SHEETS

1. TITLE SHEET
2. INDEX OF SHEETS, STATE STANDARDS, GENERAL NOTES AND MIXTURE REQUIREMENTS
3. SUMMARY OF QUANTITIES
- 4.-8. SCHEDULE OF QUANTITIES
9. DETAIL: CONCRETE DRIVEWAY
10. CURB AND GUTTER REMOVAL AND REPLACEMENT
11. CITY OF CHICAGO DETAILS FOR P.C. CONCRETE DRIVEWAY, ALLEY RETURN AND SIDEWALK
12. TRAFFIC CONTROL AND PROTECTION FOR SIDEROADS, INTERSECTIONS AND DRIVEWAYS (TC-10)
13. ARTERIAL ROAD INFORMATION SIGN (TC-22)

STATE STANDARDS

424001	PERPENDICULAR CURB RAMPS FOR SIDEWALKS
424021	DEPRESSED CORNER FOR SIDEWALKS
424026	ENTRANCE/ALLEY PEDESTRIAN CROSSING
701301	LANE CLOSURE, 2L, 2W, SHORT TIME OPERATIONS
701501	URBAN LANE CLOSURE, 2L, 2W, UNDIVIDED
701606	URBAN LANE CLOSURE WITH MOUNTABLE MEDIAN
701701	URBAN LANE CLOSURE MULTILANE INTERSECTION
701801	SIDEWALK, CORNER OR CROSSWALK CLOSURE
701901	TRAFFIC CONTROL DEVICES

MIXTURE REQUIREMENTS

MIXTURE TYPE	AIR VOIDS @ Ndes
HOT-MIX ASPHALT SURFACE COURSE MIX "D", N70 (IL 9.5 mm), (1.5-3.0 in)	4% @ 70 GYR.

- THE UNIT WEIGHT USED TO CALCULATE ALL HMA SURFACE MIXTURES IS 112 LBS/SQ YD/IN.
- THE AC TYPE FOR POLYMERIZED HMA MIXES SHALL BE SBS/SBR PG 76-22" AND FOR NON-POLYMERIZED HMA THE AC TYPE SHALL BE "PG 64-22" UNLESS MODIFIED BY DISTRICT ONE SPECIAL PROVISIONS. FOR "PERCENT OF RAP" SEE SPECIAL PROVISIONS.

GENERAL NOTES

BEFORE STARTING ANY EXCAVATION, THE CONTRACTOR SHALL CALL "C.U.A.N." (CHICAGO UTILITY ALERT NETWORK) AT (312)744-7000 FOR FIELD LOCATIONS OF BURIED ELECTRIC, TELEPHONE AND GAS UTILITIES. (48 HOUR NOTIFICATION IS REQUIRED).

THE CONTRACTOR WILL NOT BE ALLOWED TO SET UP A YARD OR FIELD OFFICE ON STATE PROPERTY WITHOUT WRITTEN PERMISSION FROM THE DEPARTMENT.

WHEN CONSTRUCTING SIDEWALK RAMPS FOR THE HANDICAPPED (STATE STANDARD 424001), USE TYPE B RAMPS UNLESS OTHERWISE SPECIFIED.

THESE PLANS HAVE BEEN PREPARED FROM NOTES RECEIVED FROM BUREAU OF MAINTENANCE.

THE COST OF HOT-MIX ASPHALT REMOVAL IN THE EXISTING GUTTER FLAG WILL BE INCLUDED IN THE UNIT PRICE BID FOR COMBINATION CURB AND GUTTER REMOVAL AND REPLACEMENT.

ALL DAMAGE TO EXISTING PAVEMENT MARKINGS SHALL BE REPLACED AT THE CONTRACTOR'S EXPENSE.

THE ENGINEER SHALL OBTAIN APPROVAL FROM THE DISTRICT ONE BUREAU CHIEF OF MAINTENANCE FOR ANY PROPOSED REVISIONS IN THE SCHEDULED CURB AND GUTTER REPAIR LOCATIONS.

DO NOT SCALE PLANS FOR CONSTRUCTION DIMENSIONS.

IT SHALL BE THE CONTRACTOR'S RESPONSIBILITY TO VERIFY ALL DIMENSIONS AND CONDITIONS EXISTING IN THE FIELD PRIOR TO CONSTRUCTION AND ORDERING OF MATERIALS.

PAINT CURB YELLOW AT FIRE HYDRANTS ACCORDING TO THE APPLICABLE REQUIREMENTS OF SECTION 780 OF THE STANDARD SPECIFICATIONS FOR PAINTED PAVEMENT MARKINGS, EXCEPT THE COST SHALL NOT BE PAID FOR SEPERATELY BUT SHALL BE INCLUDED IN "COMB. CONC. C&G, REMOVAL AND REPLACEMENT."

ADJACENT PARALLEL SIDEWALK, REMOVE AND REPLACE ENTIRE WIDTH OF SIDEWALK JOINT TO JOINT

THE CONTRACTOR SHALL CONTACT THE DISTRICT ONE TRAFFIC CONTROL SUPERVISOR AT (847)705-4470 A MINIMUM OF 72 HOURS IN ADVANCE OF BEGINNING WORK.

ILLINOIS DEPARTMENT OF TRANSPORTATION

INDEX OF SHEETS
STATE STANDARDS
GENERAL NOTES

SUMMARY OF QUANTITIES

CONSTRUCTION TYPE CODE 0021

URBAN
TOTAL
QUANTITIES

100%
STATE

CODE NO	ITEM	UNIT	URBAN TOTAL QUANTITIES	100% STATE					
21101615	TOPSOIL FURNISH AND PLACE, 4"	SQ YD	304	304					
25200110	SODDING, SALT TOLERANT	SQ YD	304	304					
40603340	HOT-MIX ASPHALT SURFACE COURSE, MIX "D", N70	TON	83	83					
42001300	PROTECTIVE COAT	SQ YD	3057	3057					
42300400	PORTLAND CEMENT CONCRETE DRIVEWAY PAVEMENT, 8 INCH	SQ YD	38	38					
42400200	PORTLAND CEMENT CONCRETE SIDEWALK 5 INCH	SQ FT	20327	20327					
42400410	PORTLAND CEMENT CONCRETE SIDEWALK 8 INCH	SQ FT	930	930					
42400800	DETECTABLE WARNINGS	SQ FT	230	230					
44000200	DRIVEWAY PAVEMENT REMOVAL	SQ YD	38	38					
44000600	SIDEWALK REMOVAL	SQ FT	21257	21257					
67100100	MOBILIZATION	L SUM	1	1					
70102620	TRAFFIC CONTROL AND PROTECTION, STANDARD 701501	L SUM	1	1					
70102625	TRAFFIC CONTROL AND PROTECTION, STANDARD 701606	L SUM	1	1					
70102635	TRAFFIC CONTROL AND PROTECTION, STANDARD 701701	L SUM	1	1					
70102640	TRAFFIC CONTROL AND PROTECTION, STANDARD 701801	L SUM	1	1					
X4401198	HOT-MIX ASPHALT SURFACE REMOVAL, VARIABLE DEPTH	SQ YD	406	406					
Z0004562	COMBINATION CONCRETE CURB AND GUTTER REMOVAL AND REPLACEMENT	FOOT	2436	2436					
Z0030850	TEMPORARY INFORMATION SIGNING	SQ FT	309	309					

FILE NAME =	USER NAME = curryw	DESIGNED -	REVISED -	STATE OF ILLINOIS DEPARTMENT OF TRANSPORTATION	SUMMARY OF QUANTITIES	F.A. RTE.	SECTION	COUNTY	TOTAL SHEETS	SHEET NO.	
c:\pwwork\pwwork\curryw\02882135\0162011-est-plan.dgn		DRAWN -	REVISED -			VARIOUS	2011-075-1	COOK	13	3	
PLOT SCALE = 3/8" = 3929.7575' / m		CHECKED -	REVISED -			CONTRACT NO. 60P99					
PLOT DATE = 1/10/2012		DATE -	REVISED -			SCALE:	SHEET NO.	OF	SHEETS	STA.	TO STA.

ROUTE	SECTION	COUNTY	TOTAL SHEETS	SHEET NUMBER
VARIOUS	2011-075-I	COOK	13	4

CONTRACT: 60P99

LOCATION	COMB. CONC. C & G R&R (LF)	HMA SURF R&R VARIABLE DEPTH (SQYD)	SALT TOLERANT SODDING (SQYD)	SIDEWALK 5" R&R (SQFT) 18" CARRIAGE/ COURTESY	SIDEWALK 5" R&R (SQFT) 6' PARALLEL	SIDEWALK 8" R&R (SQFT) 6' PARALLEL	DRIVEWAY 8" R&R (SQFT)	DETECTABLE WARNINGS (ADA RAMPS) (SQFT)	REMARKS
Entire 5700 Block of West 63rd Place	600.0	100.0	51.5	0.0	435.0	0.0	0.0	10.0	Replace 600 Feet of Curb on the South Side of Boulevard
Entire 5800 Block of West 63rd Place	600.0	100.0	66.7	0.0	300.0	0.0	0.0		Replace 600 Feet of Curb on the South Side of Boulevard
Entire 5900 Block of West 63rd Place	600.0	100.0	100.0	0.0	0.0	0.0	0.0		Replace 600 Feet of Curb on the South Side of Boulevard
3823 West 63rd Place		0.0	0.0	0.0	180.0	0.0	0.0		Replace 5-6 Sidewalk Squares and Courtesy Walk
5532 West 63rd Place		0.0	0.0	9.0	0.0	0.0	0.0		Replace 2 Courtesy Walk Squares - WANTS SLOPE/INCLINE
6031 West 63rd Place		0.0	0.0	45.0	0.0	0.0	0.0		Replace Courtesy Walk & Carriage Walk
3738 West 63rd Street		0.0	0.0	0.0	30.0	0.0	0.0		Replace 1 Sidewalk Square
4120 West 63rd Street		0.0	0.0	0.0	120.0	0.0	0.0		Replace 4 Sidewalk Squares - In Parkway - Raised About 1'6" Feet High From Adjacent Tree Roots
6559 South Kilbourn Avenue	15.0	2.5	0.0	0.0	0.0	0.0	25.0		Replace Driveway Apron and Adjacent Curb Around Perimeter of Driveway on 66th Street Side
5626 South Kilbourn Avenue		0.0	0.0	22.5	0.0	0.0	0.0		Replace Courtesy Walk directly in front of home
5626 South Kilbourn Avenue		0.0	0.0	30.0	0.0	0.0	0.0		Replace Courtesy Walk leading to the gangway
6645 South Kilbourn Avenue		0.0	0.0	0.0	60.0	0.0	0.0		Replace 2 Sidewalk Squares
4500 West 66th Place		0.0	0.0	22.5	1110.0	0.0	0.0	40.0	Replace 28 Side Sidewalk Squares, 2 Side Courtesy Walk Squares, 9 Front Sidewalk Squares, 5 Front Courtesy Walk Squares, and 4 ADA Ramps
3825 West 66th Place		0.0	0.0	0.0	270.0	0.0	0.0		Replace 8-9 Sidewalk Squares
4508 West 66th Place		0.0	0.0	0.0	0.0	0.0	0.0		Replace cracked curb. There is also a standing water issue
4501 West 66th Street		0.0	0.0	27.0	600.0	180.0	0.0	40.0	Replace 26 Side Sidewalk Squares, 6 Side Courtesy Walk Squares, 9 Front Sidewalk Squares, and 4 ADA Ramps
4524 West 65th Place		0.0	0.0	0.0	240.0	0.0	0.0		Replace 8 Sidewalk Squares
3607 West 65th Street		0.0	0.0	0.0	120.0	0.0	0.0		Replace 4 Sidewalk Squares
3645 West 62nd Street		0.0	0.0	0.0	120.0	0.0	0.0		Replace 4 Sidewalk Squares - Broken Concrete
3655 West Marquette Road		0.0	0.0	0.0	30.0	0.0	0.0		Replace 1 Sidewalk Square - Adjacent Squares
3659 West Marquette Road		0.0	0.0	0.0	30.0	0.0	0.0		Replace 1 Sidewalk Square - Adjacent Squares
3758 West 60th Place		0.0	0.0	0.0	210.0	0.0	0.0		Replace 5-7 Sidewalk Squares - All On Hamlin Avenue Side
3935 West 60th Place		0.0	0.0	0.0	30.0	0.0	0.0		Replace 1 Sidewalk Square Located In Front Of Gangway
3811 West 60th Place		0.0	0.0	0.0	210.0	0.0	0.0		Replace 6-7 Sidewalk Squares
3804 West 61st Street		0.0	0.0	0.0	60.0	0.0	0.0		Replace 1-2 Sidewalk Squares
3824 West 61st Street		0.0	0.0	0.0	270.0	0.0	0.0		Replace 9 Sidewalk Squares
3901 West 61st Street									Replace 2 Sidewalk Squares Adjacent to ADA Ramps
3811 West 70th Place		0.0	0.0	0.0	180.0	0.0	0.0		Replace 6 Sidewalk Squares
3818 West 70th Place		0.0	0.0	22.5	180.0	0.0	0.0		Replace 6 Sidewalk Squares & Courtesy Walk
3813 West 58th Place				22.5					Replace Courtesy Walk
SUB-TOTAL	1815.0	302.5	218.2	201.0	4785.0	180.0	25.0	90.0	

ILLINOIS DEPARTMENT OF TRANSPORTATION
SCHEDULE OF QUANTITIES

ROUTE	SECTION	COUNTY	TOTAL SHEETS	SHEET NUMBER
VARIOUS	2011-075-I	COOK	13	5

CONTRACT: 60P99

LOCATION	COMB. CONC. C & G R&R (LF)	HMA SURF R&R VARIABLE DEPTH (SQYD)	SALT TOLERANT SODDING (SQYD)	SIDEWALK 5" R&R (SQFT) 18" CARRIAGE/ COURTESY	SIDEWALK 5" R&R (SQFT) 6' PARALLEL	SIDEWALK 8" R&R (SQFT) 6' PARALLEL	DRIVEWAY 8" R&R (SQFT)	DETECTABLE WARNINGS (ADA RAMPS) (SQFT)	REMARKS
3904 West 58th Place		0.0	0.0	22.5	0.0	0.0	0.0		Replace Courtesy Walk
3924 West 58th Place		0.0	0.0	0.0	150.0	0.0	0.0		Replace 5 Sidewalk Squares
3955 West 58th Place		0.0	0.0	0.0	60.0	0.0	0.0		Replace 2 Sidewalk Squares
3816 West 68th Street		0.0	0.0	0.0	60.0	0.0	0.0		Replace 2 Sidewalk Squares
3944 West 68th Place		0.0	0.0	0.0	0.0	0.0	0.0	10.0	Install ADA Ramp/Handicapped Accessible Alley Apron Curbs
3945 West 68th Place		0.0	0.0	0.0	0.0	0.0	0.0	10.0	Install ADA Ramp/Handicapped Accessible Alley Apron Curbs
3818 West 69th Place		0.0	0.0	0.0	240.0	0.0	0.0		Replace 8 Sidewalk Squares
3830 West 69th Place	2.0	0.4	0.0	3.0	0.0	0.0	0.0		Replace cracked curb and missing 8 or 9 inches of concrete
3858 West 69th Place		0.0	0.0	45.0	840.0	120.0	25.0		Replace 32 Sidewalk Squares, Driveway Apron, and Front & Side Catwalks
3900 West 69th Place		0.0	0.0	45.0	1110.0	0.0	25.0		Replace 37-38 Sidewalk Squares, Driveway Apron, and Front & Side Catwalks
3901 West 69th Place		0.0	0.0	0.0	0.0	0.0	25.0		Replace Apron by Alley
3915 West 69th Place		0.0	0.0	0.0	90.0	0.0	0.0		Replace 3 Sidewalk Squares
3923 West 69th Place		0.0	0.0	0.0	210.0	0.0	0.0		Replace 6-7 Sidewalk Squares
3932 West 69th Place		0.0	0.0	0.0	0.0	0.0	0.0		Replace 6 Sidewalk Squares and 3 Catwalk Squares
3819 West 59th Place		0.0	0.0	0.0	60.0	0.0	0.0		Replace 1-2 Sidewalk Squares Between 3819 and 3821 West 59th Place
4300 West 59th Street		0.0	0.0	27.0	840.0	150.0	0.0	20.0	Replace 33 Total Squares: 25 On Kildare Avenue Side, 8 On 59th Street Side, 5 Side Courtesy Walk Squares, 1 Front Courtesy Walk Squares, and 2 ADA Ramps
4544 West 59th Street		0.0	0.0	0.0	90.0	0.0	0.0		Replace 2-3 Sidewalk Squares
3859 West 67th Place		0.0	0.0	0.0	0.0	0.0	0.0		Replace 2 Sidewalk Squares on 67th Place Side
3900 West 70th Street	160.0	26.7	26.7	0.0	0.0	0.0	0.0	10.0	Replace Curb On the Side of Hurley School Mobile Units On Springfield Avenue
3933 West 57th Place		0.0	0.0	0.0	210.0	0.0	0.0		Replace 7 Sidewalk Squares
4024 West 58th Street		0.0	0.0	22.5	0.0	0.0	0.0		Install Courtesy Walk In Parkway
4058 West 58th Street	15.0	2.5	0.0	0.0	0.0	0.0	0.0		Replace broken asphalt by driveway causing standing water at 4058 W 58th St
4043 West 56th Place	10.0	1.7	1.7	0.0	0.0	0.0	0.0		Replace 3-4 Feet of Missing Curb & 1-2 Feet of Broken Curb
4215 West 78th Street		0.0	0.0	0.0	300.0	0.0	0.0		Replace 10 Sidewalk Squares
4308 West 82nd Place	60.0	10.0	0.0	0.0	0.0	0.0			Install Gutter Along the Curb In Front of Length of Home (Especially & Including Mouth of Driveway)
4508 West 64th Place		0.0	0.0	0.0	240.0	0.0	0.0		Replace 8 Sidewalk Squares
5109 West 64th Place					1800.0	450.0	180.0		Replace 50-75 Sidewalk Squares on Entire 5000 Block of West 64th Place, from Lavergne (5000 West) to LeClaire (5100 West) Avenue
5522 West 64th Place		0.0	0.0	0.0	150.0	0.0	0.0		Replace 5 Sidewalk Squares
5736 West 64th Street		0.0	0.0	0.0	60.0	0.0	0.0		Replace 2 Sidewalk Squares
5836 West 64th Street	10.0	1.7	0.0	15.0	0.0	0.0			Replace cat walk and adjacent curb
SUB-TOTAL	257.0	43.0	28.4	180.0	6510.0	720.0	255.0	50.0	

ILLINOIS DEPARTMENT OF TRANSPORTATION
SCHEDULE OF QUANTITIES

ROUTE	SECTION	COUNTY	TOTAL SHEETS	SHEET NUMBER
VARIOUS	2011-075-I	COOK	13	6

CONTRACT: 60P99

LOCATION	COMB. CONC. C & G R&R (LF)	HMA SURF R&R VARIABLE DEPTH (SQYD)	SALT TOLERANT SODDING (SQYD)	SIDEWALK 5" R&R (SQFT) 18" CARRIAGE/ COURTESY	SIDEWALK 5" R&R (SQFT) 6' PARALLEL	SIDEWALK 8" R&R (SQFT) 6' PARALLEL	DRIVEWAY 8" R&R (SQFT)	DETECTABLE WARNINGS (ADA RAMPS) (SQFT)	REMARKS
6323 West 64th Street		0.0	0.0	0.0	180.0	0.0			Replace 6 Sidewalk Squares
4517 West 65th Place	9.0	1.5	1.5	0.0	0.0	0.0	0.0		Replace curb gutter. Too deep causing standing water
4530 West 65th Place	5.0	0.9	0.0	7.5	0.0	0.0			Replace 5 feet of Curb In Front of Sewer
4539 West 65th Place	40.0	6.7	5.9	0.0	0.0	0.0	10.0		Replace 40 Feet of Curb & Gutter
6317-6319 West 64th Place		0.0	0.0	0.0	390.0	30.0	30.0		Replace 14 Sidewalk Squares, 1 Square Above Driveway Apron, and 1 Driveway Apron
4615 West 79th Place		0.0	0.0	0.0	120.0	0.0			Replace 4 Sidewalk Squares
4622 West 82nd Street		0.0	0.0	0.0	60.0	0.0			Replace 2 Sidewalk Squares
5514 South Kolmar Avenue		0.0	0.0	0.0	180.0	0.0			Replace 6 Sidewalk Squares
5518 South Kolmar Avenue		0.0	0.0	0.0	180.0	0.0			Replace 6 Sidewalk Squares cracked in front parkway
5724 South Kostner Avenue		0.0	0.0	0.0	120.0	0.0			Replace 4 Sidewalk Squares
5730 South Kostner Avenue		0.0	0.0	0.0	60.0	0.0			Replace 2 Sidewalk Squares
5802 South Kostner Avenue		0.0	0.0	9.0	210.0	0.0			Replace 6-7 Sidewalk Squares & 2 Courtesy Walk Squares
6405 South Kostner Avenue		0.0	0.0	22.5	0.0	0.0			Replace Courtesy Walk
5524 South Kolin Avenue		0.0	0.0	15.0	0.0	0.0			Replace 2 Carriage Walk Squares
6401 South Kolin Avenue		0.0	0.0	0.0	180.0	0.0			Replace 2-6 Sidewalk Squares
6418 South Kolin Avenue		0.0	0.0	0.0	120.0	0.0			Replace 4 Sidewalk Squares
6422 South Kolin Avenue		0.0	0.0	22.5	90.0	0.0			Replace 3 Sidewalk Squares & Courtesy Walk
5601 South Karlov Avenue		0.0	0.0	9.0	930.0	0.0		40.0	Replace 26 Side Sidewalk Squares, 5 Front Sidewalk Squares, 4 ADA Ramp Squares, 2 Catwalk Squares, 1 Side Driveway Apron
6007 South Kildare Avenue		0.0	0.0	0.0	30.0	0.0			Replace 1 Sidewalk Square
5743 South Kenneth Avenue	2.0	0.4	0.0	3.0	0.0	0.0			Replace 2 Feet of Broken Curb Adjacent To Street Light Pole
5744 South Kenneth Avenue	5.0	0.9	0.0	7.5	0.0	0.0			Replace 5 Feet of Broken Curb Adjacent To Curblin Sewer
5748 South Kenneth Avenue	3.0	0.5	0.0	4.5	0.0	0.0			Replace 3 Feet of Cracked Curb
5749 South Kenneth Avenue	3.0	0.5	0.0	4.5	0.0	0.0			Replace 1 Foot of Cracked Curb Adjacent To Curblin Sewer
5745 South Tripp Avenue		0.0	0.0	4.5	240.0	0.0			Replace 8 Sidewalk Squares & 3 Courtesy Walk Squares
5749 South Tripp Avenue		0.0	0.0	4.5	240.0	0.0			Replace 8 Sidewalk Squares & 3 Courtesy Walk Squares
5753 South Tripp Avenue		0.0	0.0	4.5	240.0	0.0			Replace 8 Sidewalk Squares & 3 Courtesy Walk Squares
6447 South Tripp Avenue					210.0				Replace 6-7 Sidewalk Squares
8135 South Tripp Avenue		0.0	0.0	0.0	270.0	0.0			Replace 9 Raised/Cracked Sidewalk Squares
5936 South Major Avenue		0.0	0.0	0.0	30.0	0.0			Replace 1 Sidewalk Square
5958 South Major Avenue				9.0	0.0				Replace Curb Facing 60th Street Near Courtesy Walk
SUB-TOTAL	67.0	11.4	7.4	127.5	4080.0	30.0	40.0	40.0	

ILLINOIS DEPARTMENT OF TRANSPORTATION

SCHEDULE OF QUANTITIES

ROUTE	SECTION	COUNTY	TOTAL SHEETS	SHEET NUMBER
VARIOUS	2011-075-I	COOK	13	7

CONTRACT: 60P99

LOCATION	COMB. CONC. C & G R&R (LF)	HMA SURF R&R VARIABLE DEPTH (SQYD)	SALT TOLERANT SODDING (SQYD)	SIDEWALK 5" R&R (SQFT) 18" CARRIAGE/ COURTESY	SIDEWALK 5" R&R (SQFT) 6" PARALLEL	SIDEWALK 8" R&R (SQFT) 6" PARALLEL	DRIVEWAY 8" R&R (SQFT)	DETECTABLE WARNINGS (ADA RAMPS) (SQFT)	REMARKS
6107 South Major Avenue		0.0	0.0	0.0	60.0	0.0			Replace 2 Cracked Sidewalk Squares
5945 South Massasoit Avenue		0.0	0.0	0.0	60.0	0.0			Replace 2 Sidewalk Squares
5947 South Massasoit Avenue		0.0	0.0	22.5	0.0	0.0			Replace Courtesy Walk
6048 South Massasoit Avenue		0.0	0.0	0.0	90.0	0.0			Replace 3 Sidewalk Squares
6222 South Massasoit Avenue		0.0	0.0	0.0	60.0	0.0			Replace 1-2 Sidewalk Squares
5951 South Karlov Avenue		0.0	0.0	22.5	0.0	0.0			Replace Sinking Courtesy Walk
6007 South Karlov Avenue		0.0	0.0	0.0	90.0	0.0			Replace 2-3 Sidewalk Squares
6001 South Keeler Avenue		0.0	0.0	0.0	0.0	0.0		10.0	Replace Crosswalk ADA Ramp
6340 South Keeler Avenue		0.0	0.0	0.0	90.0	0.0			Rplace 2-3 Sidewalk Squares
6415 South Keeler Avenue		0.0	0.0	0.0	180.0	0.0			Replace 6 Sidewalk Squares
7808 South Keeler Avenue	15.0	2.5	0.0	0.0	22.5	0.0			Replace 10-15 Feet of Asphalt Curb & Gutter In Front of House - Needs to be redone in concrete
6005 South Komensky Avenue		0.0	0.0	0.0	0.0	0.0		10.0	Replace ADA ramp in front of 7-Eleven
6049 South Komensky Avenue		0.0	0.0	9.0	150.0	0.0			Replace 5 Sidewalk Squares & 2 Courtesy Walk Squares
6200 South Komensky Avenue	150.0	25.0	25.0	0.0	0.0	0.0			Replace Curb on 62nd Street Side
6524 South Komensky Avenue		0.0	0.0	18.0	180.0	0.0			Replace 6 Sidewalk Squares, 2 Courtesy Walk Squares, and 2 Carriage Walk Squares
8118 South Komensky Avenue		0.0	0.0	0.0	390.0	0.0			Replace 13 Sidewalk Squares
6823 South Komensky Avenue		0.0	0.0	0.0	60.0	0.0			Replace 2 Sidewalk Squares
8153 South Komensky Avenue		0.0	0.0	0.0	180.0	0.0	20.0		Replace 6 Sidewalk Squares and Driveway Apron
6007 South Kildare Avenue		0.0	0.0	0.0	30.0	0.0			Replace 1 Sidewalk Square
6331 South Kildare Avenue		0.0	0.0	18.0	30.0	0.0			Replace 1 Sidewalk Square & 4 Courtesy Walk Squares
6355 South Kildare Avenue		0.0	0.0	0.0	60.0	0.0			Replace 2 Sidewalk Squares
8200 South Kildare Avenue		0.0	0.0	0.0	30.0	0.0			Replace 1 Busted Sidewalk Square
6017 South Mayfield Avenue		0.0	0.0	31.5	0.0	0.0			Replace Courtesy Walk & 2 Carriage Walk Squares
6039 South Mayfield Avenue		0.0	0.0	22.5	0.0	0.0			Replace Courtesy Walk
6238 South Mayfield Avenue		0.0	0.0	22.5	0.0	0.0			Replace Cracked/Raised Courtesy Walk Leading To Gangway
6240 South Mayfield Avenue	60.0	10.0	9.5	4.5	0.0	0.0			Replace 60 Feet of Low Curb
6017 South Menard Avenue					180.0				Replace 6 Sidewalk Squares
6112 South Menard Avenue		0.0	0.0	0.0	60.0	0.0			Replace 2 Sidewalk Squares
6035 South Mason Avenue		0.0	0.0	13.5	0.0	0.0			Replace 3 Courtesy Walk Squares
6037 South Mason Avenue				13.5	0.0				Replace 3 Courtesy Walk Squares
SUB-TOTAL	225.0	37.5	34.5	198.0	2002.5	0.0	20.0	20.0	

ILLINOIS DEPARTMENT OF TRANSPORTATION
SCHEDULE OF QUANTITIES

ROUTE	SECTION	COUNTY	TOTAL SHEETS	SHEET NUMBER
VARIOUS	2011-075-I	COOK	13	8

CONTRACT: 60P99


LOCATION	COMB. CONC. C & G R&R (LF)	HMA SURF R&R VARIABLE DEPTH (SQYD)	SALT TOLERANT SODDING (SQYD)	SIDEWALK 5" R&R (SQFT) 18" CARRIAGE/ COURTESY	SIDEWALK 5" R&R (SQFT) 6' PARALLEL	SIDEWALK 8" R&R (SQFT) 6' PARALLEL	DRIVEWAY 8" R&R (SQFT)	DETECTABLE WARNINGS (ADA RAMPS) (SQFT)	REMARKS
6036 South Monitor Avenue		0.0	0.0	13.5	30.0	0.0			Replace 3 Courtesy Walk Squares and 1 Sidewalk Square
6145 South Monitor Avenue		0.0	0.0	0.0	90.0	0.0			Replace (3) Crumbling Sidewalk Squares
6104 South Keating Avenue		0.0	0.0	13.5	180.0	0.0			Replace 5-6 Sidewalk Squares & 3 Courtesy Walk Squares
6125 South Kilpatrick Avenue	7.0	1.2	0.0	10.5	0.0	0.0			Replace 7 Feet of Broken Curb In Front of Sewer
6653 South Kilpatrick Avenue		0.0	0.0	0.0	180.0	0.0			Replace 6 Sidewalk Squares
7930 South Kilpatrick Avenue		0.0	0.0	0.0	60.0	0.0			Replace 2 Cracked/Broken Sidewalk Squares
8100 South Kilpatrick Avenue		0.0	0.0	0.0	90.0	0.0			Replace 3 Sidewalk Squares
6137 South Knox Avenue		0.0	0.0	0.0	60.0	0.0			Replace 2 Sidewalk Squares
6150 South Knox Avenue		0.0	0.0	0.0	180.0	0.0			Replace 6 Sidewalk Squares
6521 South Knox		0.0	0.0	0.0	210.0	0.0			Replace 6-7 Sidewalk Squares
6523 South Knox Avenue		0.0	0.0	0.0	60.0	0.0			Replace 2 Sidewalk Squares
6559 South Knox Avenue	100.0	16.7	15.5	10.5	0.0	0.0			Replace curb on side of house
8120 South Knox Avenue	15.0	2.5	0.0	0.0	22.5	0.0			Replace 3 Sidewalk Squares & Curb/Gutter along length of sidewalk
8126 South Knox Avenue	45.0	7.5	0.0	0.0	67.5	0.0			Replace 9 Sidewalk Squares & Curb/Gutter along length of sidewalk
8130 South Knox Avenue	30.0	5.0	0.0	0.0	45.0	0.0			Replace 6 Sidewalk Squares & Curb/Gutter along length of sidewalk
8134 South Knox Avenue	40.0	6.7	0.0	0.0	60.0	0.0			Replace 8 Sidewalk Squares & Curb/Gutter along length of sidewalk
8140 South Knox Avenue	15.0	2.5	0.0	0.0	22.5	0.0			Replace 3 Sidewalk Squares & Curb/Gutter along length of sidewalk
8150-8120 South Knox Avenue	300.0	50.0	0.0	0.0	450.0	0.0			Replace 300 Feet of Curb Along West Side of Knox
6141 South Kolmar Avenue		0.0	0.0	4.5	90.0	0.0			Replace 1 Sidewalk Square with Crack Closest To Home, 1 Sidewalk Square With Bird Foot Prints, and 1 Sidewalk Square with Crack In Courtesy Walk
6714 South Kolmar Avenue	20.0	3.4	0.0	0.0	0.0	0.0		10.0	Replace 20 Feet of Alley Apron Curb
6715 South Kolmar Avenue	20.0	3.4	0.0	0.0	0.0	0.0		10.0	Replace 20 Feet of Alley Apron Curb
6226 South Parkside Avenue		0.0	0.0	22.5	0.0	0.0			Replace Courtesy Walk
6321 South Lorel Avenue		0.0	0.0	0.0	30.0	0.0			Replace 1 Cracked Sidewalk Square
6339 South Lorel Avenue		0.0	0.0	0.0	90.0	0.0			Replace 2-3 Sidewalk Squares - ON PERSONAL PROPERTY
6359 South LaCrosse Avenue		0.0	0.0	0.0	150.0	0.0		10.0	Replace 1 ADA Ramp Square and 5 Sidewalk Squares Facing LaCrosse Avenue
7159 South Ridgeway Avenue		0.0	0.0	45.0	900.0	0.0	30.0		Replace 39 Sidewalk Squares, 1 Driveway Apron, and Front & Side Catwalks
7254 South Hamlin Avenue					180.0				Replace 6 Sidewalk Squares
7734 South Kolmar Avenue	15.0	2.5	0.0	0.0	0.0	0.0	45.0		Replace crumbling street concrete pad
7929 South Kirkland Avenue		0.0	0.0	0.0	180.0	0.0	30.0		Replace 6 Sidewalk Squares & 1 Driveway Apron
8042 South Kenton Avenue					150.0				Replace 1-5 Cracked Sidewalk Squares
8077 South Kenton Avenue					180.0				Replace 4-6 Sidewalk Squares
SUB-TOTAL	607.0	101.4	15.5	120.0	3757.5	0.0	105.0	30.0	
GRAND-TOTAL	2971.0	496.0	304.0	827.0	21135.0	930.0	445.0	230.0	

ILLINOIS DEPARTMENT OF TRANSPORTATION

SCHEDULE OF QUANTITIES

ROUTE	SECTION	COUNTY	TOTAL SHEETS	SHEET NUMBER
VARIOUS	2011-075-1	COOK	13	9

CONTRACT NO.: 60P99



PLAN VIEW

* PROPOSED DEPRESSED CURB AND EXACT LENGTH SHALL BE DETERMINED IN THE FIELD BY THE ENGINEER (TYPICAL)

ILLINOIS DEPARTMENT OF TRANSPORTATION

DETAIL: CONCRETE
DRIVEWAY

VARIABLE - TO MEET EXISTING DIMENSIONS AND FIELD CONDITIONS (SEE NOTE ②)

PROP. CONC. CURB OR CURB AND GUTTER REPLACEMENT IN ACCORDANCE WITH STATE STANDARD 606001. (SEE NOTE ②)

SAW CUT FULL DEPTH - INCLUDED IN THE COST OF SIDEWALK, DRIVEWAY OR MEDIAN SURFACE REMOVAL PAY ITEM.

SEE STATE STANDARD 606001

18" (450) MAX.

EXISTING OR PROPOSED HMA SURFACE (IF APPLICABLE)

1/4" (5) **

EXISTING SIDEWALK, DRIVEWAY, MEDIAN SURFACE, SOD OR GROUND.

PROPOSED SIDEWALK, DRIVEWAY PAVEMENT, MEDIAN SURFACE OR SODDING SALT TOLERANT WITH TOP SOIL, 4" (100) SOD RESTORATION (SEE NOTE ①).

EXISTING CONCRETE PAVEMENT, CONCRETE BASE COURSE OR FLEXIBLE PAVEMENT

3" (75) MIN.

SUITABLE BACKFILL MATERIAL (INCLUDED IN THE COST OF CURB OR CURB AND GUTTER REMOVAL AND REPLACEMENT)

PROPOSED 3/4" (20) PREFORMED EXPANSION JOINT AT CONCRETE SIDEWALKS, DRIVEWAYS, AND MEDIANS. (INCLUDED IN THE COST OF CURB OR CURB AND GUTTER REMOVAL AND REPLACEMENT.)

* 3" (75) MINIMUM FROM TOP AND BOTTOM OF THE CONCRETE PAVEMENT OR BASE COURSE.

** IF THE FINAL SURFACE OF THE PAVEMENT IS CONCRETE, THE GUTTER IS TO BE FLUSH WITH THE PAVEMENT.

NOTE: ① SIDEWALK, DRIVEWAY PAVEMENT OR MEDIAN SURFACE SHALL BE SIMILAR TO THE MATERIAL BEING REMOVED AND WILL BE PAID FOR SEPARATELY.

SODDING, SALT TOLERANT AND TOP SOIL, FURNISH AND PLACE 4" WILL BE PAID FOR SEPARATELY.

② FERTILIZER FOR THE PLACEMENT OF THE SOD IS NOT REQUIRED

③ CURB OR CURB AND GUTTER REPLACEMENT SHALL MATCH THE SHAPE OF THE EXISTING CURB OR CURB AND GUTTER UNLESS OTHERWISE SPECIFIED.

④ FOR CURB OR CURB AND GUTTER REMOVAL AND REPLACEMENT ADJACENT TO FLEXIBLE PAVEMENT DELETE EPOXY COATED TIE BARS.

⑤ LONGITUDINAL BARS, IF ENCOUNTERED IN THE EXISTING CURB OR CURB AND GUTTER, ARE NOT TO BE REPLACED. CUTTING AND REMOVING LONGITUDINAL BARS SHALL BE INCLUDED IN THE COST OF CURB OR CURB AND GUTTER REMOVAL AND REPLACEMENT.

⑥ THE COST OF HMA SURFACE REMOVAL IN THE EXISTING GUTTER FLAG SHALL BE INCLUDED IN THE COST OF THE CURB AND GUTTER REMOVAL AND REPLACEMENT.

⑦ THE REMOVAL AND REPLACEMENT OF THE EXISTING CURB OR CURB AND GUTTER SHALL BE DONE IN ACCORDANCE WITH THE APPLICABLE PORTIONS OF SECTION 440 AND 606 OF THE STANDARD SPECIFICATIONS.

⑧ THE LOCATIONS OF REMOVAL AND REPLACEMENT OF EXISTING CURB OR CURB AND GUTTER SHALL BE DETERMINED BY THE RESIDENT ENGINEER AT THE TIME OF CONSTRUCTION.

UNSUITABLE SUB-BASE MATERIAL TO BE REMOVED, IF DIRECTED BY THE ENGINEER, SHALL BE REPLACED WITH EITHER SUB-BASE GRANULAR MATERIAL, TYPE B OR ADDITIONAL THICKNESS OF CONCRETE.

REMOVAL AND REPLACEMENT 4" (100) OR LESS IS INCLUDED IN THE COST OF CURB OR CURB AND GUTTER REMOVAL AND REPLACEMENT.

REMOVAL AND REPLACEMENT IN EXCESS OF 4" (100) WILL BE PAID FOR IN ACCORDANCE WITH ARTICLE 109.04 OF THE STANDARD SPECIFICATIONS.

PROPOSED #6 (20) EPOXY COATED TIE BARS 24" (600) LONG AT 24" (600) CENTERS WILL NOT BE PAID FOR SEPARATELY. DELETE EPOXY COATED TIE BARS IF EXISTING TIE BARS ARE USUABLE AS DETERMINED BY THE ENGINEER. (SEE NOTE ③).

BASIS OF PAYMENT:


THIS WORK WILL BE PAID FOR AT THE CONTRACT UNIT PRICE PER FOOT (METER) FOR "CURB REMOVAL AND REPLACEMENT" OR "COMBINATION CONCRETE CURB AND GUTTER REMOVAL AND REPLACEMENT".

CURB OR CURB AND GUTTER REMOVAL AND REPLACEMENT

ALL DIMENSIONS ARE IN INCHES (MILLIMETERS) UNLESS OTHERWISE SHOWN.

FILE NAME =	USER NAME = curryw	DESIGNED - A. HOUSEH	REVISED - R. SHAH 10-03-96	STATE OF ILLINOIS DEPARTMENT OF TRANSPORTATION	CURB OR CURB AND GUTTER REMOVAL AND REPLACEMENT	F.A. RTE.	SECTION	COUNTY	TOTAL SHEETS	SHEET NO.
ca:\pv_work\pwwidot\curryw\08282133\DI62011-sht-plan.dgn		DRAWN -	REVISED - A. ABBAS 03-21-97			VARIOUS	2011-075-1	COOK	13	10
PLOT SCALE = 3/32" = 1' / m		CHECKED -	REVISED - M. GOMEZ 01-22-01			BD600-06 (BD-24)		CONTRACT NO. 60P99		
PLOT DATE = 1/18/2012		DATE - 03-11-94	REVISED - R. BORO 12-15-09			SCALE: NONE		SHEET NO. 1 OF 1 SHEETS		STA. TO STA.


FED. ROAD DIST. NO. 1 | ILLINOIS | FED. AID PROJECT




PLAN VIEW

NOTES:

1. EXPANSION JOINTS SHALL BE CONSTRUCTED AS SHOWN ON THE DETAILS FOR P.C.C. SIDEWALK.
2. THE CURB BETWEEN ADJACENT DRIVEWAYS SHALL BE FULL HEIGHT FOR A DISTANCE OF AT LEAST FOUR FEET (1.2 METERS)
3. P.C. CONCRETE DRIVEWAYS SHALL BE CONSTRUCTED AT LOCATIONS SHOWN ON THE PLANS OR AS DIRECTED BY THE ENGINEER.
4. 3/4" (20) PREFORMED EXPANSION JOINTS WILL NOT BE PAID FOR SEPARATELY BUT SHALL BE CONSIDERED INCIDENTAL TO P.C.C. DRIVEWAY PAVEMENT 8" (200).
5. COMBINATION CONC. CURB AND GUTTER SHALL BE MEASURED STRAIGHT ACROSS THE DRIVEWAY. NO ADDITIONAL COMPENSATION WILL BE ALLOWED FOR THE TRANSITION CURB AND GUTTER.




SECTION B-B




SECTION A-A

P.C.C. DRIVEWAY PAVEMENT DETAIL



NOTES:



1. ONE-HALF INCH THICK EXPANSION JOINTS SHALL BE PLACED BETWEEN THE SIDEWALK AND ALL STRUCTURES SUCH AS LIGHT STANDARDS, TRAFFIC LIGHT STANDARDS, MANHOLES, WHICH EXTEND THROUGH THE SIDEWALK.
2. 3/4" (20) THICK EXPANSION JOINTS SHALL BE PLACED AT INTERVALS OF NOT MORE THAN 100 FEET (30 METERS) IN THE SIDEWALK. WHERE THE SIDEWALK IS CONSTRUCTED ADJACENT TO PAVEMENT OR CURB HAVING EXPANSION JOINTS, THE EXPANSION JOINTS IN THE SIDEWALK SHALL BE PLACED OPPOSITE THE EXISTING EXPANSION JOINTS AS NEARLY AS PRACTICABLE. EXPANSION JOINTS SHALL ALSO BE PLACED WHERE THE SIDEWALK ABUTS EXISTING SIDEWALKS, BETWEEN DRIVEWAY PAVEMENT AND SIDEWALK, AND BETWEEN SIDEWALK AND CURBS WHERE THE SIDEWALK ABUTS A CURB.



SLOPE FOR SIDEWALK
1" (25) IN 3'-0" (0.9 m) IN CHICAGO

PORTLAND CEMENT CONCRETE SIDEWALK DETAILS

NOTES: NO EXTRA COMPENSATION SHALL BE ALLOWED FOR THE GUTTER FLARE




SECTION A-A

ALLEY RETURN DETAIL

ALL DIMENSIONS ARE IN INCHES (MILLIMETERS) UNLESS OTHERWISE SHOWN

FILE NAME =	USER NAME = curryw	DESIGNED - M. DE YONG	REVISED -	STATE OF ILLINOIS DEPARTMENT OF TRANSPORTATION	CITY OF CHICAGO			F.A. -	SECTION	COUNTY	TOTAL	SHEET
es:\pwwork\pwwork\curryw\02282133\01622011-sht\plan.dgn	1-sht\plan.dgn	DRAWN -	REVISED -		DETAILS FOR P.C. CONCRETE DRIVEWAY, ALLEY RETURN AND SIDEWALK			RTE.	2011-075-1	COOK	13	11
PLOT SCALE = 3938.3985' / m		CHECKED -	REVISED -		SCALE: NONE	SHEET NO. 1 OF 1 SHEETS	STA.	TO STA.	BD400-03 (BD-17)	CONTRACT NO. 60P99		
PLOT DATE = 1/10/2012		DATE - 06-13-90	REVISED -					FED. ROAD DIST. NO. 1 (ILLINOIS) FED. AID PROJECT				



TRAFFIC CONTROL AND PROTECTION FOR SIDE ROADS, INTERSECTIONS, AND DRIVEWAYS

NOTES:

- A. FOR NO LANE RESTRICTION ON THE SIDE ROAD OR DRIVEWAYS**
1. SIDE ROAD WITH A SPEED LIMIT OF 40 MPH (60 km/h) OR LESS AS SHOWN ON THE DRAWING AND AS DIRECTED BY THE ENGINEER:
 - a) ONE ROAD CONSTRUCTION AHEAD SIGN 36 x 36 (900x900) WITH A FLASHER AND FLAG MOUNTED ON IT APPROXIMATELY 200' (60 m) IN ADVANCE OF THE MAIN ROUTE.
 - b) THE CLOSED PORTION OF THE MAIN ROUTE SHALL BE PROTECTED BY BLOCKING WITH TYPE I, TYPE II OR TYPE III BARRICADES, 1/3 OF THE CROSS SECTION OF THE CLOSED PORTION.
 2. SIDE ROAD WITH A SPEED LIMIT GREATER THAN 40 MPH (60 km/h) AS SHOWN ON THE DRAWING AND AS DIRECTED BY THE ENGINEER:
 - a) ONE ROAD CONSTRUCTION AHEAD SIGN 48 x 48 (1.2 m x 1.2 m) WITH A FLASHER MOUNTED ON IT APPROXIMATELY 500' (150 m) IN ADVANCE OF THE MAIN ROUTE.
 - b) THE CLOSED PORTION OF THE MAIN ROUTE SHALL BE PROTECTED BY BLOCKING WITH TYPE III BARRICADES, 1/2 OF THE CROSS SECTION OF THE CLOSED PORTION.
- B. FOR A LANE CLOSURE ON A SIDE ROAD OR DRIVEWAY:**
- USE APPLICABLE PORTIONS OF THE TYPICAL APPLICATION OF TRAFFIC CONTROL DEVICES (STD. 701501, STD. 701606 OR THE APPROPRIATE STANDARD). THE SPACING OF SIGNS AND BARRICADES SHALL BE ADJUSTED FOR FIELD CONDITIONS AS DIRECTED BY THE ENGINEER. THE DIRECTIONAL ARROW SHALL BE COVERED OR REMOVED WHEN NO LONGER CONSISTENT WITH THE SIDE ROAD LANE CLOSURE.
- C. ADVANCE WARNING SIGNS ARE TO BE OMITTED ON DRIVEWAY UNLESS OTHERWISE NOTED.**
- D. THE TRAFFIC CONTROL AND PROTECTION FOR SIDE ROADS, INTERSECTIONS, AND DRIVEWAYS SHALL BE INCIDENTAL TO THE COST OF SPECIFIED TRAFFIC CONTROL STANDARDS OR ITEMS.**
- 3. WHEN THE SIDE ROAD LIES BETWEEN THE BEGINNING OF THE MAINLINE SIGNING AND THE WORK ZONE, A SINGLE HEADED ARROW (M6-1) SHALL BE USED IN LIEU OF THE DOUBLE HEADED ARROW (M6-4).**

All dimensions are in millimeters (inches) unless otherwise shown.


FILE NAME =	USER NAME = curryw	DESIGNED - LHA	REVISED - J. OBERLE 10-18-95
ca:\pwork\pwork\curryw\0282133\016201-sht-plan.dgn		DRAWN -	REVISED - A. HOUSEH 03-06-96
	PLOT SCALE = 3937.9845 ' / m	CHECKED -	REVISED - A. HOUSEH 10-15-96
	PLOT DATE = 1/18/2012	DATE - 06-89	REVISED - T. RAMMACHER 01-06-00

**STATE OF ILLINOIS
DEPARTMENT OF TRANSPORTATION**

**TRAFFIC CONTROL AND PROTECTION FOR
SIDE ROADS, INTERSECTIONS, AND DRIVEWAYS**

SCALE: NONE SHEET NO. 1 OF 1 SHEETS STA. TO STA.

F.A. RTE.	SECTION	COUNTY	TOTAL SHEETS	SHEET NO.
VARIOUS	2011-075-1	COOK	13	12
TC-10		CONTRACT NO. 60P99		
FED. ROAD DIST. NO. 1 (ILLINOIS) FED. AID PROJECT				



NOTES:

1. USE BLACK LETTERING ON ORANGE BACKGROUND.
2. ERECT SIGNS IN ADVANCE OF THE LOCATION FOR THE "ROAD CONSTRUCTION AHEAD" SIGN AT LOCATIONS AS DIRECTED BY THE ENGINEER.
3. ERECT SIGN ① WITH INSTALLED PANEL ② ONE WEEK PRIOR TO THE START OF CONSTRUCTION.
4. REMOVE PANEL ② SOON AFTER THE START OF CONSTRUCTION.
5. SEE SPECIAL PROVISION FOR "TEMPORARY INFORMATION SIGNING" FOR ADDITIONAL INFORMATION.
6. ONE SIGN ASSEMBLY EQUALS 25.70 SQ. FT. (2.3 SQ. M.)
7. SHALL BE PAID FOR AS TEMPORARY INFORMATION SIGNING.

ALL DIMENSIONS ARE IN INCHES (MILLIMETERS) UNLESS OTHERWISE SHOWN.

FILE NAME =	USER NAME = curryw	DESIGNED -	REVISED - R. MIRS 09-15-97	STATE OF ILLINOIS DEPARTMENT OF TRANSPORTATION	ARTERIAL ROAD INFORMATION SIGN	F.A. RTE. =	SECTION	COUNTY	TOTAL SHEETS	SHEET NO.
et\pwork\pwork\curryw\d0282133\0162011-shk-plan.dgn	1-shk-plan.dgn	DRAWN -	REVISED - R. MIRS 12-11-97			VARIOUS	2011-075-1	COOK	13	13
PLOT SCALE = 3931.4425' / m	CHECKED -	REVISED - T. RAMMACHER 02-02-99				TC-22		CONTRACT NO. 60P99		
PLOT DATE = 1/18/2012	DATE -	REVISED - C. JUCIUS 01-31-07				FED. ROAD DIST. NO. 1 ILLINOIS FED. AID PROJECT				
				SCALE: NONE	SHEET NO. 1 OF 1 SHEETS	STA.	TO STA.			