

# LANDSCAPING SCHEDULE

| LOCATION              | 21101625                      | 25000110          | 25000210          | 25000310         | 25000312          | 250000314         | 25000320         | 25000324          | 25000400                     | 25000500                       | 25000600                      | A2002924   | A2008466   | B2001168  | K0013030  |
|-----------------------|-------------------------------|-------------------|-------------------|------------------|-------------------|-------------------|------------------|-------------------|------------------------------|--------------------------------|-------------------------------|--|--|---|---|
|                       | TOPSOIL FURNISH AND PLACE, 6" | SEEDING, CLASS 1A | SEEDING, CLASS 2A | SEEDING, CLASS 4 | SEEDING, CLASS 4A | SEEDING, CLASS 4B | SEEDING, CLASS 5 | SEEDING, CLASS 5B | NITROGEN FERTILIZER NUTRIENT | PHOSPHORUS FERTILIZER NUTRIENT | POTASSIUM FERTILIZER NUTRIENT | TREE, CELTIS OCCIDENTALIS (COMMON HACKBERRY), 3" CALIPER | TREE, ULMUS AMERICANA (AMERICAN ELM), 2" CALIPER | TREE, CERCIS CANADENSIS (EASTERN REDBUD), 7" HEIGHT, CLUMP FORM | PERENNIAL PLANTS, WETLAND TYPE, 2" DIAMETER BY 4" DEEP PLUG |
|                       | (SQ YD)                       | (ACRE)            | (ACRE)            | (ACRE)           | (ACRE)            |                   | (ACRE)           |                   | (POUND)                      | (POUND)                        | (POUND)                       | (EACH)   | (EACH)   | (EACH)  | (UNIT)  |
| <b>MAINLINE</b>       |                               |                   |                   |                  |                   |                   |                  |                   |                              |                                |                               |  |  |   |   |
| 87+00.00 - 87+95.00   | 205.2                         | 0.021             | 0.022             |                  |                   |                   |                  |                   | 3.9                          | 3.9                            | 3.87                          |  |  |   |   |
| 87+95.00 - 88+00.00   | 19.9                          | 0.002             | 0.001             | 0.001            |                   |                   | 0.001            |                   | 0.3                          | 0.3                            | 0.28                          |  |  |   |   |
| 88+00.00 - 88+20.00   | 79.5                          | 0.008             | 0.005             | 0.004            |                   |                   | 0.004            |                   | 1.1                          | 1.1                            | 1.12                          |  |  |   |   |
| 88+20.00 - 88+50.00   | 112.7                         | 0.012             | 0.007             | 0.005            |                   |                   | 0.005            |                   | 1.7                          | 1.7                            | 1.67                          |  |  |   |   |
| 88+50.00 - 89+00.00   | 151.3                         | 0.020             | 0.008             | 0.004            |                   |                   | 0.004            |                   | 2.5                          | 2.5                            | 2.47                          |  |  |   |   |
| 89+00.00 - 89+50.00   | 132.0                         | 0.012             | 0.010             | 0.005            |                   |                   | 0.005            |                   | 2.0                          | 2.0                            | 1.99                          |  |  |   |   |
| 89+50.00 - 90+00.00   | 188.1                         | 0.019             | 0.011             | 0.008            |                   |                   | 0.008            |                   | 2.8                          | 2.8                            | 2.78                          |  |  |   |   |
| 90+00.00 - 90+50.00   | 225.5                         | 0.021             | 0.011             | 0.015            |                   |                   | 0.015            |                   | 2.8                          | 2.8                            | 2.85                          |  |  |   |   |
| 90+50.00 - 91+00.00   | 271.5                         | 0.015             |                   | 0.037            |                   |                   | 0.037            |                   | 1.4                          | 1.4                            | 1.37                          |  |  |   |   |
| 91+00.00 - 91+50.00   | 377.7                         | 0.018             |                   | 0.030            | 0.001             | 0.030             | 0.030            | 0.030             | 1.6                          | 1.6                            | 1.62                          |  |  |   | 1.0   |
| 91+50.00 - 91+89.60   | 290.9                         |                   |                   | 0.011            | 0.013             | 0.035             | 0.011            | 0.035             | 0.0                          | 0.0                            | 0.00                          |  |  |   | 1.0   |
| 91+89.60 - 92+00.00   | 76.8                          |                   |                   | 0.003            | 0.004             | 0.011             | 0.003            | 0.011             | 0.0                          | 0.0                            | 0.00                          |  |  |   | 1.0   |
| 92+00.00 - 92+19.10   | 221.8                         |                   |                   | 0.005            | 0.007             | 0.029             | 0.005            | 0.029             | 0.0                          | 0.0                            | 0.00                          |  |  |   | 1.0   |
| <b>BRIDGE</b>         |                               |                   |                   |                  |                   |                   |                  |                   |                              |                                |                               |  |  |   |   |
| 92+85.10 - 93+00.00   | 58.8                          | 0.002             |                   | 0.015            | 0.005             |                   | 0.015            |                   | 0.2                          | 0.2                            | 0.15                          |  |  |   |   |
| 93+00.00 - 93+14.60   | 56.2                          | 0.002             |                   | 0.005            | 0.005             |                   | 0.005            |                   | 0.2                          | 0.2                            | 0.15                          | 1.0  |  |   |   |
| 93+14.60 - 93+50.00   | 142.6                         | 0.005             |                   | 0.012            | 0.012             |                   | 0.012            |                   | 0.5                          | 0.5                            | 0.49                          | 1.0  |  |   |   |
| 93+50.00 - 94+00.00   | 242.4                         | 0.017             |                   | 0.017            | 0.016             |                   | 0.017            |                   | 1.5                          | 1.5                            | 1.55                          |  | 1.0  |   |   |
| 94+00.00 - 94+50.00   | 220.5                         | 0.026             |                   | 0.017            | 0.002             |                   | 0.017            |                   | 2.4                          | 2.4                            | 2.38                          |  |  | 1.0   |   |
| 94+50.00 - 95+00.00   | 301.9                         | 0.045             |                   | 0.017            |                   |                   | 0.017            |                   | 4.1                          | 4.1                            | 4.09                          |  |  |   |   |
| 95+00.00 - 95+50.00   | 296.5                         | 0.044             |                   | 0.016            |                   |                   | 0.016            |                   | 4.0                          | 4.0                            | 4.00                          | 1.0  |  |   |   |
| 95+50.00 - 96+00.00   | 166.5                         | 0.019             |                   | 0.009            |                   |                   | 0.009            |                   | 1.7                          | 1.7                            | 1.69                          |  |  |   |   |
| 96+00.00 - 96+50.00   | 225.4                         | 0.029             | 0.008             | 0.008            |                   |                   | 0.008            |                   | 3.3                          | 3.3                            | 3.35                          |  |  |   |   |
| 96+50.00 - 97+00.00   | 232.5                         | 0.029             | 0.011             | 0.006            |                   |                   | 0.006            |                   | 3.6                          | 3.6                            | 3.61                          |  |  |   |   |
| 97+00.00 - 97+35.00   | 132.2                         | 0.014             | 0.008             | 0.006            |                   |                   | 0.006            |                   | 2.0                          | 2.0                            | 1.95                          |  |  |   |   |
| 97+35.00 - 97+50.00   | 58.3                          | 0.006             | 0.003             | 0.003            |                   |                   | 0.003            |                   | 0.9                          | 0.9                            | 0.86                          |  |  |   |   |
| 97+50.00 - 97+60.00   | 41.30                         | 0.004             | 0.001             | 0.002            |                   |                   | 0.002            |                   | 0.5                          | 0.5                            | 0.47                          |  |  |   |   |
| <b>TOTAL</b>          | <b>4528.2</b>                 | <b>0.390</b>      | <b>0.107</b>      | <b>0.257</b>     | <b>0.065</b>      | <b>0.105</b>      | <b>0.257</b>     | <b>0.105</b>      | <b>44.8</b>                  | <b>44.8</b>                    | <b>44.8</b>                   | <b>3.0</b>   | <b>1.0</b>                                       | <b>1.0</b>  | <b>4.0</b>  |
| <b>ADJUSTED TOTAL</b> | <b>4,529.0</b>                | <b>0.40</b>       | <b>0.20</b>       | <b>0.30</b>      | <b>0.10</b>       | <b>0.20</b>       | <b>0.30</b>      | <b>0.20</b>       | <b>50.0</b>                  | <b>50.0</b>                    | <b>50.0</b>                   | <b>3.0</b>   | <b>1.0</b>                                       | <b>1.0</b>  | <b>4.0</b>  |

FILE NAME = P:\CUBBEL WEST Projects\2009\09-0073 Hopps\PLT\C.v\1\0.dgn\Sheet\SCHEDULE7.dgn

**WILLS BURKE KELSEY ASSOCIATES LTD.**  
 116 West Main Street, Suite 201  
 St. Charles, Illinois 60174

|                        |                 |           |
|------------------------|-----------------|-----------|
| USER NAME = nparris    | DESIGNED - KMA  | REVISED - |
| PLOT SCALE =           | DRAWN - RPD     | REVISED - |
| PLOT DATE = 12/16/2011 | CHECKED - RPD   | REVISED - |
|                        | DATE - 12/19/11 | REVISED - |

**STATE OF ILLINOIS  
DEPARTMENT OF TRANSPORTATION**

**SCHEDULE OF QUANTITIES**

SCALE: SHEET NO. 13 OF 80 SHEETS STA. TO STA.

|   |                |        |              |           |
|---|----------------|--------|--------------|-----------|
| T.R. RTE.                                     | SECTION        | COUNTY | TOTAL SHEETS | SHEET NO. |
| 2442  | 04-08107-00-BR | KANE   | 80           | 13        |
| CONTRACT NO.63644                             |                |        |              |           |
| FED. ROAD DIST. NO. ILLINOIS FED. AID PROJECT |                |        |              |           |