



# Illinois Department of Transportation

2300 South Dirksen Parkway / Springfield, Illinois / 62764

February 23, 2018

SUBJECT: FAP Route 350 (IL 50)  
Project NHPP-AKRA(156)  
Section 50 & 57RS-1  
Cook County  
Contract No. 62C95  
Item No. 11, March 9, 2018 Letting  
Addendum A

## NOTICE TO PROSPECTIVE BIDDERS:

Attached is an addendum to the plans or proposal. This addendum involves revised and/or added material.

1. Revised the Schedule of Prices
2. Revised pages 105-110 of the Special Provisions
3. Revised sheet 5 of the Plans

Prime contractors must utilize the enclosed material when preparing their bid and must include any changes to the Schedule of Prices in their bid.

Very truly yours,

Jack A. Elston, P.E.  
Acting Bureau Chief  
Bureau of Design and Environment

A handwritten signature in black ink, reading "Ted B. Walschleger, P.E." with a stylized flourish at the end.

By: Ted B. Walschleger, P. E.  
Engineer of Project Management

cc: Anthony Quigley, Region 1, District 1; Tim Kell; D. Carl Puzey Estimates

MS/ck

## **CLEANING EXISTING DRAINAGE STRUCTURES**

Effective: September 30, 1985

Revised: December 1, 2011

All existing storm sewers, pipe culverts, manholes, catch basins and inlets shall be considered as drainage structures insofar as the interpretation of this Special Provision is concerned. When specified for payment, the location of drainage structures to be cleaned will be shown on the plans.

All existing drainage structures which are to be adjusted or reconstructed shall be cleaned according to Article 602.15 of the Standard Specifications. This work will be paid for according to accordance with Article 602.16 of the Standard Specifications.

All other existing drainage structures which are specified to be cleaned on the plans will be cleaned according to Article 602.15 of the Standard Specifications.

Basis of Payment. This work will be paid for at the contract unit price each for DRAINAGE STRUCTURES TO BE CLEANED, and at the contract unit price per foot (meter) for STORM SEWERS TO BE CLEANED, of the diameter specified.

## **REMOVAL AND DISPOSAL OF REGULATED SUBSTANCES**

This work shall be according to Article 669 of the Standard Specifications and the following:

Qualifications. The term environmental firm shall mean an environmental firm with at least five (5) documented leaking underground storage tank (LUST) cleanups or that is pre-qualified in hazardous waste by the Department. Documentation includes but not limited to verifying remediation and special waste operations for sites contaminated with gasoline, diesel, or waste oil in accordance with all Federal, State, or local regulatory requirements and shall be provided to the Engineer for approval. The environmental firm selected shall not be a former or current consultant or have any ties with any of the properties contained within and/or adjacent to this construction project.

General. This **Revised Special Provision** will likely require the Contractor to subcontract for the execution of certain activities.

All contaminated materials shall be managed as either "uncontaminated soil" or non-special waste. This work shall include monitoring and potential sampling, analytical testing, and management of a material contaminated by regulated substances. The Environmental Firm shall continuously monitor all soil excavation for worker protection and soil contamination. **Phase I Preliminary Engineering information is available through the District's Environmental Studies Unit.** Soil samples or analysis without the approval of the Engineer will be at no additional cost to the Department. The lateral distance is measured from centerline and the farthest distance is the offset distance or construction limit whichever is less.

Revised 2-23-18

The Contractor shall manage any excavated soils and sediment within the following areas:

Intersection of IL Route 50 / Cicero Avenue and Harrison Street

- All excavation planned at the northeast quadrant and southwest quadrant at the intersection of IL Route 50 / Cicero Avenue and Harrison Street, Chicago. This material meets the criteria of Article 669.09(a)(5) and shall be managed in accordance to Article 669.09. Potential contaminants of concern sampling parameters: VOCs, SVOCs and Metals.
- All excavation planned at the northwest quadrant and southeast quadrant at the intersection of IL Route 50 / Cicero Avenue and Harrison Street, Chicago. This material meets the criteria of Article 669.09(a)(1) and shall be managed in accordance to Article 669.09. Potential contaminants of concern sampling parameters: VOCs, SVOCs and Metals.

North Intersection of IL Route 50 / Cicero Avenue and Flournoy Street

- All excavation planned at the northeast quadrant and southeast quadrant at the east side of the north intersection of IL Route 50 / Cicero Avenue and Flournoy Street, Chicago. This material meets the criteria of Article 669.09(a)(5) and shall be managed in accordance to Article 669.09. Potential contaminants of concern sampling parameters: VOCs, SVOCs and Metals.
- All excavation planned at the northeast quadrant and northwest quadrant at the south intersection of IL Route 50 / Cicero Avenue and Flournoy Street, Chicago. This material meets the criteria of Article 669.09(a)(5) and shall be managed in accordance to Article 669.09. Potential contaminants of concern sampling parameters: VOCs, SVOCs and Metals.

Intersection of IL Route 50 / Cicero Avenue and Lexington Street

- All excavation planned at the southeast quadrant and southwest quadrant at the intersection of IL Route 50 / Cicero Avenue and Lexington Street, Chicago. This material meets the criteria of Article 669.09(a)(5) and shall be managed in accordance to Article 669.09. Potential contaminants of concern sampling parameters: VOCs, SVOCs and Metals.

North Intersection of IL Route 50 / Cicero Avenue and Polk Street

- All excavation planned at the northeast quadrant and southeast quadrant at the east side of the north intersection of IL Route 50 / Cicero Avenue and Polk Street, Chicago. This material meets the criteria of Article 669.09(a)(5) and shall be managed in accordance to Article 669.09. Potential contaminants of concern sampling parameters: VOCs, SVOCs and Metals.
- All excavation planned at the northwest quadrant and southwest quadrant at the west side of the south intersection of IL Route 50 / Cicero Avenue and Polk Street, Chicago. This material meets the criteria of Article 669.09(a)(5) and shall be managed in accordance to Article 669.09. Potential contaminants of concern sampling parameters: VOCs, SVOCs and Metals.

South Intersection of IL Route 50 / Cicero Avenue and Arthington Street

- All excavation planned at the southwest quadrant at the west side of the south intersection of IL Route 50 / Cicero Avenue and Arthington Street, Chicago. This material meets the criteria of Article 669.09(a)(1) and shall be managed in accordance to Article 669.09. Potential contaminants of concern sampling parameters: VOCs, SVOCs and Metals.

Revised 2-23-18

Intersection of IL Route 50 / Cicero Avenue and W. 5<sup>th</sup> Avenue

- All excavation planned at the southeast quadrant at the intersection of IL Route 50 / Cicero Avenue and W. 5<sup>th</sup> Avenue, Chicago. This material meets the criteria of Article 669.09(a)(5) and shall be managed in accordance to Article 669.09. Potential contaminants of concern sampling parameters: VOCs, SVOCs and Metals.

Intersection of IL Route 50 / Cicero Avenue and Roosevelt Road

- All excavation planned at all four quadrants at the intersection of IL Route 50 / Cicero Avenue and Roosevelt Road, Chicago. This material meets the criteria of Article 669.09(a)(5) and shall be managed in accordance to Article 669.09. Potential contaminants of concern sampling parameters: VOCs, SVOCs and Metals.

Intersection of IL Route 50 / Cicero Avenue and 12<sup>th</sup> Place

- All excavation planned at the northeast quadrant and southeast quadrant at the intersection of IL Route 50 / Cicero Avenue and 12<sup>th</sup> Place, Chicago. This material meets the criteria of Article 669.09(a)(1) and shall be managed in accordance to Article 669.09. Potential contaminants of concern sampling parameters: VOCs, SVOCs and Metals.

Intersection of IL Route 50 / Cicero Avenue and 13<sup>th</sup> Street

- All excavation planned at the northeast quadrant and southeast quadrant at the intersection of IL Route 50 / Cicero Avenue and 13<sup>th</sup> Street, Chicago. This material meets the criteria of Article 669.09(a)(1) and shall be managed in accordance to Article 669.09. Potential contaminants of concern sampling parameters: VOCs, SVOCs and Metals.
- All excavation planned at the northwest quadrant and southwest quadrant at the intersection of IL Route 50 / Cicero Avenue and 13<sup>th</sup> Street, Chicago. This material meets the criteria of Article 669.09(a)(5) and shall be managed in accordance to Article 669.09. Potential contaminants of concern sampling parameters: VOCs, SVOCs and Metals.

Intersection of IL Route 50 / Cicero Avenue and 14<sup>th</sup> Street

- All excavation planned at the northeast quadrant, northwest quadrant and southwest quadrant at the intersection of IL Route 50 / Cicero Avenue and 14<sup>th</sup> Street, Chicago. This material meets the criteria of Article 669.09(a)(1) and shall be managed in accordance to Article 669.09. Potential contaminants of concern sampling parameters: VOCs, SVOCs and Metals.
- All excavation planned at the southeast quadrant at the intersection of IL Route 50 / Cicero Avenue and 14<sup>th</sup> Street, Chicago. This material meets the criteria of Article 669.09(a)(5) and shall be managed in accordance to Article 669.09. Potential contaminants of concern sampling parameters: VOCs, SVOCs and Metals.

Intersection of IL Route 50 / Cicero Avenue and 15<sup>th</sup> Street

- All excavation planned at the northwest quadrant and southwest quadrant at the intersection of IL Route 50 / Cicero Avenue and 15<sup>th</sup> Street, Chicago. This material meets the criteria of Article 669.09(a)(1) and shall be managed in accordance to Article 669.09. Potential contaminants of concern sampling parameters: VOCs, SVOCs and Metals.

Intersection of IL Route 50 / Cicero Avenue and 15<sup>th</sup> Place

- All excavation planned the northeast quadrant and southeast quadrant at the intersection of IL Route 50 / Cicero Avenue and 15<sup>th</sup> Place, Chicago. This material meets the criteria of Article 669.09(a)(1) and shall be managed in accordance to Article 669.09. Potential contaminants of concern sampling parameters: VOCs, SVOCs and Metals.

Intersection of IL Route 50 / Cicero Avenue and 16<sup>th</sup> Street

- All excavation planned at the southwest quadrant at the intersection of IL Route 50 / Cicero Avenue and 16<sup>th</sup> Street, Chicago. This material meets the criteria of Article 669.09(a)(1) and shall be managed in accordance to Article 669.09. Potential contaminants of concern sampling parameters: VOCs, SVOCs and Metals.

Intersection of IL Route 50 / Cicero Avenue and 18<sup>th</sup> Street

- All excavation planned at all four quadrants at the intersection of IL Route 50 / Cicero Avenue and 18<sup>th</sup> Street, Chicago. This material meets the criteria of Article 669.09(a)(1) and shall be managed in accordance to Article 669.09. Potential contaminants of concern sampling parameters: VOCs, SVOCs and Metals.

Intersection of IL Route 50 / Cicero Avenue and 19<sup>th</sup> Street

- All excavation planned at the northeast quadrant and southeast quadrant at the intersection of IL Route 50 / Cicero Avenue and 19<sup>th</sup> Street, Chicago. This material meets the criteria of Article 669.09(a)(1) and shall be managed in accordance to Article 669.09. Potential contaminants of concern sampling parameters: VOCs, SVOCs and Metals.

Intersection of IL Route 50 / Cicero Avenue and 20<sup>th</sup> Street

- All excavation planned at the northeast quadrant at the intersection of IL Route 50 / Cicero Avenue and 20<sup>th</sup> Street, Chicago. This material meets the criteria of Article 669.09(a)(1) and shall be managed in accordance to Article 669.09. Potential contaminants of concern sampling parameters: VOCs, SVOCs and Metals.
- All excavation planned at the southeast quadrant at the intersection of IL Route 50 / Cicero Avenue and 20<sup>th</sup> Street, Chicago. This material meets the criteria of Article 669.09(a)(5) and shall be managed in accordance to Article 669.09. Potential contaminants of concern sampling parameters: VOCs, SVOCs and Metals.

Intersection of IL Route 50 / Cicero Avenue and 21<sup>st</sup> Street

- All excavation planned at all four quadrants at the intersection of IL Route 50 / Cicero Avenue and 21<sup>st</sup> Street, Chicago. This material meets the criteria of Article 669.09(a)(1) and shall be managed in accordance to Article 669.09. Potential contaminants of concern sampling parameters: VOCs, SVOCs and Metals.

Intersection of IL Route 50 / Cicero Avenue and Cermak Road

- All excavation planned at the southwest quadrant at the intersection of IL Route 50 / Cicero Avenue and Cermak Road, Chicago. This material meets the criteria of Article 669.09(a)(1) and shall be managed in accordance to Article 669.09. Potential contaminants of concern sampling parameters: VOCs, SVOCs and Metals.

Revised 2-23-18

Intersection of IL Route 50 / Cicero Avenue and 22<sup>nd</sup> Place

- All excavation planned at the northwest quadrant and southwest quadrant at the intersection of IL Route 50 / Cicero Avenue and 22<sup>nd</sup> Place, Chicago. This material meets the criteria of Article 669.09(a)(1) and shall be managed in accordance to Article 669.09. Potential contaminants of concern sampling parameters: VOCs, SVOCs and Metals.

Intersection of IL Route 50 / Cicero Avenue and 24<sup>th</sup> Street

- All excavation planned at the northwest quadrant and southwest quadrant at the intersection of IL Route 50 / Cicero Avenue and 24<sup>th</sup> Street, Chicago. This material meets the criteria of Article 669.09(a)(1) and shall be managed in accordance to Article 669.09. Potential contaminants of concern sampling parameters: VOCs, SVOCs and Metals.

Intersection of IL Route 50 / Cicero Avenue and 25<sup>th</sup> Street

- All excavation planned at the northwest quadrant, southwest quadrant and connecting median, at the intersection of IL Route 50 / Cicero Avenue and 25<sup>th</sup> Street, Chicago. This material meets the criteria of Article 669.09(a)(1) and shall be managed in accordance to Article 669.09. Potential contaminants of concern sampling parameters: VOCs, SVOCs and Metals.

Intersection of IL Route 50 / Cicero Avenue and the Ogden Avenue Ramp

- All excavation planned at the northwest quadrant, southwest quadrant and southeast quadrant at the intersection of IL Route 50 / Cicero Avenue and the Ogden Avenue Ramp, Chicago. This material meets the criteria of Article 669.09(a)(5) and shall be managed in accordance to Article 669.09. Potential contaminants of concern sampling parameters: VOCs, SVOCs and Metals.

Intersection of IL Route 50 / Cicero Avenue and 28<sup>th</sup> Street

- All excavation planned at the northwest quadrant at the intersection of IL Route 50 / Cicero Avenue and 28<sup>th</sup> Street, Chicago. This material meets the criteria of Article 669.09(a)(1) and shall be managed in accordance to Article 669.09. Potential contaminants of concern sampling parameters: VOCs, SVOCs and Metals.
- All excavation planned at the southwest quadrant at the intersection of IL Route 50 / Cicero Avenue and 28<sup>th</sup> Street, Chicago. This material meets the criteria of Article 669.09(a)(5) and shall be managed in accordance to Article 669.09. Potential contaminants of concern sampling parameters: VOCs, SVOCs and Metals.

Intersection of IL Route 50 / Cicero Avenue and 30<sup>th</sup> Street

- All excavation planned at the northwest quadrant and southwest quadrant at the intersection of IL Route 50 / Cicero Avenue and 30<sup>th</sup> Street, Chicago. This material meets the criteria of Article 669.09(a)(1) and shall be managed in accordance to Article 669.09. Potential contaminants of concern sampling parameters: VOCs, SVOCs and Metals.

Intersection of IL Route 50 / Cicero Avenue and W. 31st Street Frontage Road

- All excavation planned at the northeast quadrant at the intersection of IL Route 50 / Cicero Avenue and W. 31st Street Frontage Road, Chicago. This material meets the criteria of Article 669.09(a)(1) and shall be managed in accordance to Article 669.09. Potential contaminants of concern sampling parameters: VOCs, SVOCs and Metals.

Intersection of IL Route 50 / Cicero Avenue and 31<sup>st</sup> Street

- All excavation planned at the northwest quadrant at the intersection of IL Route 50 / Cicero Avenue and 31st Street, Chicago. This material meets the criteria of Article 669.09(a)(1) and shall be managed in accordance to Article 669.09. Potential contaminants of concern sampling parameters: VOCs, SVOCs and Metals.
- All excavation planned at the southwest quadrant at the intersection of IL Route 50 / Cicero Avenue and 31st Street, Chicago. This material meets the criteria of Article 669.09(a)(5) and shall be managed in accordance to Article 669.09. Potential contaminants of concern sampling parameters: VOCs, SVOCs and Metals.

Intersection of IL Route 50 / Cicero Avenue and 32<sup>nd</sup> Street

- All excavation planned at the northwest quadrant and southwest quadrant at the intersection of IL Route 50 / Cicero Avenue and 32<sup>nd</sup> Street, Chicago. This material meets the criteria of Article 669.09(a)(5) and shall be managed in accordance to Article 669.09. Potential contaminants of concern sampling parameters: VOCs, SVOCs and Metals.

**TRAFFIC CONTROL PLAN**

Effective: September 30, 1985

Revised: January 1, 2007

Traffic Control shall be according to the applicable sections of the Standard Specifications, the Supplemental Specifications, the "Illinois Manual on Uniform Traffic Control Devices for Streets and Highways", any special details and Highway Standards contained in the plans, and the Special Provisions contained herein.

Special attention is called to Article 107.09 of the Standard Specifications and the following Highway Standards, Details, Quality Standard for Work Zone Traffic Control Devices, Recurring Special Provisions and Special Provisions contained herein, relating to traffic control.

The Contractor shall contact the District One Bureau of Traffic at least 72 hours in advance of beginning work.

STANDARDS:

701101, 701427, 701601, 701602, 701606, 701611, 701701, 701801, 701901

DETAILS:

Traffic Control and Protection for Side Roads, Intersections, and Driveways (TC-10)  
Typical Applications – Raised Reflective Pavement Markers (Snow-Plow Resistant) (TC-11)  
District One Typical Pavement Markings (TC-13)  
Traffic Control and Protection at Turn Bays (To Remain Open To Traffic) (TC-14)  
Pavement Marking Letters and Symbols for Traffic Staging (TC-16)  
Arterial Road Information Signing (TC-22)  
Driveway Entrance Signing (TC-26)

Revised 2-23-18