




F.A.P. RTE.	SECTION	COUNTY	TOTAL SHEET NO.
309	16R-2	WHITESIDE	547 211
STA.	TO STA.		
FED. ROAD DIST. NO. 2	ILLINOIS	FED. AID PROJECT	


# STANDARD INLET FOR CURB & GUTTER TYPE B-6.24



SECTION A-A



SECTION B-B





SECTION C-C

**NOTES**  
 Class SI Concrete shall be used throughout.  
 The Curb and Gutter Inlet will be paid for at the contract unit price per cubic yard for Class SI Concrete (OUTLETS).  
 Joints shall be constructed in accordance with the requirements of Article 606.06 of the Standard Specifications.  
 When curb and gutter is constructed adjacent to flexible pavement, a 1" expansion joint shall be installed at construction joints.

- QUANTITY -  
 Section A-A to C-C  
 (1.23 Cu. Yds.)  
 Class SI Concrete

PLOT DATE = #DATE#  
 FILE NAME = #FILE#  
 PLOT SCALE = #SCALE#  
 REFERENCE = #REF#

# EROSION CONTROL DETAILS FOR SILT FENCE



DETAILS OF SILT FENCE

\* FOR BELTLESS FABRIC ONLY  
 POSTS AT 2.4m (8') SPACING

ALL DIMENSIONS ARE IN MILLIMETERS (INCHES) UNLESS OTHERWISE NOTED.

01/25/05 12/12/2005 10:27:43 AM