



TRAV. PT. # 10, PK NAIL,
X=3475.6631, Y=2035.0014,
STA. 430+57.37, LT. 435.00'

RELOCATE EXTG.
GUIDANCE SIGN
E-5

TAXIWAY E

SEE
NOTE 2

PROPOSED RELOCATED
SIGN E-5 LOCATION

PROPOSED CONSTRUCTION,
SEEDING, AND GRADING LIMITS

TAXIWAY H

SEE
NOTE 2

ADJUST ELEV. OF EXTG.
TAXI GUIDANCE SIGN H-6

PROPOSED CONSTRUCTION,
SEEDING, AND GRADING LIMITS

DO NOT DISTURB
ELECT. CABLES

RUNWAY 13-31

RUNWAY 9-27

NORTH
RAMP

NOTES:

1. SEE SHEETS 14 - 16 FOR ELECTRICAL & GUIDANCE SIGN DETAILS.
2. PROPOSED ELECTRICAL CABLES, 2/C, #8, EPR CABLES IN 1-1/2" HDPE UNIT DUCT.
3. REPLACE 7 EACH EXISTING SIGN PANELS, SEE SHEET 16 FOR DETAILS.

LEGEND:

- EDGE LIGHT
- GUIDANCE SIGN
- ELECTRICAL CABLE
- STORM SEWER OR UNDERDRAIN
- INLET
- OUTLET
- STORM MANHOLE
- SANITARY MANHOLE
- DRAINAGE DITCH
- CONDUIT OR DUCT BANK
- PROPOSED CONSTRUCTION,
SEEDING, AND GRADING LIMITS