

Beam 11

Location	Station	Offset	Theoretical Grade Elevations	Theoretical Grade Elevations Adjusted For Dead Load Deflection
Bk. Of S. Abut.	963.316	11.868	190.060	190.060
CL Brgs. S. Abut.	964.125	11.700	190.076	190.076
A	967.109	11.070	190.140	190.142
B	970.094	10.440	190.209	190.211
C	973.078	9.810	190.277	190.279
CL Brg. P3 S.	976.247	9.141	190.345	190.345
CL Brg. P3 N.	976.974	10.320	190.332	190.332
D	979.974	10.320	190.375	190.382
E	982.974	10.320	190.412	190.426
F	985.974	10.320	190.444	190.461
G	988.974	10.320	190.471	190.491
H	991.974	10.320	190.491	190.508
J	994.974	10.320	190.506	190.520
K	997.974	10.320	190.516	190.523
CL PIER 2	1000.286	10.320	190.519	190.519
L	1003.561	10.320	190.518	190.525
M	1006.561	10.320	190.511	190.525
N	1009.561	10.320	190.499	190.516
O	1012.561	10.320	190.481	190.501
P	1015.561	10.320	190.457	190.474
Q	1018.561	10.320	190.428	190.442
R	1021.561	10.320	190.393	190.400
CL Brg. P1 S.	1023.598	10.320	190.366	190.366
CL Brg. P1 N.	1024.284	9.076	190.381	190.381
S	1027.312	10.220	190.312	190.312
T	1030.340	11.364	190.238	190.238
CL Brgs. N. Abut.	1034.103	12.784	190.146	190.146
Bk. Of N. Abut.	1034.924	13.096	190.126	190.126

Beam 12

Location	Station	Offset	Theoretical Grade Elevations	Theoretical Grade Elevations Adjusted For Dead Load Deflection
Bk. Of S. Abut.	963.380	14.484	190.008	190.008
CL Brgs. S. Abut.	964.187	14.260	190.025	190.025
A	967.167	13.420	190.093	190.095
B	970.146	12.580	190.166	190.168
C	973.126	11.740	190.239	190.241
CL Brg. P3 S.	976.289	10.848	190.310	190.310
CL Brg. P3 N.	977.025	12.420	190.290	190.290
D	980.025	12.420	190.333	190.340
E	983.025	12.420	190.370	190.384
F	986.025	12.420	190.402	190.419
G	989.025	12.420	190.429	190.449
H	992.025	12.420	190.449	190.466
J	995.025	12.420	190.464	190.478
K	998.025	12.420	190.474	190.481
CL PIER 2	1000.337	12.420	190.477	190.477
L	1003.612	12.420	190.476	190.483
M	1006.612	12.420	190.469	190.483
N	1009.612	12.420	190.457	190.474
O	1012.612	12.420	190.439	190.459
P	1015.612	12.420	190.415	190.432
Q	1018.612	12.420	190.386	190.400
R	1021.612	12.420	190.351	190.358
CL Brg. P1 S.	1023.649	12.420	190.324	190.324
CL Brg. P1 N.	1024.328	10.865	190.345	190.345
S	1027.363	12.295	190.270	190.270
T	1030.398	13.725	190.191	190.191
CL Brgs. N. Abut.	1034.170	15.500	190.091	190.091
Bk. Of N. Abut.	1034.993	15.890	190.071	190.071

Beam 13

Location	Station	Offset	Theoretical Grade Elevations	Theoretical Grade Elevations Adjusted For Dead Load Deflection
Bk. Of S. Abut.	963.444	17.100	189.955	189.955
CL Brgs. S. Abut.	964.250	16.820	189.974	189.974
A	967.225	15.770	190.046	190.048
B	970.199	14.720	190.123	190.125
C	973.173	13.670	190.200	190.202
CL Brg. P3 S.	976.331	12.555	190.276	190.276
CL Brg. P3 N.	0.000	0.000	0.000	0.000
D	0.000	0.000	0.000	0.000
E	0.000	0.000	0.000	0.000
F	0.000	0.000	0.000	0.000
G	0.000	0.000	0.000	0.000
H	0.000	0.000	0.000	0.000
J	0.000	0.000	0.000	0.000
K	0.000	0.000	0.000	0.000
CL PIER 2	0.000	0.000	0.000	0.000
L	0.000	0.000	0.000	0.000
M	0.000	0.000	0.000	0.000
N	0.000	0.000	0.000	0.000
O	0.000	0.000	0.000	0.000
P	0.000	0.000	0.000	0.000
Q	0.000	0.000	0.000	0.000
R	0.000	0.000	0.000	0.000
CL Brg. P1 S.	0.000	0.000	0.000	0.000
CL Brg. P1 N.	1024.372	12.654	190.309	190.309
S	1027.414	14.371	190.229	190.229
T	1030.456	16.088	190.144	190.144
CL Brgs. N. Abut.	1034.237	18.220	190.037	190.037
Bk. Of N. Abut.	1035.061	18.688	190.015	190.015

COLLINS ENGINEERS
 123 N. WACKER DR., SUITE 300
 CHICAGO, IL 60606
 (312) 704-9300
 ILLINOIS PROFESSIONAL DESIGN FIRM
 LICENSE NO. 184-000993

REVISIONS	
NAME	DATE

ILLINOIS DEPARTMENT OF TRANSPORTATION
 F.A.I. 90 (I-90)
 AT NAGLE AVENUE
 F.A.U. RTE. 2783 SEC 1314B
 COOK COUNTY STATION 0+998.813
 STRUCTURE NO. 016-0708

TOP OF SLAB ELEVATIONS-IV

DRAWN BY MDK
 CHECKED BY LDB/DGS

DATE: DEC. 2004