

DESIGN		
INT.	DATE	REASON

PLOTS & CHECKS		
INT.	DATE	REASON

FILE NAME =
 PLOT SCALE =
 PLOT DATE =
 OPERATOR =
 DRV =
 DATE =
 USER =

CHECKS		
INT.	DATE	REASON

228 STA. 183+46, 22' RT. MANHOLES, TYPE A, 4'-DIAMETER, TYPE 1 FRAME, CLOSED LID RIM = 621.34 FL (N) = 618.08 FL (S) = 618.33 FL (E) = 618.58
229 STA. 183+13.72, 42' RT. INLETS, TYPE A, TYPE 20 FRAME AND GRATE EP = 621.22 FL = 618.78
230 STA. 183+46.79, 42' RT. INLETS, TYPE B, TYPE 3 FRAME AND GRATE EP = 621.22 FL (W) = 618.64 FL (S) = 618.68
231 STA. 184+00, 20' RT. MANHOLES, TYPE A, 4'-DIAMETER, TYPE 1 FRAME, CLOSED LID RIM = 621.32 FL (S) = 617.54 FL (W) = 618.47 FL (N) = 617.54
232 STA. 182+50, 14.5' LT. INLETS, TYPE A, TYPE 3 FRAME AND GRATE EP = 621.76 FL = 619.76
233 STA. 182+91.04, 39' LT. INLETS, TYPE A, TYPE 3 FRAME AND GRATE EP = 621.35 FL (SE) = 619.35 FL (N) = 619.35
234 STA. 183+17.64, 39' LT. INLETS, TYPE A, TYPE 3 FRAME AND GRATE EP = 621.33 FL (S) = 619.27 FL (NE) = 619.27
235 STA. 183+37, 27' LT. INLETS, TYPE B, TYPE 1 FRAME, CLOSED LID RIM = 621.70 FL (N) = 619.18 FL (SW) = 619.18
236 STA. 184+00, 19' LT. INLETS, TYPE A, TYPE 1 FRAME, CLOSED LID RIM = 621.37 FL (S) = 618.93 FL (E) = 618.89
237 STA. 184+00, 14.5' LT. INLETS, TYPE A, TYPE 3 FRAME AND GRATE EP = 620.86 FL (E) = 618.86 FL (W) = 618.86
238 STA. 184+00, 14.5' RT. INLETS, TYPE A, TYPE 3 FRAME AND GRATE EP = 620.86 FL (E) = 618.53 FL (W) = 618.53

90 STA. 183+15.81, 15.08' RT. EXISTING MANHOLE COMBINATION RIM = 621.26 FL (E) = 617.34 FL (W) = 617.34 FL (SE) = 617.74 FL (SW) = 617.44
91 STA. 183+08.24, 20.6' RT. EXISTING INLET STORM EP = 620.97 FL = 617.37 TO BE REMOVED
93 STA. 182+90.55, 25.86' LT. EXISTING INLET STORM EP = 620.77 FILLED TO BE REMOVED
94 STA. 183+17.99, 24.21' LT. EXISTING INLET STORM RIM = 620.85 FL = 617.80 (FULL OF WATER) TO BE REMOVED
95 STA. 184+68.38, 28.01' LT. EXISTING MANHOLE SANITARY RIM = 619.98 FL = 612.68 MANHOLE TO BE ADJUSTED RIM = 620.20
96 STA. 186+20.03, 27.36' LT. EXISTING MANHOLE SANITARY RIM = 617.89 FL = 609.90 MANHOLE TO BE ADJUSTED RIM = 618.35
101 STA. 186+34.48, 24.52' LT. EXISTING MANHOLE SANITARY RIM = 617.67 FL (E) = 601.02 FL (W) = 601.02 FL (S) = 611.37 MANHOLE TO BE ADJUSTED RIM = 618.27
103 STA. 186+49.17, 41.9' RT. EXISTING MANHOLE SANITARY RIM = 617.92 FL (W) = 602.12 FL (E) = 602.12 FL (NW) = 612.56 FL (SW) = 612.88 MANHOLE TO BE ADJUSTED RIM = 617.76
103A STA. 186+43.97, 18.40' RT. EXISTING MANHOLE SANITARY RIM = 618.20 FL (N) = 603.87 MANHOLE TO BE ADJUSTED RIM = 618.47
104 STA. 186+24.97, 31.93' RT. EXISTING MANHOLE SANITARY RIM = 618.42 FL (E) = 608.42 MANHOLE TO REMAIN
105 STA. 185+95.72, 36.59' RT. EXISTING INLET STORM RIM = 618.29 (FULL OF DEBRIS) TO BE REMOVED AND REPLACED W/ INLETS, TYPE B, W/ SALVAGED GRATE RIM = 618.20 FL = 615.29
106 STA. 186+04.53, 15.2' RT. EXISTING INLET STORM EP = 618.30 TO BE REMOVED
107 STA. 186+03.53, 14.92' LT. EXISTING INLET STORM EP = 618.10 TO BE REMOVED

239 STA. 185+00, 20' RT. MANHOLES, TYPE A, 4'-DIAMETER, TYPE 1 FRAME, CLOSED LID RIM = 620.20 FL (N) = 616.48 FL (S) = 616.48 FL (W) = 616.98
240 STA. 184+44, 14.5' LT. INLETS, TYPE A, TYPE 3 FRAME AND GRATE EP = 619.22 FL (S) = 615.02 FL (N) = 615.02 FL (E) = 615.02 FL (W) = 615.64
241 STA. 185+00, 14.5' LT. INLETS, TYPE A, TYPE 3 FRAME AND GRATE EP = 619.72 FL (S) = 617.72 FL (E) = 617.72 FL (W) = 617.15
242 STA. 185+00, 14.5' RT. INLETS, TYPE B, TYPE 15 FRAME AND LID EP = 618.73 FL (W) = 615.74 FL (S) = 615.74 FL (E) = 615.74
243 STA. 185+91, 14.5' LT. INLETS, TYPE A, TYPE 3 FRAME AND GRATE EP = 618.73 FL (S) = 616.74 FL (N) = 616.74
244 STA. 185+49, 14.5' LT. INLETS, TYPE A, TYPE 3 FRAME AND GRATE EP = 619.15 FL (N) = 617.15 FL (W) = 617.15
245 STA. 185+91, 14.5' LT. INLETS, TYPE A, TYPE 3 FRAME AND GRATE EP = 618.73 FL (S) = 616.74 FL (N) = 616.74
246 STA. 185+91, 14.5' RT. INLETS, TYPE B, TYPE 15 FRAME AND LID EP = 618.73 FL (W) = 615.74 FL (S) = 615.74 FL (E) = 615.74
247 STA. 185+84, 14.50' RT. INLETS, TYPE A, TYPE 3 FRAME AND GRATE EP = 618.79 FL = 615.79
248 STA. 186+37, 20' RT. MANHOLES, TYPE A, 5'-DIAMETER, TYPE 1 FRAME, CLOSED LID RIM = 618.33 FL (S) = 614.29 FL (N) = 614.47 FL (E) = 614.25
249 STA. 186+92, 20' RT. MANHOLES, TYPE A, 5'-DIAMETER, TYPE 1 FRAME, CLOSED LID RIM = 618.94 FL (N) = 615.30 FL (W) = 615.83 FL (S) = 615.95


244A STA. 185+50, 27.5' LT. INLETS, TYPE A, TYPE 8 GRATE RIM = 618.80 FL = 617.19
245 STA. 185+91, 14.5' LT. INLETS, TYPE A, TYPE 3 FRAME AND GRATE EP = 618.73 FL (S) = 616.74 FL (N) = 616.74
246 STA. 185+91, 14.5' RT. INLETS, TYPE B, TYPE 15 FRAME AND LID EP = 618.73 FL (W) = 615.74 FL (S) = 615.74 FL (E) = 615.74
247 STA. 185+84, 14.50' RT. INLETS, TYPE A, TYPE 3 FRAME AND GRATE EP = 618.79 FL = 615.79
248 STA. 186+37, 20' RT. MANHOLES, TYPE A, 5'-DIAMETER, TYPE 1 FRAME, CLOSED LID RIM = 618.33 FL (S) = 614.29 FL (N) = 614.47 FL (E) = 614.25
249 STA. 186+92, 20' RT. MANHOLES, TYPE A, 5'-DIAMETER, TYPE 1 FRAME, CLOSED LID RIM = 618.94 FL (N) = 615.30 FL (W) = 615.83 FL (S) = 615.95

249 STA. 186+92, 14.5' RT. INLETS, TYPE B, TYPE 20 FRAME AND GRATE EP = 618.89 FL (S) = 616.28 FL (E) = 616.24
297 STA. 186+92, 14.5' RT. INLETS, TYPE B, TYPE 3 FRAME AND GRATE EP = 618.89 FL (N) = 615.95 FL (W) = 615.95 FL (E) = 615.95
298 STA. 186+37, 32.5' RT. MANHOLES, TYPE A, 5'-DIAMETER, TYPE 1 FRAME, CLOSED LID RIM = 618.05 FL (E) = 613.99 FL (W) = 613.99 FL (N) = 614.66 FL (S) = 614.56
299 STA. 186+37, 32.5' RT. MANHOLES, TYPE A, 5'-DIAMETER, TYPE 1 FRAME, CLOSED LID RIM = 618.05 FL (E) = 613.99 FL (W) = 613.99 FL (N) = 614.66 FL (S) = 614.56

295 STA. 186+86, 14.5' LT. INLETS, TYPE A, TYPE 20 FRAME AND GRATE EP = 618.83 FL = 616.34
296 STA. 186+92, 14.5' LT. INLETS, TYPE B, TYPE 20 FRAME AND GRATE EP = 618.89 FL (S) = 616.28 FL (E) = 616.24
297 STA. 186+92, 14.5' RT. INLETS, TYPE B, TYPE 3 FRAME AND GRATE EP = 618.89 FL (N) = 615.95 FL (W) = 615.95 FL (E) = 615.95
298 STA. 186+37, 32.5' RT. MANHOLES, TYPE A, 5'-DIAMETER, TYPE 1 FRAME, CLOSED LID RIM = 618.05 FL (E) = 613.99 FL (W) = 613.99 FL (N) = 614.66 FL (S) = 614.56
299 STA. 186+37, 32.5' RT. MANHOLES, TYPE A, 5'-DIAMETER, TYPE 1 FRAME, CLOSED LID RIM = 618.05 FL (E) = 613.99 FL (W) = 613.99 FL (N) = 614.66 FL (S) = 614.56


299 STA. 186+37, 32.5' RT. MANHOLES, TYPE A, 5'-DIAMETER, TYPE 1 FRAME, CLOSED LID RIM = 618.05 FL (E) = 613.99 FL (W) = 613.99 FL (N) = 614.66 FL (S) = 614.56
300 STA. 186+30.15, 32.5' RT. INLETS, TYPE B, TYPE 20 FRAME AND GRATE EP = 617.86 FL (N) = 614.66 FL (E) = 614.66
301 STA. 186+30.15, 32.5' RT. INLETS, TYPE B, TYPE 20 FRAME AND GRATE EP = 617.86 FL (N) = 614.66 FL (E) = 614.66
302 STA. 186+63.43, 39.5' RT. INLETS, TYPE A, TYPE 3 FRAME AND GRATE EP = 617.98 FL = 614.98
303 STA. 186+65.22, 32.5' RT. INLETS, TYPE B, TYPE 3 FRAME AND GRATE EP = 618.11 FL (S) = 614.91 FL (E) = 614.91

300 STA. 186+31.94, 39.5' RT. INLETS, TYPE A, TYPE 20 FRAME AND GRATE EP = 617.73 FL = 614.73
301 STA. 186+30.15, 32.5' RT. INLETS, TYPE B, TYPE 20 FRAME AND GRATE EP = 617.86 FL (N) = 614.66 FL (E) = 614.66
302 STA. 186+63.43, 39.5' RT. INLETS, TYPE A, TYPE 3 FRAME AND GRATE EP = 617.98 FL = 614.98
303 STA. 186+65.22, 32.5' RT. INLETS, TYPE B, TYPE 3 FRAME AND GRATE EP = 618.11 FL (S) = 614.91 FL (E) = 614.91



F.A.U. RTE.	SECTION	COUNTY	TOTAL SHEETS	SHEET NO.
6108	***	LA SALLE	679	151

STA. 182+50 TO STA. 187+00
 FED. ROAD DIST. NO. ILLINOIS FED. AID PROJECT
 *** (70X, 71X)RS-1, (71X-VBR)DM CONTRACT NO. 66225



ILLINOIS DEPARTMENT OF TRANSPORTATION
DRAINAGE & UTILITIES PLAN
 FAU 6108 (IL. RTE. 351)
 SECTION (70X, 71X)RS-1, (71X-VBR)DM
 LASALLE COUNTY

SCALE: VERT.
 HORIZ.
 DATE: 06/06/03

DRAWN BY: MABUS
 DESIGNED BY: BOIT
 CHECKED BY: COLBROOK

GREENE & BRADFORD, INC.
 300 N. LA SALLE ST., CHICAGO, IL 60610
 (773) 525-1100

REVISIONS
 NAME DATE
 MABUS 09/10/03

COMPUTER FILE NO.
 SS351D-02
 PROJECT: 01194_B.S
 04/27/04-RPB