

ENTRANCE & SIDEROAD IMPROVEMENT SCHEDULE FOR RURAL/URBAN "PPP" PROJECTS																		
LOCATION		TYPE OF ENTRANCE	EX MATERIAL TYPE	WIDTH	LT OFFSET	RT OFFSET	LENGTH (FROM EDGE OF PVT/BIT SHLD TO LIMITS OF IMPROVEMENTS)	PR HOT-MIX ASPHALT CONC THICKNESS	HOT-MIX ASPHALT SURF. REM BUTT JOINT	P. C. C. SURF. REM. - BUTT JOINT	PREP OF BASE	AGG. BASE REPAIR	AGGREGATE BASE COURSE TY-B	AGGREGATE SURF COURSE TY-B	BIT (P. C.)	AGG (P. C.)	INCIDENTAL HOT-MIX ASPHALT SURFACING N50	
LT/RT/STA	FE/PE/CE/MB/SR	EARTH/AGG/BIT/PCC	FOOT	FOOT	FOOT	FOOT	INCH	SQ YD	SQ YD	SQ YD	TON	TON	TON	TON	TON	TON	TON	
RT	248+53.00	MB	BIT	0			0	0.0	0		0	0.00		0.00	0.00	0.00	0.00	
RT	248+64.00	PE	AGG	10			15	3.5	0		16	0.91		1.13	0.00	0.01	0.54	
RT	248+97.00	PE	AGG	24			15	3.5	0		28	1.62		2.06	0.00	0.01	0.85	
RT	249+18.00	PE	AGG	18			15	3.5	0		55	3.13		1.66	0.01	0.07	6.97	
RT	249+20.00	MB	BIT	0			0	0.0	0		0	0.00		0.00	0.00	0.00	0.00	
RT	249+21.00	MB	BIT	0			0	0.0	0		0	0.00		0.00	0.00	0.00	0.00	
LT	249+22.00	MB	BIT	0			0	0.0	0		0	0.00		0.00	0.00	0.00	0.00	
RT	249+47.00	PE	AGG	18			15	3.5	0		55	3.13		1.66	0.01	0.07	6.97	
RT	250+71.00	MB	BIT	0			0	0.0	0		0	0.00		0.00	0.00	0.00	0.00	
RT	251+19.00	MB	BIT	0			0	0.0	0		0	0.00		0.00	0.00	0.00	0.00	
LT	251+74.00	MB	BIT	0			0	0.0	0		0	0.00		0.00	0.00	0.00	0.00	
RT	252+07.00	PE	AGG	40			15	3.5	0		43	2.43		3.12	0.00	0.01	1.20	
RT	252+54.00	MB	BIT	0			0	0.0	0		0	0.00		0.00	0.00	0.00	0.00	
RT	252+90.00	MB	BIT	0			0	0.0	0		0	0.00		0.00	0.00	0.00	0.00	
RT	253+91.00	MB	BIT	0			0	0.0	0		0	0.00		0.00	0.00	0.00	0.00	
RT	254+95.00	PE	AGG	30			15	3.5	0		34	1.92		2.46	0.00	0.01	0.98	
RT	255+81.00	MB	BIT	0			0	0.0	0		0	0.00		0.00	0.00	0.00	0.00	
RT	255+83.00	MB	BIT	0			0	0.0	0		0	0.00		0.00	0.00	0.00	0.00	
RT	260+97.00	SR	BIT	50			10	1.5	15		22	1.23		0.00	0.01	0.04	1.82	
RT	261+40.00	MB	BIT	0			0	0.0	0		0	0.00		0.00	0.00	0.00	0.00	
RT	261+45.00	MB	BIT	0			0	0.0	0		0	0.00		0.00	0.00	0.00	0.00	
RT	261+47.00	MB	BIT	0			0	0.0	0		0	0.00		0.00	0.00	0.00	0.00	
RT	266+71.00	PE	AGG	30			15	3.5	0		75	4.27		2.46	0.02	0.09	9.06	
RT	275+29.00	SR	BIT	55			10	1.5	58		86	4.87		0.00	0.03	0.17	7.19	
RT	309+71.00	PE	AGG	20			15	3.5	0		58	3.32		1.79	0.01	0.07	7.32	
LT	330+70.00	MB	BIT	0		13	8	3.5	23		23	1.32		0.00	0.02	0.09	9.06	
LT	330+73.00	MB		0		13	8	3.5	23		23	1.32		0	0.02	0.09	9.06	
RT	330+83.00	SR	BIT	30			10	1.5	58		58	3.29		0.00	0.02	0.12	4.85	
RT	330+83.00	PE	AGG	23			15	3.5	0		63	3.61		1.99	0.02	0.08	7.84	
RT	332+71.00	PE	AGG	22			15	3.5	0		62	3.51		1.93	0.01	0.08	7.67	
LT	344+68.00	PE	AGG	22			15	3.5	0		62	3.51		1.93	0.01	0.08	7.67	
RT	345+19.00	MB	BIT	0	51		8	3.5	17		17	0.96		0.00	0.01	0.07	6.62	
RT	371+37.00	SR	BIT	40			10	1.5	58		69	3.92		0.00	0.03	0.14	5.79	
RT	380+93.00	CE	AGG	55			15	8.0	0		117	6.64		2.85	0.03	0.17	37.33	
RT	385+75.00	MB	BIT	0	12		8	3.5	17		17	0.96		0.00	0.01	0.07	6.62	
LT	385+87.00	PE	AGG	12			15	3.5	0		45	2.56		1.26	0.01	0.06	5.92	
RT	391+70.00	MB	BIT	0	67		8	3.5	20		20	1.11		0.00	0.01	0.08	7.67	
LT	391+71.00	MB			0	67		8	3.5	20		20	1.11		0	0.01	0.08	7.67
LT	392+37.00	PE	AGG	20			15	3.5	0		58	3.32		1.79	0.01	0.07	7.32	
LT	395+00.00	SR	BIT	44			10	1.5	58		73	4.18		0.00	0.03	0.15	6.16	
LT	396+30.00	MB	BIT	0	27		8	3.5	17		17	0.96		0.00	0.01	0.07	6.62	
LT	396+57.00	PE	AGG	16			15	3.5	0		52	2.94		1.53	0.01	0.07	6.62	
RT	399+37.00	SR	BIT	38			10	1.5	58		67	3.80		0.00	0.03	0.13	5.60	
LT	408+48.00	PE	AGG	40			15	3.5	0		92	5.22		3.12	0.02	0.11	10.80	
LT	409+69.00	PE	AGG	22			15	3.5	0		62	3.51		1.93	0.01	0.08	7.67	
RT	415+52.00	SR	BIT	60			10	1.5	58		91	5.19		0.00	0.03	0.18	7.65	
RT	416+51.00	PE	AGG	32			10	3.5	0		47	2.66		0.00	0.02	0.09	9.15	
LT	416+79.00	MB	BIT	0	32		8	3.5	20		20	1.16		0.00	0.02	0.08	8.01	
LT	416+81.00	MB			0	32		8	3.5	20		20	1.16		0	0.02	0.08	8.01
RT	416+83.00	MB			0	32		8	3.5	20		20	1.16		0	0.02	0.08	8.01
RT	422+40.00	PE	AGG	12			10	3.5	0		24	1.39		0.00	0.01	0.05	4.79	