
STATE OF ILLINOIS DEPARTMENT OF TRANSPORTATION

EXISTING DECK BEAM



NOTES


Detail I - With Bar Splicer or Couplers: Connect one (1) 1"x7"x10" steel 12 to the top layer of couplers with 2-58" \$\phi\$ bolts screwed to coupler at approximate ♀ of each barrier panel.

Detail II - With Extended Reinforcement Bars: Connect one (1) 1"x7"x 10" steel P to the concrete slab or concrete wearing surface with $2^{-5}8''$ ϕ Expansion Anchors or cast in place inserts spaced between the top layer of reinforcement at approximate € of each barrier panel.


Cost of anchorage is included with Temporary Concrete Barrier. The I'' x 7'' x 10" plate shall not be removed until stage II construction forms and all reinforcement bars are in place and the concrete is ready to be placed.

SECTIONS THRU SLAB OR DECK BEAM

- *** Dimension shown is minimum required embedment into concrete. If hot-mix asphalt wearing surface is present, minimum embedment shall be in addition to wearing surface depth.
- **** If existing deck beam is to remain in place after stage construction, embedment shall only be into wearing surface and not into existing deck beam concrete.



when "A" is greater than 3'-6".



Top bars - Detail I spacina Detail II —@ ⁷8'' ¢ Holes *£ 1" x 1½" Notch

STEEL RETAINER P 1" x 7" x 10"

* Required only with Detail II

** Wood blocks may be omitted when required to provide minimum stage traffic lane width. When the wood blocks are omitted, the concrete barrier shall be in direct contact with the steel retainer plate.

"W" = Top bars spacing + 4"

TEMPORARY CONCRETE BARRIER FOR STAGE CONSTRUCTION STRUCTURE NO 016-2133

	31/10C/ONE NO. 010 2133							
H	LIN ENGINEERING,LTD. Consulting Engineers Chatham, Illnois	SHEET NO.3	F.A.I. RTE.	SECTION		COUNTY	TOTAL SHEETS	SHEET NO.
E			290	(531-3.1,0305-302K)RS-5		соок	314	254
		8 SHEETS				CONTRACT	NO. 6	80I38
Designed By: KHH Date: 12/2009	Checked By: MTH Drawn By: KHH File: 015-2133.dgn		FED. RO	DAD DIST. NO ILLIN	DIS FED.	AID PROJECT		