



# Illinois Department of Transportation

2300 South Dirksen Parkway / Springfield, Illinois / 62764

April 13, 2010

SUBJECT: FAP Route 303 (IL 173)  
Section 136 RS-6  
Lake County  
Contract No. 60J65  
Item No. 21, April 23, 2010 Letting  
Addendum A

## NOTICE TO PROSPECTIVE BIDDERS:

Attached is an addendum to the plans or proposal. This addendum involves revised and/or added material.

1. Revised page i of the Table of Contents to the Special Provisions.
2. Revised pages 29 & 34 of the Special Provisions.
3. Deleted pages 30 - 33 of the Special Provisions.

Prime contractors must utilize the enclosed material when preparing their bid and must include any Schedule of Prices changes in their bidding proposal.

Bidders using computer-generated bids are cautioned to reflect any and all Schedule of Prices changes, if involved, into their computer programs.

Very truly yours,

Scott E. Stitt, P.E.  
Acting Engineer of Design and Environment

A handwritten signature in black ink, appearing to read 'Ted B. Walschleger' with a small 'P.E.' to the right.

By: Ted B. Walschleger, P. E.  
Engineer of Project Management

cc: Diane O'Keefe, Region 1, District 1; Mike Renner; Estimates

TBW:MS:jc

## TABLE OF CONTENTS

LOCATION OF PROJECT .....	1
DESCRIPTION OF PROJECT .....	1
MAINTENANCE OF ROADWAYS .....	1
STATUS OF UTILITIES TO BE ADJUSTED .....	2
RAILROAD PROTECTIVE LIABILITY INSURANCE (5 AND 10) (BDE) .....	2
UNION PACIFIC RAILROAD MINIMUM REQUIREMENTS (FOR INFORMATION ONLY) .....	3
GRADING AND SHAPING SHOULDERS .....	16
COARSE AGGREGATE FOR HOT-MIX ASPHALT (HMA) (D-1) .....	16
FINE AGGREGATE FOR HOT- MIX ASPHALT (HMA) (D-1) .....	19
HOT MIX ASPHALT MIXTURES, EGA MODIFIED PERFORMANCE GRADED (PG) ASPHALT BINDER .....	20
HOT MIX ASPHALT MIXTURE IL-4.75 (DIST 1).....	21
USE OF RAP (DIST 1).....	23
TEMPERATURE CONTROL FOR CONCRETE PLACEMENT (DISTRICT ONE) .....	34
EPOXY COATING ON REINFORCEMENT (DISTRICT ONE).....	34
CLEANING EXISTING DRAINAGE STRUCTURES .....	34
FRAMES AND LIDS TO BE ADJUSTED (SPECIAL).....	35
TRAFFIC CONTROL PLAN.....	35
TEMPORARY INFORMATION SIGNING.....	36
TRAFFIC SIGNAL SPECIFICATIONS FOR DETECTOR REPLACEMENT AND/OR INSTALLATION ON ROADWAY GRINDING, RESURFACING, & PATCHING OPERATIONS .....	37
ALKALI-SILICA REACTION FOR CAST-IN-PLACE CONCRETE (BDE) .....	40
APPROVAL OF PROPOSED BORROW AREAS, USE AREAS, AND/OR WASTE AREAS INSIDE ILLINOIS STATE BORDERS (BDE) .....	43
CEMENT (BDE) .....	43
CONCRETE ADMIXTURES (BDE) .....	46
CONCRETE MIX DESIGNS (BDE) .....	49
CONSTRUCTION AIR QUALITY - DIESEL VEHICLE EMISSIONS CONTROL (BDE) .....	50
CONSTRUCTION AIR QUALITY - IDLING RESTRICTIONS (BDE).....	51
DISADVANTAGED BUSINESS ENTERPRISE PARTICIPATION (BDE) .....	52
ENGINEER’S FIELD OFFICE TYPE A (BDE) .....	60
EQUIPMENT RENTAL RATES (BDE).....	62
FLAGGER AT SIDE ROADS AND ENTRANCES (BDE) .....	63
HMA - HAULING ON PARTIALLY COMPLETED FULL-DEPTH PAVEMENT (BDE) .....	63
HOT-MIX ASPHALT – ANTI-STRIPPING ADDITIVE (BDE) .....	64

Revised 04/13/2010

- (b) Gradation. One hundred percent of the RAP material shall pass the 1 1/2 in. (37.5 mm) sieve. The RAP material shall be reasonably well graded from coarse to fine. RAP material that is gap-graded or single sized will not be accepted.”

Revised 04/13/2010

This page deliberately left blank.

Deleted 04/13/2010

This page deliberately left blank.

Deleted 04/13/2010

This page deliberately left blank.

Deleted 04/13/2010

This page deliberately left blank.

Deleted 04/13/2010

**TEMPERATURE CONTROL FOR CONCRETE PLACEMENT (DISTRICT ONE)**

Effective: May 1, 2007

Delete the second and third sentences of the second paragraph of Article 1020.14(a) of the Standard Specifications.

**EPOXY COATING ON REINFORCEMENT (DISTRICT ONE)**

Effective: January 1, 2007

For work outside the limits of bridge approach pavement, all references in the Highway Standards and Standard Specifications for reinforcement, dowel bars, tie bars and chair supports for pavement, shoulders, curb, gutter, combination curb and gutter and median shall be epoxy coated, unless noted on the plan.

**CLEANING EXISTING DRAINAGE STRUCTURES**

Effective: September 30, 1985

Revised: January 1, 2007

All existing storm sewers, pipe culverts, manholes, catch basins and inlets shall be considered as drainage structures insofar as the interpretation of this Special Provision is concerned. When specified for payment, the location of drainage structures to be cleaned will be shown on the plans.

All existing drainage structures which are to be adjusted or reconstructed shall be cleaned in accordance with Article 602.15 of the Standard Specifications. This work will be paid for in accordance with Article 602.16 of the Standard Specifications.

Revised 04/13/2010