



STATE OF ILLINOIS
DEPARTMENT OF TRANSPORTATION




PLAN



SECTION A-A



SLOPEWALL REMOVAL AND REPLACEMENT DETAIL



SECTION B-B

**BILL OF MATERIAL
(TWO SLOPEWALLS)**

Item	Unit	Quantity
Slopewall Removal	Sq. Yd.	139
Slopewall, 4 Inch	Sq. Yd.	175
Controlled Low-Strength Material	Cu. Yd.	59

**SLOPEWALL REPAIR
F.A.U. RTE. 2678 (YORK ROAD) OVER
F.A.P. RTE. 347 (IL RTE. 38 -ROOSEVELT ROAD)
SECTION 163 HB-I-1
DUPAGE COUNTY
STATION 621+01.69
STRUCTURE NO. 022-0067**

SHEET NO.	F.A.U. RTE.	SECTION	COUNTY	TOTAL SHEETS	SHEET NO.
14	2678	163 HB-I-1	DUPAGE	31	24
16 SHEETS	C-91-275-10	CONTRACT NO. 60J85		ILLINOIS FED. AID PROJECT	

Notes:
Voids under existing slopewall shall be fill with Controlled Low-Strength Material.
Existing wire fabric extending into removal areas shall be cleaned, straightened and incorporated into the new construction. Cost included with Slopewall, 4 inch.
Slopewall shall be reinforced with welded wire fabric, 6" x 6" - W4.0 x W4.0, weighing 58lbs per 100 sq. ft.
Existing and new reinforcement shall be lapped a minimum of 6".

DESIGNED - CMV
CHECKED - SDS
DRAWN - DLH
CHECKED - CMV

WHKS & CO.
ENGINEERING
7018 KINGSMILL CT.,
SPRINGFIELD, IL
(217) 483-9457
DESIGN FIRM #184001036

LEGEND
 Slopewall repair areas