

**TABULATION OF RESURFACING QUANTITIES**

LOCATION	TOTAL SHOULDER WIDTH FT	LENGTH FT	AREA SQ YD	BITUMINOUS SURFACE REMOVAL BUTT JOINT SQ YD	TEMPORARY RAMP SQ YD	H.M.A. SURFACE REMOVAL 0.75 IN SQ YD	H.M.A. SURFACE REMOVAL 1.5 IN SQ YD	POLY BIT MATERIALS PRIME COAT TON	AGGREGATE MATERIALS PRIME COAT TON	POLYMERIZED LEVELING BINDER(MM) IL 4.75 N50 TON	H.M.A. SURFACE COURSE MIX "D", N50 TON	INCIDENTAL H.M.A. SURFACING TON	HOT MIX ASPHALT SURFACE COURSE MIX C N30				AGGREGATE SHOULDERS TYPE B				HOT MIX ASPHALT SHOULDERS 8"									
													LEFT AREA SQ YD	LEFT SIDE TON	RIGHT AREA SQ YD	RIGHT SIDE TON	LEFT AREA SQ YD	LEFT SIDE TON	RIGHT AREA SQ YD	RIGHT SIDE TON	LEFT AREA SQ YD	LEFT SIDE TON	RIGHT AREA SQ YD	RIGHT SIDE TON						
<b>EXIST BITUMINOUS SHOULDERS</b>																														
LT & RT STA. 25+85 TO 15+31.8	11.50	2106.40	2691.32	76.67				0.04	5.38					1345.75	113.66	1345.75	113.66													
Sta Equ 15+31.8(BK) = 56+86.8(AH)																														
LT & RT STA. 56+86.8 TO 58+02	11.50	230.40	294.40					0.06	0.59					147.20	12.43	147.20	12.43													
RT STA 239+62 TO 240+42	7.00	80.00	62.22					0.01	0.12							62.22	5.27													
LT & RT STA 240+42 TO 241+48	7.00	212.00	164.89					0.03	0.33					94.22	7.98	82.44	6.99													
LT & RT STA 241+48 TO 241+78	7.00	60.00	46.67	46.67				0.01	0.09					26.67	2.26	23.33	1.98													
LT & RT STA 243+45 TO 243+75	7.00	60.00	46.67	46.67				0.04	0.09					26.67	2.26	23.33	1.98													
LT & RT STA 243+75 TO 244+64	7.00	178.00	138.44					0.03	0.28					79.11	6.70	69.22	5.87													
LT STA 244+64 TO 245+54	7.00	90.00	70.00					0.01	0.14					80.00	6.77															
LT & RT STA 294+53 TO 295+03	7.00	100.00	77.78					0.02	0.16					44.44	3.76	38.89	3.30													
LT & RT STA 460+85 TO 462+70	6.00	370.00	246.67					0.05	0.49					123.33	10.47	123.33	10.47													
LT & RT STA 462+70 TO 463+00	6.00	60.00	40.00	40.00				0.02	0.08					20.00	1.70	20.00	1.70													
LT & RT STA 465+00 TO 465+30	6.00	60.00	40.00	40.00				0.02	0.08					20.00	1.70	20.00	1.70													
LT & RT STA 465+30 TO 466+50	6.00	240.00	160.00					0.03	0.32					80.00	6.79	80.00	6.79													
LT STA 466+50 TO 467+34	6.00	84.00	56.00					0.01	0.11					56.00	4.75															
RT STA 474+43 TO 474+71	9.00	28.00	28.00					0.01	0.06							28.00	2.37													
LT & RT STA 474+71 TO 478+53	10.00	764.00	848.89					0.17	1.70					466.89	39.44	382.00	32.31													
LT STA 478+53 TO 479+00	11.00	47.00	57.44					0.01	0.11					57.44	4.85															
LT STA 620+92 TO 621+40	3.00	48.00	16.00					0.01	0.03					16.00	1.37															
LT & RT STA 621+40 TO 623+18	3.00	356.00	118.67					0.02	0.24					59.33	5.09	59.33	5.09													
LT & RT STA 623+18 TO 623+48	3.00	60.00	20.00	20.00				0.01	0.04					10.00	0.86	10.00	0.86													
LT & RT STA 624+32 TO 624+62	3.00	60.00	20.00	20.00				0.01	0.04					10.00	0.86	10.00	0.86													
LT & RT STA 624+62 TO 625+52	3.00	180.00	60.00					0.01	0.12					30.00	2.57	30.00	2.57													
LT & RT STA 625+52 TO 625+82	3.00	60.00	20.00	20.00				0.01	0.04					10.00	0.86	10.00	0.86													
<b>NEW HOT MIX ASPHALT SHOULDERS</b>																														
LT STA 71+30 TO 87+11	3.00	1581.00	527.00					0.13	1.05												527.00	236.10								
RT STA 71+30 TO 77+35	3.00	605.00	201.67					0.05	0.40														201.67	90.35						
RT STA 77+35 TO 78+35	3.00 - 5.00	100.00	44.44					0.01	0.09														44.44	19.91						
RT STA 78+35 TO 87+40	5.00	905.00	502.77					0.12	1.01														502.78	225.25						
LT STA 109+00 TO 165+13	3.00	5913.00	1871.00					0.45	3.74												1871.00	838.21								
LT STA 165+13 TO 166+13	3.00 - 5.00	100.00	44.44					0.01	0.09												44.44	19.91								
LT STA 166+13 TO 179+04	5.00	1291.00	717.22					0.17	1.43												717.22	321.31								
LT STA 180+08 TO 189+03	3.00	895.00	298.33					0.07	0.60												298.33	133.65								
RT STA 109+00 TO 165+30.5	3.00	5630.50	1776.83					0.45	3.75														1876.50	840.67						
RT STA 166+19.5 TO 187+05	3.00	2085.50	695.17					0.17	1.39														695.50	311.58						
<b>SUB-TOTAL SHEET 3</b>				310.01	0.00	0.00	0.00	2.27	24.19	0.00	0.00	0.00		2,803.05	237.13	2,565.04	217.06	0.00	0.00	0.00	0.00	3,457.99	1,549.18	3,320.89	1,487.76					
<b>SUB-TOTAL (FROM SHEET 1 OF 3)</b>				876.67	146.11	136,906.74	391.09	71.81	413.28	5,770.59	11,777.39				0.00	0.00	0.00	0.00	14,292.33	2,441.61	14,412.00	2,462.05	0.00	TOTAL	0.00	0.00				
<b>SUB-TOTAL (FROM SHEET 2 OF 3)</b>				2,942.87	461.12		1,537.14	2.99	18.90	0.00	129.12	665.32			0.00	0.00	0.00	0.00	236.18	40.34	253.75	43.35	0.00	0.00	0.00	0.00				
<b>GRAND-TOTAL</b>				<b>4,130</b>	<b>608</b>	<b>136,907</b>	<b>1,928</b>	<b>78</b>	<b>456</b>	<b>5,771</b>	<b>11,907</b>	<b>665</b>		<b>2,803</b>	<b>237</b>	<b>2,565</b>	<b>217</b>	<b>14,529</b>	<b>2,482</b>	<b>14,666</b>	<b>2,505</b>	<b>3,458</b>	<b>1,549</b>	<b>3,321</b>	<b>1,488</b>					
														<b>TOTAL</b>	<b>5368</b>	<b>454</b>					<b>TOTAL</b>	<b>29194</b>	<b>4987</b>					<b>TOTAL</b>	<b>6779</b>	<b>3037</b>

SURFACE TYPE	BIT PR COAT (GAL/SQ YD)	AGG PR COAT (LB/SQ YD)
COLD MILLED SURFACES	0.1	4
EXISTING PAVEMENT	0.05	4
NEW BITUMINOUS COURSES	0.03	2

SURFACE TYPE	
BIT. SURF. COURSES	112 LB /SQ YD/IN
ALL OTHER BIT.	112 LB /SQ YD/IN
AGGREGATE SHOULDERS	2.05 TONS/CLYD