

SCHEDULE OF QUANTITIES

PROPOSED GUARDRAIL SCHEDULE																		
LOCATION	SIDE	APP/DEP	63100085				63100167				78201000	63000001				78200405		
			TRAFFIC BARRIER TERMINAL, TYPE 6				TRAFFIC BARRIER TERMINAL, TYPE 1 (SPECIAL) TANGENT				TERMINAL MARKER DIR. APPLIED	STEEL PLATE BEAM GUARDRAIL TYPE A, 6 FOOT POSTS				GUARDRAIL MARKERS		
			STATION	TO		(EACH)	STATION	TO	STATION	(EACH)	(EACH)	STATION	TO	STATION	LENGTH (FOOT)	EACH		
COOKSVILLE CURVE	RT	N/A						511+65.00	TO	512+15.00	1.0	1.0	512+15.00	TO	518+69.50	668.75	4.0	
	RT	N/A						518+69.50	TO	519+19.50	1.0	1.0						
S.N. 057-0220	RT	APP	585+15.97	TO	585+61.62	1.0	583+15.97	TO	583+65.97	1.0	1.0	583+65.97	TO	585+15.97	150	4.0		
	RT	DEP	586+26.65	TO	586+72.30	1.0	587+34.80	TO	587+84.80	1.0	1.0	586+72.30	TO	587+34.80	62.5	4.0		
	LT	APP	585+15.97	TO	585+61.62	1.0	584+03.47	TO	584+53.47	1.0	1.0	584+53.47	TO	585+15.97	62.5	4.0		
	LT	DEP	586+26.65	TO	586+72.30	1.0	587+72.30	TO	588+22.30	1.0	1.0	586+72.30	TO	587+72.30	100	4.0		
S.N. 057-0221	RT	APP	643+63.51	TO	644+09.16	1.0	641+63.51	TO	642+13.51	1.0	1.0	642+13.51	TO	643+63.51	150	4.0		
	RT	DEP	644+80.22	TO	645+25.87	1.0	645+88.37	TO	646+38.37	1.0	1.0	645+25.87	TO	645+88.37	62.5	4.0		
	LT	APP	643+43.92	TO	643+89.57	1.0	642+31.42	TO	642+81.42	1.0	1.0	642+81.42	TO	643+43.92	62.5	4.0		
S.N. 057-0222	LT	DEP	644+61.39	TO	645+07.04	1.0	646+57.07	TO	647+07.04	1.0	1.0	645+07.04	TO	646+57.04	150	4.0		
	RT	APP	757+60.66	TO	758+06.31	1.0	755+35.66	TO	755+85.66	1.0	1.0	755+85.66	TO	757+60.66	175	4.0		
	RT	DEP	758+84.68	TO	759+30.33	1.0	760+30.33	TO	760+80.33	1.0	1.0	759+30.33	TO	760+30.33	100	4.0		
	LT	APP	757+41.40	TO	757+87.05	1.0	756+28.90	TO	756+78.90	1.0	1.0	756+78.90	TO	757+41.40	62.5	4.0		
S.N. 057-8056	LT	DEP	758+66.51	TO	759+12.16	1.0	760+62.16	TO	761+12.16	1.0	1.0	759+12.16	TO	760+62.16	150	4.0		
	RT	APP		TO			799+68.79	TO	800+18.79	1.0	1.0		TO			4.0		
	RT	DEP		TO			802+56.29	TO	803+06.29	1.0	1.0	800+18.79	TO	802+56.29	237.5			
	LT	APP		TO			800+56.29	TO	801+06.29	1.0	1.0	801+06.29	TO	803+43.79	237.5			
S.N. 057-0110	LT	DEP		TO			803+43.79	TO	803+93.79	1.0	1.0		TO			4.0		
	RT	APP	824+72.77	TO	825+18.42	1.0	822+72.77	TO	823+22.77	1.0	1.0	823+22.77	TO	824+72.77	150	4.0		
	RT	DEP	827+98.92	TO	828+44.57	1.0	829+07.07	TO	829+57.07	1.0	1.0	828+44.57	TO	829+07.07	62.5	4.0		
	LT	APP	824+72.77	TO	825+18.42	1.0	823+60.27	TO	824+10.27	1.0	1.0	824+10.27	TO	824+72.77	62.5	4.0		
PROP 5'X5' PC BOX @ STA 857+89.91	LT	DEP	827+98.92	TO	828+44.57	1.0	829+94.57	TO	830+44.57	1.0	1.0	828+44.57	TO	829+94.57	150	4.0		
	RT	APP		TO			855+65.16	TO	856+15.16	1.0	1.0		TO					
	RT	DEP		TO			858+77.66	TO	859+27.66	1.0	1.0	856+15.16	TO	858+77.66	262.5	4.0		
	LT	APP		TO			856+52.50	TO	857+02.50	1.0	1.0	857+02.50	TO	859+65.00	262.5	4.0		
							859+65.00	TO	860+15.00	1.0	1.0		TO					
TOTALS =						16.0					26.0	26.0					3,381.3	84.0
USE =						16.0					26.0	26.0					3,382.0	84.0

STATION	DIRECTION	LENGTH (FOOT)	WIDTH (FOOT)	DEPTH (INCH)	X4401705	X4421000
					PARTIAL DEPTH REMOVAL (SQ YD)	PARTIAL DEPTH PATCHING (TON)
582+00.00	EB	80.0	4.0	2.25	35.6	4.5
TOTAL =					35.6	4.5
USE =					36.0	5.0