

### PAVEMENT RESURFACING SCHEDULE

LOCATION STATION TO STATION	LENGTH	ROADWAY WIDTH	BIT. SHOULDER WIDTH	AGG. SHOULDER WIDTH	ROADWAY AREA	HOT-MIX ASP. SURF. REMOV. - BUTT JT.	HOT-MIX ASP. SURF. REMOV. 1"	TEMP RAMP	HOT-MIX ASP. SUR. CSE. MIX C. N 90 (1 1/2")	LEVELING BINDER (MM) N90 (1")	BIT. MAT. (PRIME COAT)	AGG. (PRIME COAT)	GRADING AND SHAPING SHOULDERS	NOTES										
															FOR INFORMATIONAL PURPOSE ONLY									
															(FT)	(FT)	(FT)	(SO YD)	(SO YD)	(SO YD)	(SO YD)	(TON)	(TON)	(GAL)
<b>FAP 322 (US 51) - STA. 296+50 to STA. 382+87.15 (Ex. RR X-ING)</b>																								
296+00.00 TO 296+50.00	50	24.0	4.0	6.0	133	80		13	15		12	0.2												
296+50.00 TO 327+61.97	3112	24.0	4.0	6.0	8299				701	470	1494	24.9												
<b>Eq. Sta. 327+61.97 (bk.) = Sta. 327+60.07 (ah.)</b>																								
327+60.07 TO 367+03.70	3944	24.0	4.0	6.0	10516				889	595	1893	31.6												
<b>Eq. Sta. 367+03.70 (bk.) = Sta. 380+92.90 (ah.)</b>																								
380+92.90 TO 382+10.00	117	24.0	4.0	6.0	312				27	18	56	0.9												
<b>Ex. PCC Pav't. ends/ Ex. Bit. Surface Begins Sta. 382+10</b>																								
382+10.00 TO 382+87.00	77	24.0		3.0	205	205	205	13	18		37	0.6												
<b>Railroad Crossing Sta. 382+87 to Sta. 382+99</b>																								
382+99.00 TO 401+66.00	1867	24.0		3.0	4979	54	4925	13	421		448	7.5												
<b>Ex. Curb and Gutter Section Begins Sta. 401+66</b>																								
401+66.00 TO 445+92.00	4426	24.0			11803		11803		992		1062	17.7												
401+66.00 TO 445+92.00	4426	16.0			7868		7868		661		708	11.8		Ex. 8' Park. Lt & Rt										
445+92.00 TO 464+36.79	1845	22.0			4509		4510		382		406	6.8												
Rt. 445+92.00 TO 447+00.00	108			3.0																				
Rt. 447+00.00 TO 450+34.00	334		1.0		37		37		4		3	0.1	3.0	1' Bit. In Ex. Gutter										
Rt. 450+34.00 TO 464+36.79	1403			3.0																				
Lt. 445+92.00 TO 454+49.16	857			3.0																				
Lt. 454+49.16 TO 464+36.79	988		1.0		110		110		10		10	0.2	10.0	1' Bit. In Ex. Gutter										
<b>Eq. Sta. 464+36.79 (bk.) = Sta. 465+76.55 (ah.)</b>																								
465+76.55 TO 466+87.00	110	22.0		3.0	270	49	270	12	23		24	0.4												
<b>SN 073-0002 Omission Sta. 466+87 to Sta. 467+09</b>																								
467+09.00 TO 527+00.00	5991	24.0		3.0	15976	49	15976	13	1349		1438	24.0												
<b>Ex. Bit. Surface ends/ Ex. PCC Pav't. Begins Sta. 527+00</b>																								
527+00.00 TO 544+05.37	1705	24.0	4.0	6.0	4548				385	258	819	13.6												
<b>Eq. Sta. 544+05.37 (bk.) = Sta. 544+05.87 (ah.)</b>																								
544+05.87 TO 576+88.45	3283	24.0	4.0	6.0	8754				740	496	1575	26.3												
<b>Eq. Sta. 576+88.45 (bk.) = Sta. 584+69.0 (ah.)</b>																								
584+69.00 TO 585+19.00	50	24.0	4.0	6.0	133	80		13	15		12.0	0.2												
<b>PROJECT TOTALS</b>																								
						517	45,704	79	6632	1837	9997	166.8	13.0											