

SHOULDER AND WIDENING SCHEDULE

LOCATION	• BITUMINOUS MATERIALS (PRIME COAT)	** BITUMINOUS MATERIALS (PRIME COAT)	*** AGGREGATE (PRIME COAT)	HOT-MIX ASPHALT SHOULDERS, 8"	AGGREGATE SHOULDERS, TYPE B	SUB-BASE GRANULAR MATERIAL, TYPE C	SUB-BASE GRANULAR MATERIAL, TYPE C 12"	**** HMA BINDER COURSE, IL 19.0, N70	HOT-MIX ASPHALT BASE COURSE WIDENING
	GALLON	GALLON	TON	SQ YD	TON	TON	SQ YD	TON	TON
FAU RTE 9833 (FOURTH STREET)									
RT STA 99+16.24 TO 105+00.00	12.79	318.05	2.38	170.47	24.64	57.61	848.14	230.52	
LT STA 99+16.24 TO 105+00.00	15.96	274.37	2.15	212.81	30.38	70.03	731.64	118.77	110.30
RT STA 105+00.00 TO 110+00.00	12.50	177.08	1.43	166.67	23.46	44.60	472.22		
LT STA 105+00.00 TO 110+00.00	12.50	177.08	1.43	166.67	28.14	47.49	472.22		176.10
RT STA 110+00.00 TO 115+00.00	12.50	177.08	1.43	166.67	30.61	43.27	472.22		
LT STA 110+00.00 TO 115+00.00	12.50	177.08	1.43	166.67	25.71	41.19	472.22		168.00
RT STA 115+00.00 TO 120+00.00	12.50	177.08	1.43	166.67	28.47	38.60	472.22		
LT STA 115+00.00 TO 120+00.00	12.50	177.08	1.43	166.67	30.61	38.56	472.22		163.70
RT STA 120+00.00 TO 125+00.00	10.95	177.08	1.40	146.00	26.76	34.82	472.22		
LT STA 120+00.00 TO 125+00.00	10.45	177.08	1.39	139.31	25.54	32.91	472.22		147.90
RT STA 125+00.00 TO 130+00.00	12.50	177.08	1.43	166.67	26.49	39.13	472.22		
LT STA 125+00.00 TO 130+00.00	12.50	177.08	1.43	166.67	29.35	42.84	472.22		170.30
RT STA 130+00.00 TO 131+00.00	2.50	32.67	0.27	33.34	6.11	7.71	87.13		
LT STA 130+00.00 TO 131+00.00	2.50	32.63	0.27	33.34	6.11	7.71	87.02		23.26
TOTAL	155.2	2,428.5	19.3	2,068.6	342.4	546.5	6,476.1	349.3	959.6
USE		2,584	20	2,069	343	547	6,477	350	960

- - APPLICATION RATE USED WAS 0.075 GAL/SQ YD
- ** - APPLICATION RATE USED WAS 0.375 GAL/SQ YD
- *** - APPLICATION RATE USED WAS 5 LB/SQ YD ON HMA AND 3 LB/SQ YD ON AGG
- **** - 99+16.24 TO 101+89.92, THE WIDENING WILL BE PAID FOR AS HMA BINDER COURSE, IL 19.0, N70

SAWING PAVEMENT (FULL DEPTH)

LOCATION					SAWING PAVEMENT (FULL DEPTH)
					FOOT
FAU RTE 9833 (FOURTH STREET)					
LT STA	99+83.85	TO	100+47.99		155.7
RT STA	99+83.85	TO	101+89.92		227.9
LT STA	100+47.99	TO	131+00.00		3,052.0
RT STA	101+89.92	TO	131+00.00		2,910.1
TOTAL					6,345.7
USE					6,346

WORKZONE PAVEMENT MARKING SCHEDULE

LOCATION	• SHORT-TERM PAVEMENT MARKING	** TEMPORARY PAVEMENT MARKING	*** WORKZONE PAVEMENT MARKING REMOVAL
	FOOT	FOOT	SQ FT
FAU RTE 9833 (FOURTH STREET)			
PAVEMENT MARKINGS - STOP BAR			
STA 100+69.83	LT	24.0	
PAVEMENT MARKINGS - CENTERLINE			
STA 100+69.83	TO STA 103+25.00	912.0	512.0
STA 103+25.00	TO STA 131+00.00		1,388.0
TOTAL		912.0	1,924.0
USE		912	1,924

- - THREE APPLICATIONS OF THE CENTERLINE ONLY
- ** - TWO APPLICATIONS OF THE CENTERLINE AND STOP BARS ALONG FOURTH STREET
- *** - REMOVAL OF ONE (1) APPLICATION OF SHORT-TERM PAVEMENT MARKING

PAVEMENT MARKING SCHEDULE

LOCATION	RAISED REFLECTIVE PAVEMENT MARKER (TWO-WAY AMBER)	THERMOPLASTIC PAVEMENT MARKING - LINE 4"			THERMOPLASTIC PAVEMENT MARKING - LINE 12"	THERMOPLASTIC PAVEMENT MARKING - LINE 24"
		4" WHITE (EDGE)	4" YELLOW (SKIP-DASH)	4" YELLOW (DOUBLE)		
		EACH	FOOT	FOOT	FOOT	FOOT
FAU RTE 9833 (FOURTH STREET)						
RAISED REFLECTIVE PAVEMENT MARKERS						
STA 100+94.83	TO STA 102+94.83	3.0				
@ 80' SPACINGS						
STA 102+94.83	TO STA 130+15.64	34.0				
@ 80' SPACINGS						
PAVEMENT MARKINGS - STOP BAR						
STA 1872+92.50	RT					10.3
STA 1874+94.71	LT					11.5
STA 100+69.83	LT					11.5
STA 1000+22.00	LT				15.4	
STA 200+77.60	RT				15.8	
PAVEMENT MARKINGS - OUTER EDGE OF TRAVEL LANE						
STA 99+16.68	TO STA 123+93.37	LT	2,534.2			
STA 124+73.42	TO STA 131+00.00	LT	626.6			
STA 100+30.05	TO STA 122+53.73	RT	2,271.6			
STA 123+20.13	TO STA 131+00.00	RT	779.9			
PAVEMENT MARKINGS - CENTERLINE						
STA 100+69.83	TO STA 103+25.00				510.3	
STA 103+25.00	TO STA 131+00.00		693.8			
TOTAL		37.0	6,212.3	693.8	510.3	31.2
USE		37	7,417			32