



**EXISTING TYPICAL SECTION**  
STA. 18+00 TO STA. 40+00




\*SEE PLANS FOR SPECIFIC CURB AND SIDEWALK REPLACEMENT LOCATIONS

**PROPOSED TYPICAL SECTION**  
STA. 18+00 TO STA. 40+00



**EXISTING TYPICAL SECTION**  
STA. 14+00 TO STA. 18+00



\*SEE PLANS FOR SPECIFIC CURB AND SIDEWALK REPLACEMENT LOCATIONS

**PROPOSED TYPICAL SECTION**  
STA. 14+00 TO STA. 18+00

HOT-MIX ASPHALT DESIGN MIX TABLE		
MIXTURE USE	SURFACE COURSE	PAVEMENT PATCHES
THICKNESS	1-1/2"	8"
ACPG	PG 64-22	PG 64-22
RAP % (MAX)	10%	15%
DESIGN AIR VOIDS	4% @ Ndes = 70	4% @ Ndes = 70
MIX COMPOSITION	IL-9.5	IL-19.0
FRICTION AGGREGATE	MIXTURE D	MIXTURE B

*Revised 4-14-10*

FILE NAME = H:\P\26074\microstation\674 cv soq gndn

USER NAME = travis	DESIGNED -	REVISED -
PLOT SCALE = 40.0000' / IN.	DRAWN -	REVISED -
PLOT DATE = 2/18/2010	CHECKED -	REVISED -
	DATE -	REVISED -

STATE OF ILLINOIS  
DEPARTMENT OF TRANSPORTATION

TYPICAL SECTIONS

SCALE: SHEET NO. 1 OF 1 SHEETS STA. TO STA.

F.A.U. RTE.	SECTION	COUNTY	TOTAL SHEETS	SHEET NO.
8876	08-00098-00-PV	MADISON	17	3
HILLSBORO AVENUE RESURFACING			CONTRACT NO. 97437	
ILLINOIS FED. AID PROJECT				