STATIONS ARE ALONG CENTERLINE UNLESS NOTED OTHERWISE

FROM STATION	TO STATION	PAVEMENT SLOPE (%)	DRAIN SLOPE (%)	PIPE UNDERDRAINS, 4" NORTHBOUND OUTSIDE (FT)	PIPE UNDERDRAINS, 4" NORTHBOUND INSIDE (FT)	PIPE UNDERDRAINS, 4" SOUTHBOUND OUTSIDE (FT)	PIPE UNDERDRAINS, 4" SOUTHBOUND INSIDE (FT)	PIPE UNDERDRAINS, 4" (SPECIAL) NORTHBOUND OUTSIDE (FT)	%	PIPE UNDERDRAINS, 4" (SPECIAL) NORTHBOUND INSIDE (FT)	%	PIPE UNDERDRAINS, 4" (SPECIAL) SOUTHBOUND OUTSIDE (FT)	%	PIPE UNDERDRAINS, 4" (SPECIAL) SOUTHBOUND INSIDE (FT)	%	CONCRETE HEADWALLS FOR PIPE UNDERDRAINS (EACH)	HMA SHOULDER PLUG, 7 1/2" (FOR UNDERDRAIN TRENCH) NORTHBOUND OUTSIDE (FT)	HMA SHOULDER PLUG, 7 1/2" (FOR UNDERDRAIN TRENCH) NORTHBOUND INSIDE (FT)	HMA SHOULDER PLUG, 7 1/2" (FOR UNDERDRAIN TRENCH) SOUTHBOUND OUTSIDE (FT)	HMA SHOULDER PLUG, 7 1/2" (FOR UNDERDRAIN TRENCH) SOUTHBOUND INSIDE (FT)	HMA SHOULDER PLUG, 7 1/2" (FOR UNDERDRAIN (SPCL) TRENCH) NORTHBOUND OUTSIDE (FT)	HMA SHOULDER PLUG, 7 1/2" (FOR UNDERDRAIN (SPCL) TRENCH) NORTHBOUND INSIDE (FT)	HMA SHOULDER PLUG, 7 1/2" (FOR UNDERDRAIN (SPCL) TRENCH) SOUTHBOUND OUTSIDE (FT)	HMA SHOULDER PLUG, 7 1/2" (FOR UNDERDRAIN (SPCL) TRENCH) SOUTHBOUND INSIDE (FT)
1189+00.00	1194+00.00	-1.39	PGL	500.0	500.0	500.0	500.0	20.0	2.0	23.0	2.0	17.0	2.0	24.0	2.0	4	500.0	0.0	500.0	0.0	10.0	0.0	10.0	0.0
1194+00.00	1198+10.00	-1.39	PGL	410.0	410.0	410.0	410.0	0.0		0.0		21.5	1.0	0.0		1	84.4	0.0	410.0	0.0	0.0	0.0	10.0	0.0
1198+10.00	1199+50.00	-1.39	PGL	140.0	140.0	140.0	140.0	20.5	1.0	21.0	1.0	0.0		23.0	1.0	3	0.0	0.0	140.0	0.0	10.0	0.0	0.0	0.0
1199+50.00	1203+00.00	-1.39	PGL	350.0	350.0	350.0	350.0	19.0	2.0	21.0	2.0	27.0	2.0	22.0	2.0	8	0.0	0.0	50.6	0.0	10.0	0.0	0.0	0.0
1203+00.00	1204+61.00	+0.46	PGL	161.0	161.0	161.0	161.0	0.0		0.0		0.0		0.0		0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1206+34.00				0.0	0.0	0.0	0.0	23.5	2.0	0.0		21.0	2.0	0.0		2	0.0	0.0	0.0	0.0	10.0	0.0	10.0	0.0
1206+34.00	1206+75.00	+0.46	PGL	41.0	0.0	0.0	41.0	0.0		20.5	2.0	0.0		21.0	2.0	2	41.0	0.0	41.0	0.0	0.0	0.0	0.0	0.0
1206+75.00	1211+00.00	+0.46	PGL	425.0	425.0	425.0	425.0	20.0	2.0	20.0	2.0	17.0	2.0	20.0	2.0	4	0.0	0.0	0.0	0.0	10.0	0.0	10.0	0.0
1211+00.00	1216+00.00	+0.46	PGL	500.0	500.0	500.0	500.0	21.0	2.0	16.0	2.0	17.5	2.0	18.5	2.0	4	472.6	0.0	0.0	0.0	10.0	0.0	10.0	0.0
1216+00.00	1220+00.00	+0.46	PGL	400.0	400.0	400.0	400.0	22.0	2.0	20.0	2.0	20.0	2.0	16.5	2.0	4	400.0	0.0	379.7	0.0	10.0	0.0	10.0	0.0
1220+00.00	1224+50.00	+0.46	PGL	450.0	450.0	450.0	450.0	0.0		0.0		0.0		0.0		0	450.0	0.0	450.0	0.0	0.0	0.0	0.0	0.0
1224+50.00	1230+00.00	-0.2	-0.4	550.0	550.0	550.0	550.0	19.0	2.0	22.5	2.0	19.0	2.0	20.0	2.0	4	550.0	0.0	550.0	0.0	10.0	0.0	10.0	0.0
1230+00.00	1235+00.00	-0.2	-0.4	500.0	500.0	500.0	500.0	20.5	2.0	19.5	2.0	16.5	2.0	16.5	2.0	4	500.0	0.0	500.0	0.0	10.0	0.0	10.0	0.0
1235+00.00	1240+00.00	-0.2	-0.4	500.0	500.0	500.0	500.0	18.5	2.0	20.5	2.0	18.5	2.0	19.0	2.0	4	500.0	0.0	500.0	0.0	10.0	0.0	10.0	0.0
1240+00.00	1245+00.00	-0.2	-0.4	500.0	500.0	500.0	500.0	20.0	2.0	20.5	2.0	18.0	2.0	17.5	2.0	4	500.0	0.0	500.0	0.0	10.0	0.0	10.0	0.0
1245+00.00	1246+00.00	-0.2	-0.4	100.0	100.0	100.0	100.0	19.0	2.0	19.0	2.0	20.0	2.0	18.5	2.0	8	100.0	0.0	100.0	0.0	10.0	0.0	10.0	0.0
1246+00.00	1250+00.00	+0.3	+0.4	400.0	400.0	400.0	400.0	20.5	2.0	19.5	2.0	19.5	2.0	19.0	2.0	4	400.0	0.0	400.0	0.0	10.0	0.0	10.0	0.0
1250+00.00	1255+00.00	+0.3	+0.4	500.0	500.0	500.0	500.0	21.5	2.0	19.0	2.0	22.0	2.0	20.0	2.0	4	500.0	0.0	500.0	0.0	10.0	0.0	10.0	0.0
1255+00.00	1260+00.00	+0.3	+0.4	500.0	500.0	500.0	500.0	20.5	2.0	20.0	2.0	19.5	2.0	20.0	2.0	4	500.0	0.0	500.0	0.0	10.0	0.0	10.0	0.0
1260+00.00	1264+00.00	+0.3	+0.4	400.0	400.0	400.0	400.0	20.0	2.0	20.5	2.0	21.0	2.0	20.0	2.0	4	400.0	0.0	400.0	0.0	10.0	0.0	10.0	0.0
1264+00.00	1267+85.00	+0.3	+0.4	385.0	385.0	385.0	385.0	21.5	2.0	17.5	2.0	20.0	2.0	15.5	2.0	4	385.0	0.0	385.0	0.0	10.0	0.0	10.0	0.0
1267+85.00	1271+11.00	+0.3	+0.4	326.0	326.0	326.0	326.0	22.0	2.0	22.0	2.0	20.0	2.0	23.5	2.0	4	326.0	0.0	326.0	0.0	12.0	0.0	12.0	0.0
1271+11.00	1276+00.00	+0.2	+0.4	489.0	489.0	489.0	489.0	19.0	2.0	19.0	2.0	20.0	2.0	20.0	2.0	4	489.0	0.0	489.0	0.0	12.0	0.0	12.0	0.0
1276+00.00	1280+00.00	+0.2	+0.4	400.0	400.0	400.0	400.0	0.0		0.0		0.0		0.0		0	400.0	0.0	400.0	0.0	0.0	0.0	0.0	0.0
1280+00.00	1280+65.47	-0.48	PGL	65.5	65.5	65.5	65.5	0.0		0.0		0.0		0.0		0	65.5	0.0	65.5	0.0	0.0	0.0	0.0	0.0
1280+65.47	1282+45.51	-0.2	-0.4	180.0	180.0	180.0	180.0	0.0		0.0		0.0		0.0		0	180.0	0.0	180.0	0.0	0.0	0.0	0.0	0.0
1282+45.51	1283+65.53	+.08	-0.4	120.0	120.0	120.0	120.0	22.0	2.0	23.0	0.5	21.0	2.0	22.5	0.5	4	120.0	0.0	120.0	0.0	12.0	0.0	12.0	0.0
1283+65.53	1286+00.00	-0.2	-0.4	234.5	234.5	234.5	234.5	20.5	2.0	17.0	2.0	19.0	2.0	20.0	2.0	4	234.5	0.0	234.5	0.0	12.0	0.0	12.0	0.0
1286+00.00	1291+00.00	+0.2	+0.4	500.0	500.0	500.0	500.0	21.5	2.0	18.0	2.0	22.0	2.0	20.5	2.0	8	500.0	0.0	500.0	0.0	12.0	0.0	12.0	0.0
1291+00.00	1296+00.00	+0.2	+0.4	500.0	500.0	500.0	500.0	21.0	2.0	18.5	2.0	19.5	2.0	18.5	2.0	4	500.0	0.0	500.0	0.0	12.0	0.0	12.0	0.0
1296+00.00	1301+00.00	+0.2	+0.4	500.0	500.0	500.0	500.0	22.5	2.0	21.0	2.0	20.0	2.0	21.5	2.0	4	500.0	0.0	500.0	0.0	12.0	0.0	12.0	0.0
1301+00.00	1306+00.00	+0.2	+0.4	500.0	500.0	500.0	500.0	21.0	2.0	21.5	2.0	21.5	2.0	24.0	2.0	4	500.0	0.0	500.0	0.0	12.0	0.0	12.0	0.0
1306+00.00	1311+00.00	+0.2	+0.4	500.0	500.0	500.0	500.0	23.0	2.0	20.5	2.0	21.5	2.0	22.5	2.0	4	500.0	0.0	500.0	0.0	12.0	0.0	12.0	0.0
1311+00.00	1316+00.00	+0.2	+0.4	500.0	500.0	500.0	500.0	22.5	2.0	24.0	2.0	22.5	2.0	24.5	2.0	4	500.0	0.0	500.0	0.0	12.0	0.0	12.0	0.0
1316+00.00	1321+00.00	+0.2	+0.4	500.0	500.0	500.0	500.0	22.5	2.0	17.5	2.0	21.0	2.0	24.0	2.0	4	500.0	0.0	500.0	0.0	12.0	0.0	12.0	0.0
1321+00.00	1326+00.00	+0.5	PGL	500.0	500.0	500.0	500.0	20.0	2.0	20.0	2.0	20.5	2.0	23.5	2.0	4	500.0	0.0	500.0	0.0	12.0	0.0	12.0	0.0
1326+00.00	1331+00.00	+0.5	PGL	500.0	500.0	500.0	500.0	20.5	2.0	24.5	2.0	23.5	2.0	20.0	2.0	4	500.0	0.0	500.0	0.0	12.0	0.0	12.0	0.0
1331+00.00	1336+00.00	+0.5	PGL	500.0	500.0	500.0	500.0	20.5	2.0	18.0	2.0	20.5	2.0	16.0	2.0	4	500.0	0.0	500.0	0.0	12.0	0.0	12.0	0.0
1336+00.00	1341+00.00	+0.5	PGL	500.0	500.0	500.0	500.0	16.5	2.0	15.0	2.0	16.5	2.0	14.5	2.0	4	500.0	0.0	500.0	0.0	12.0	0.0	12.0	0.0
1341+00.00	1344+00.00	+0.5	PGL	300.0	300.0	300.0	300.0	0.0		0.0		0.0		0.0		0	300.0	0.0	300.0	0.0	0.0	0.0	0.0	0.0
1344+00.00	1348+00.00	-0.22	-0.4	400.0	400.0	400.0	400.0	20.5	2.0	16.5	2.0	21.5	2.0	20.0	2.0	8	400.0	0.0	400.0	0.0	12.0	0.0	12.0	0.0
1348+00.00	1352+00.00	+0.2	+0.4	400.0	400.0	400.0	400.0	19.0	2.0	16.0	2.0	18.5	2.0	15.5	2.0	4	400.0	0.0	400.0	0.0	12.0	0.0	12.0	0.0
1352+00.00	1357+28.00	+0.2	+0.4	528.0	528.0	528.0	528.0	18.5	2.0	19.5	2.0	22.5	2.0	17.5	2.0	4	528.0	0.0	528.0	0.0	12.0	0.0	12.0	0.0
1357+28.00	1362+00.00	+0.2	+0.4	472.0	472.0	472.0	472.0	0.0		0.0		0.0		0.0		0	472.0	0.0	472.0	0.0	0.0	0.0	0.0	0.0
1362+00.00	1366+00.00	-0.24	-0.4	400.0	400.0	400.0	400.0	21.0	2.0	18.5	2.0	21.0	2.0	14.0	2.0	4	400.0	0.0	400.0	0.0	12.0	0.0	12.0	0.0
1366+00.00	1371+00.00	-0.24	-0.4	500.0	500.0	500.0	500.0	20.5	2.0	19.5	2.0	19.0	2.0	18.0	2.0	4	500.0	0.0	500.0	0.0	12.0	0.0	12.0	0.0
1371+00.00	1376+00.00	-0.24	-0.4	500.0	500.0	500.0	500.0	20.5	2.0	18.5	2.0	18.5	2.0	14.5	2.0	4	500.0	0.0	500.0	0.0	12.0	0.0	12.0	0.0
1376+00.00	1381+00.00	-0.24	-0.4	500.0	500.0	500.0	500.0	20.0	2.0	18.5	2.0	19.0	2.0	16.0	2.0	4	500.0	0.0	500.0	0.0	12.0	0.0	12.0	0.0
1381+00.00	1385+78.00	-0.24	-0.4	478.0	478.0	478.0	478.0	23.0	2.0	23.0	2.0	19.5	2.0	23.0	2.0	4	478.0	0.0	478.0	0.0	12.0	0.0	12.0	0.0
			SHEET TOTALS	19505.0	19464.0	19464.0	19505.0	825.0		789.5		803.5		785.0		176	18076.0	0.0	18099.3	0.0	446.0	0.0	436.0	0.0
			PROJECT TOTALS	54889.8	56684.7	54574.0	56725.7	2337.0		2307.0		2236.0		2274.5		501	52215.8	5330.5	51594.2	5652.8	1166.0	60.0	1136.0	66.0

FILE NAME = c:\pw_work\pwidot\swortzrw\dms53031\d774158-sht-schedules.dgn	USER NAME = swortzrw	DESIGNED -	REVISED -
	PLOT SCALE = 50.0000 ' / IN.	DRAWN -	REVISED -
	PLOT DATE = 3/29/2009	CHECKED -	REVISED -
		DATE -	REVISED -

STATE OF ILLINOIS
DEPARTMENT OF TRANSPORTATION

UNDERDRAIN SCHEDULES

SCALE: | SHEET NO. 9 OF 13 SHEETS | STA. | TO STA.

F.A.I. RTE.	SECTION	COUNTY	TOTAL SHEETS	SHEET NO.
57	15(22,23,24,25,26)RS-3	COLES	87	19
		CONTRACT NO. 74158		
		ILLINOIS FED. AID PROJECT		