


# TRAFFIC CONTROL AND PROTECTION AT TURN BAYS (TO REMAIN OPEN TO TRAFFIC)



### LEGEND

- WORK AREA
- LANE OPEN TO TRAFFIC
- TYPE I OR II BARRICADE OR DRUM WITH FLASHING BURNING LIGHT
- DRUM OR BARRICADE WITH STEADY BURN LIGHT
- SIGN (SEE DETAIL)
- TYPE I OR II CHECK BARRICADE WITH STEADY LIGHT BURN

REVISED - 10-15-04

### GENERAL NOTES


- CONES MAY BE SUBSTITUTED FOR BARRICADES OR DRUMS AT HALF THE SPACING DURING DAY OPERATIONS. CONES SHALL BE A MINIMUM OF 710 (28") IN HEIGHT.
- STEADY BURNING LIGHTS WILL NOT BE REQUIRED ON BARRICADES OR DRUMS FOR DAY OPERATIONS. ALL LIGHTS WILL BE MONODIRECTIONAL.
- REFLECTORIZED TEMPORARY PAVEMENT MARKING TAPE SHALL BE PLACED THROUGHOUT THE BARRICADED AREA OF EACH BAY WHERE THE CLOSURE TIME IS GREATER THAN FOURTEEN DAYS.
- THIS APPLICATION ALSO APPLIES WHEN WORK IS BEING PERFORMED IN THE RIGHT LANE(S) AND THE RIGHT TURN BAY IS TO REMAIN OPEN. UNDER THIS CONDITION, "RIGHT TURN LANE" R3-100 600 X 600 (24 X 24) AND M6-2R 530 X 380 (21 X 15) SHALL BE USED.
- THESE CONTROLS SHALL SUPPLEMENT MAINLINE TRAFFIC CONTROL FOR LANE CLOSURES. LONGITUDINAL DIMENSIONS MAY BE ADJUSTED TO FIT FIELD CONDITIONS.
- TRAFFIC CONTROL AND PROTECTION AT TURN BAYS (TO REMAIN OPEN TO TRAFFIC) SHALL BE INCLUDED IN THE COST SPECIFIED TRAFFIC CONTROL STANDARDS OR ITEMS.
- ALL DIMENSIONS ARE IN MILLIMETERS (INCHES) UNLESS OTHERWISE NOTED.

# SUMMARY OF QUANTITIES

Y003

F.A.P. RTE.	SECTION	COUNTY	TOTAL SHEETS	SHEET NO.
303	08-00520-02-M	WINNEBAGO	10	2
STA.	TO STA.			
FED. ROAD DIST. NO.	ILLINOIS	FED. AID PROJECT		

CODE NUMBER	PAY ITEM	UNIT	TOTAL QUANTITY
44201978	CLASS D PATCHES, TYPE III	SO YD	22
70103700	TRAFFIC CONTROL COMPLETE	L. SUM	1
81021380	CONDUIT, PUSHED, 5" DIA., PVC	FOOT	1,200
XX007835	2" WATERMAIN TAP, BLOWOUT, METER AND RPZ	EACH	4
X0325106	IRRIGATION SYSTEM FALL SHUT-DOWN	EACH	1
X0325107	IRRIGATION SYSTEM SPRING START-UP	EACH	1
XX003885	IRRIGATION SYSTEM	L. SUM	1
XX000970	PARKWAY RESTORATION	L. SUM	1
67100100	MOBILIZATION	L. SUM	1



ITEM	DESCRIPTION	SIZE
A	CORPORATION STOP	2"
B	CURB STOP	2"
C	CURB BOX	EXTENDABLE
D	BRICK	CEMENT
E	ROD	3/8"
F	16"x8"x4" BLOCK	CONCRETE
G	VALVE BOXES WILL BE THE TYLER / UNION CAST IRON 6850 SERIES- WITH DEBRIS CAP & ADAPTER II INSTALLED	

## 2" WATERMAIN TAP, BLOWOUT, METER AND RPZ

NOT TO SCALE

REVISIONS	
NAME	DATE
CJS	12/1/08
CJS	1/20/09
CJS	1/30/09
CJS	2/10/09

ILLINOIS DEPARTMENT OF TRANSPORTATION

### SUMMARY OF QUANTITIES DETAIL

SCALE: NO SCALE  
DATE: 11-14-08

DRAWN BY: CJS  
CHECKED BY: CJS



333 East State Street, Box 4327  
Rockford, Illinois 61110-0827  
Ph 815-965-6400 Fax 815-965-6416  
www.msa-pc.com