


QUAD CITY INTERNATIONAL AIRPORT
TAXIWAY P, PHASE II - MIDDLE PAVING
ILL. MLI-3854, QU008
SHEET 13 OF 82



PROPOSED MINIMUM UTILITY PROTECTION*		
LOCATION NUMBER	UTILITY DESCRIPTION	MINIMUM PROTECTION
①	EDGE LIGHT CABLE / EDGE OF PCC PVMT	STEEL PLATES
②	EDGE LIGHT CABLE / EDGE OF PCC PVMT	STEEL PLATES
③	MALSR CABLE / SERVICE ROAD	STEEL PLATES
④	LOCALIZER CONTROL CABLE	STEEL PLATES
⑤	SERVICE ROAD / R9 ILS CONTROL CABLE / SCAN CABLE	STEEL PLATES W/ 3" SOIL COVER
⑥	EDGE OF PROP. PCC PVMT	STEEL PLATES
⑦	EDGE OF PROP. PCC PVMT, IF ADD. ALTER. 1 NOT AWARDED	STEEL PLATES

* = MINIMUM THICKNESS OF ALL STEEL PLATES = 1" (ONE INCH), ALL STEEL PLATES TO HAVE A MINIMUM OF 3" SOIL COVER TO HOLD PLATES IN PLACE.

LEGEND:

- EDGE LIGHT
- GUIDANCE SIGN
- ELECTRICAL CABLE
- STORM SEWER OR UNDERDRAIN
- INLET
- OUTLET
- STORM MANHOLE
- SANITARY MANHOLE
- DRAINAGE DITCH
- CONDUIT OR DUCT BANK
- FUTURE PAVEMENT
- PROPOSED CONSTRUCTION, SEEDING, AND GRADING LIMITS
- PROPOSED HAUL ROUTE
- PROPOSED UTILITY PROTECTION LOCATION NUMBER.
- PROPOSED NORTH ON-SITE BORROW AREA.
- PROPOSED BASE BID PAVEMENT, SEE NOTE 3.
- PROPOSED ADDITIVE ALTERNATE 1 PAVEMENT, STA. 635+75 TO STA. 640+21.24 (WEST EDGE OF RNWY 5-23).
- PROPOSED ADDITIVE ALTERNATE 2 PAVEMENT, STA. 642+44 (EAST EDGE OF RNWY 5-23) TO STA. 645+03.



TEMPORARY BENCH MARKS		
B.M.	ELEV.	DESCRIPTION
TBM 200	587.10	HUB AT SE COR OF TXY H BORROW AREA, N1742722.2338, E2199623.7550, STATION 107+06.74, LT. 739.58
TBM K	578.34	TOP OF RCP, S SIDE OF SERVICE RD, N1741508.8290, E2201629.7690, STATION 127+42.16, RT. 424.08
TBM R	581.52	NE COR CONC BASE ELECT TRAN, S SIDE 9-27, BETWEEN SIGNS [2] - [7] N1741569.4966, E2200420.1701, STATION 115+31.40, RT. 393.12
TBM T	576.35	CHIS. □ SE COR CONC PAD W SIDE GS BLDG, N1741651.7212, E2198675.6748, STATION 97+85.40, RT. 354.03
TBM U	583.18	CHIS. □ HOLD SIGN BASE, NE COR, S SIDE R9, N1741775.92035, E2203365.21359, STATION 144+70.44, RT. 113.99

PROJECT CONTROL POINTS			
NUMBER	LOCATION	ELEV.	REMARK
5	STA. 108+94.45, RT. 339.57 N1741638.7660, E2199784.7412	580.05	
7	STA. 121+74.76, RT. 449.70 N1741496.8955, E2201061.9416	577.67	
8	STA. 127+73.19, RT. 413.69 N1741518.2450, E2201661.0745	579.45	
13	STA. 143+25.87, RT. 1163.46 N1740729.9858, E2203194.7470	574.40	1/2" REBAR
2000	STA. 107+69.21, LT. 736.44 N1742717.7720, E2199686.1370	587.72	SPK

NOTES:

- SEE PLAN & PROFILE SHEETS FOR LOCATION OF EXISTING UNDERGROUND ELECTRICAL AND FIELD TILES.
- CONTRACTOR SHALL REPAIR OR REPLACE ANY IMPROVEMENTS DAMAGED DURING CONSTRUCTION AT HIS OWN EXPENSE.
- THE BASE BID PAVEMENT INCLUDES:
 - A. TAXIWAY P : STA. 627+65 TO STA. 635+75.
 - B. RUNWAY 5-23 : STA. 33+25 TO STA. 42+25.
 - C. RELOCATED TAXIWAY E : STA. 851+85 TO STA. 857+20.
 - D. RELOCATED TAXIWAY D : STA. 858+20 TO STA. 863+63.
 - E. EXISTING TAXIWAY E : STA. 880+67.6 TO STA. 884+32.

G:\airport\A08T032 TP MID PVMT\AREA.dwg, 4/11/2009 7:59:44 AM, jefrm