



Illinois Department of Transportation

2300 South Dirksen Parkway / Springfield, Illinois / 62764

April 13, 2020

SUBJECT: FAP Route 341 (IL 72)
Project NHPP-HFEM(436)
Section 2019-059-BR
Kane County
Contract No. 62J36
Item No. 6, April 24, 2020 Letting
Addendum A

NOTICE TO PROSPECTIVE BIDDERS:

Attached is an addendum to the plans or proposal. This addendum involves revised and/or added material.

1. Revised page 2 of the Special Provisions
2. Revised sheet 25 of the Plans

Prime contractors must utilize the enclosed material when preparing their bid and must include any changes to the Schedule of Prices in their bid.

Very truly yours,

A handwritten signature in black ink, appearing to read "Jack A. Elston".

Jack A. Elston, P.E.
Bureau Chief, Design and Environment

MTS

CLEANING AND PAINTING BEARINGS

Description: This work shall consist of the satisfactory cleaning and painting of the steel materials on the existing bridge bearings as indicated on the plans and to the satisfaction of the Engineer. This work also includes cleaning and painting all appurtenances associated with the bearings including embedded plates at the precast prestressed concrete beams where faces and edges are exposed and all side retainer angles and anchors at the bridge seats if present. The work also includes the satisfactory containment and disposal of lead paint and non-lead paint cleaning residues and all debris generated by the cleaning process in accordance with the specifications.

Materials: Paint materials shall be according to the following special provision:

- 1) Special Provision "Cleaning and Painting Existing Steel Structures" - IDOT GBSP 25

Construction Requirements: The structural rubber of the existing elastomeric bearings shall be masked and protected from abrasive blasting and all other cleaning and painting operations. Contractor shall not damage the structural rubber nor the bond between the structural rubber and the existing steel plates. Slight overspray from painting does not require removal from the rubber. The existing bridge bearings shall be cleaned and painted in accordance with the following special provision and as modified herein:

- 1) Special Provision "Cleaning and Painting Existing Steel Structures" - IDOT GBSP 25

The existing bearings shall be cleaned according to SSPC-SP 11: Power Tool Cleaning to Bare Metal.

Method of Measurement: This work will be measured for payment per each completed and accepted.

Basis of Payment: This work will be paid for at the contract unit price per each for CLEANING AND PAINTING BEARINGS, which price shall include all material, equipment, containment and disposal of paint cleaning residues/debris and all labor to satisfactorily complete the work.

Revised 4/14/2020