

139

STATE OF ILLINOIS
DEPARTMENT OF TRANSPORTATION

F.A.P. SHEET	SECTION	COUNTY	TOTAL SHEETS	SHEET NO.
	137Z 139-X-2)RS-2	MACON	262	1
F.A.P. ROUTE 320 323		ILLINOIS	CONTRACT NO 74710	


FOR INDEX OF SHEETS, SEE SHEET NO. 2

PROPOSED HIGHWAY PLANS

FAP ROUTE 320, 323, 323A (US 36 / IL 121)
SECTION (137Z, 139-X-2)RS-2
PROJECT NHPP-HSIP-W48C(026)
RESURFACING (3P)
MACON COUNTY

C-97-027-15

D-97-015-15



ADT = 18,400 (2020)

BEGIN PROJECT
STA 129+83.50



STATION EQUATION
STA 132+55.19 BK =
STA 104+00.28 AH

STATION EQUATION
STA 139+04.16 BK =
STA 139+13.26 AH

BRIDGE OMISSION
STA 170+98.53 TO
STA 175+63.37

STATION EQUATION
STA 234+00.05 BK =
STA 234+18.00 AH

END PROJECT
STA 301+65.75



FULL SIZE PLANS HAVE BEEN PREPARED USING STANDARD ENGINEERING SCALES. REDUCED SIZED PLANS WILL NOT CONFORM TO STANDARD SCALES. IN MAKING MEASUREMENTS ON REDUCED PLANS, THE ABOVE SCALES MAY BE USED.

J.U.L.I.E.
JOINT UTILITY LOCATION INFORMATION FOR EXCAVATORS
1-800-892-0123
OR 811

PROJECT ENGINEER: TOM RONAN 217-342-8320
PROJECT MANAGER: JARED BEESON

GROSS LENGTH = 20,010.11 FT. = 3.79 MILE
NET LENGTH = 19,545.27 FT. = 3.70 MILE

CONTRACT NO. 74710

STATE OF ILLINOIS
DEPARTMENT OF TRANSPORTATION

SUBMITTED February 19, 2020
Jeffrey P. Myer
REGIONAL ENGINEER

March 20, 2020
[Signature]
ENGINEER OF DESIGN AND ENVIRONMENT

March 20, 2020
[Signature]
DIRECTOR OF HIGHWAYS PROJECT IMPLEMENTATION

PRINTED BY THE AUTHORITY
OF THE STATE OF ILLINOIS

GENERAL NOTES

THE RESIDENT ENGINEER SHALL CONTACT JOSH PORTER AT 217-342-5677 THREE (3) DAYS PRIOR TO CONSTRUCTION FOR LOCATION OF UNDERGROUND WIRING RELATED TO TRAFFIC SIGNALS.

THE EXISTING PAVEMENT SHALL BE PATCHED IN ACCORDANCE WITH SECTION 442 OF THE STANDARD SPECIFICATIONS AND THE SPECIAL PROVISIONS. THE QUANTITY OF PATCHING SHOWN ON THE PLANS IS AN ESTIMATE. THE FINAL LOCATIONS AND QUANTITY SHALL BE DETERMINED BY THE ENGINEER IN THE FIELD.

SHORT TERM PAVEMENT MARKING SHALL BE APPLIED TO THE MILLED SURFACE, BITUMINOUS MATERIALS (TACK COAT), HOT-MIX ASPHALT BINDER COURSE, AND HOT-MIX ASPHALT SURFACE COURSE AS SPECIFIED IN SECTION 703 OF THE STANDARD SPECIFICATIONS. PAINT SHALL BE USED ON MILLED SURFACES AND TAPE SHALL BE USED ON THE SURFACE COURSE.

VIBRATORY ROLLERS IN DYNAMIC MODE WILL NOT BE PERMITTED. DENSITY REQUIREMENTS MUST STILL BE MET.

LONGITUDINAL JOINT SEALANT WILL BE APPLIED AT ALL CENTERLINE AND TURN LANE JOINTS.

TREE CLEARING SHOULD NOT OCCUR DURING THE PERIOD FROM APRIL 1 THROUGH SEPTEMBER 30 OF ANY CONSTRUCTION YEAR. THIS RESTRICTION DOES NOT APPLY TO TREES ALREADY DROPPED. STATE MAINTENANCE FORCES HAVE ALREADY FELL ALL TREES TO BE REMOVED. THE CONTRACTOR WILL BE REQUIRED TO REMOVE THE FELLED TREES AND REMOVE THE STUMPS. THIS WORK WILL BE PAID FOR AS TREE REMOVAL AS SPECIFIED IN THE PLANS.

THE PAY ITEMS TEMPORARY RAMP AND TEMPORARY RAMP, SPECIAL HAVE BEEN INCLUDED FOR THE CONSTRUCTION OF TEMPORARY RAMPS IN ACCORDANCE WITH ARTICLE 406.08 OF THE STANDARD SPECIFICATIONS AND AS SPECIFIED IN THE SPECIAL PROVISIONS. THE COST SHALL INCLUDE BOTH THE INSTALLATION AND THE REMOVAL OF THE TEMPORARY RAMPS.

TEMPORARY HMA TAPERS WILL BE REQUIRED IMMEDIATELY AFTER THE HOT-MIX ASPHALT SURFACE REMOVAL OPERATION HAS BEEN PREFORMED AND ANY SUBSEQUENT RESURFACING OPERATION NEEDING TEMPORARY TAPERS. THE CONTRACTOR SHALL CONSTRUCT TEMPORARY TAPERS (MIN. 2 FEET IN LENGTH) AT MANHOLES AND VALVE VAULTS. THIS WORK WILL BE CONSIDERED INCLUDED IN THE COST OF THE CONTRACT ITEMS INVOLVED AND NO EXTRA COMPENSATION WILL BE ALLOWED.

ALL AREAS DISTURBED DURING CONSTRUCTION SHALL BE SEEDED WITH CLASS 2 SEEDING. THE SEEDED AREAS SHALL BE FERTILIZED WITH NITROGEN, PHOSPHOROUS, AND POTASSIUM AT AN APPLICATION RATE OF 90 POUNDS/ACRE. THE SEEDED AREAS SHALL ALSO HAVE AGRICULTURAL GROUND LIMESTONE APPLIED AT A RATE OF 4 TONS/ACRE AND BE COVERED WITH MULCH AT THE RATE OF 2 TONS/ACRE. THE MULCH SHALL BE APPLIED IN ACCORDANCE WITH SECTION 251 OF THE STANDARD SPECIFICATIONS. THE EMBANKMENT, SEEDING, FERTILIZER, AND MULCH WILL NOT BE PAID FOR SEPARATELY BUT SHALL BE INCLUDED IN THE COST OF THE COMBINATION CONCRETE CURB & GUTTER AND THE PCC SIDEWALK.

A UNIFORMLY STRAIGHT SAW CUT SHALL BE MADE AT LOCATIONS WHERE PROPOSED NEW CONSTRUCTION WILL ABUT EXISTING HOT-MIX ASPHALT SURFACES. THE SAW CUT SHALL BE MADE THE SAME DEPTH AS THE HOT-MIX ASPHALT SURFACE REMOVAL. THIS WORK WILL BE CONSIDERED INCLUDED IN THE COST OF THE CONTRACT ITEMS INVOLVED AND NO EXTRA COMPENSATION WILL BE ALLOWED.

ANY FRAME AND GRATES DAMAGED BY THE CONTRACTOR DURING CONSTRUCTION WILL BE REPLACED BY THE CONTRACTOR AT THEIR EXPENSE.

THE RESIDENT ENGINEER SHALL BE THE SOLE JUDGE CONCERNING THE CURING TIME FOR ALL CONCRETE AND HOT-MIX ASPHALT.

RESIDENT ENGINEER CAN CONTACT DESIGN FOR TRAVERSE TIE POINTS AND CENTERLINE TIE POINTS.

THE FOLLOWING RATES OF APPLICATION HAVE BEEN USED IN CALCULATING PLAN QUANTITIES:

BITUMINOUS MATERIALS (TACK COAT)		
MILLED SURFACE		0.05 LBS/SQ FT
BINDER COURSE		0.025 LBS/SQ FT
HOT-MIX ASPHALT		112 LBS/SQ YD/INCH
AGGREGATE WEDGE SHOULDER		2.05 TONS/ CUBIC YD.
STONE DUMPED RIPRAP, CLASS A4		110 LBS/CUBIC FT.
AGGREGATE DITCH (SPECIAL)		110 LBS/CUBIC FT.

COMMITMENT:
RAILROAD FLAGGER

INDEX OF SHEETS

COVER SHEET	1
INDEX OF SHEETS/ LIST OF STANDARDS/ GENERAL DETAILS	2
SUMMARY OF QUANTITIES	3-16
TYPICAL SECTIONS	17-55
SCHEDULE OF QUANTITIES	56-67
ALIGNMENT TIES & BENCHMARKS	68-69
PLAN SHEETS	70-107
INTERSECTION DETAILS	108-119
ADA SHEETS	120-171
PAVEMENT MARKING DETAILS	172-209
TRAFFIC SIGNAL DETAILS	210-249
DISTRICT DETAILS	250-257
CROSS SECTIONS	258-262

LIST OF STANDARDS

000001-07	STANDARD SYMBOLS, ABBREVIATIONS AND PATTERNS
001001-02	AREAS OF REINFORCEMENT BARS
001006	DECIMAL OF AN INCH AND OF A FOOT
424001-11	PERPENDICULAR CURB RAMPS FOR SIDEWALKS
424006-04	DIAGONAL CURB RAMPS FOR SIDEWALKS
424011-04	DEPRESSED CORNER FOR SIDEWALKS
424031-02	MEDIAN PEDESTRIAN CROSSINGS
442201-03	CLASS C AND D PATCHES
604006-05	FRAME AND GRATE, TYPE 3
606001-07	CONCRETE CURB, TYPE B AND COMBINATION CONCRETE CURB AND GUTTER
666001-01	RIGHT-OF-WAY MARKERS
667101-02	PERMANENT SURVEY MARKERS
701101-04	OFF-ROAD MOVING OPERATIONS, 2L, 2W, DAY ONLY
701106-02	OFF-ROAD OPERATIONS, MULTILANE, MORE THAN 15' (4.5 M) AWAY
701421-08	LANE CLOSURE, MULTILANE, DAY OPERATIONS ONLY, FOR SPEEDS >45 MPH TO 55 MPH
701422-10	LANE CLOSURE, MULTILANE, FOR SPEEDS >45 MPH TO 55 MPH
701426-09	LANE CLOSURE, MULTILANE, INTERMITTENT or MOVING OPERATION, FOR SPEEDS > 45 MPH TO 55 MPH
701427-05	LANE CLOSURE, MULTILANE, INTERMITTENT or MOVING OPERATION, FOR SPEEDS < 40 MPH
701601-09	URBAN LANE CLOSURE, MULTILANE, 1W OR 2W WITH NONTRAVERSABLE MEDIAN
701602-10	URBAN LANE CLOSURE, MULTILANE WITH BIDIRECTIONAL LEFT TURN LANE
701606-10	URBAN SINGLE LANE CLOSURE, MULTILANE, 2W WITH MOUNTABLE MEDIAN
701701-10	URBAN LANE CLOSURE, MULTILANE, INTERSECTION
701801-06	SIDEWALK, CORNER OR CROSSWALK CLOSURE
701901-08	TRAFFIC CONTROL DEVICES
720001-01	SIGN PANEL MOUNTING DETAILS
720006-04	SIGN PANEL ERECTION DETAILS
720016-04	MAST ARM MOUNTED STREET NAME SIGNS
781001-04	TYPICAL APPLICATIONS RAISED REFLECTIVE PAVEMENT MARKERS
782001-01	CURB REFLECTORS
805001-01	ELECTRICAL SERVICE INSTALLATION DETAILS
814001-03	HANDHOLES
814006-02	DOUBLE HANDHOLES
821101-02	LUMINAIRE WIRING IN POLE
857001-01	STANDARD PHASE DESIGNATION DIAGRAMS & PHASE SEQUENCES
862001-01	UNINTERRUPTABLE POWER SUPPLY (UPS)
873001-02	TRAFFIC SIGNAL GROUNDING & BONDING
876001-04	PEDESTRIAN PUSH BUTTON POST
877001-08	STEEL MAST ARM ASSEMBLY & POLE 16' THROUGH 55'
877002-04	STEEL MAST ARM ASSEMBLY & POLE 56' THROUGH 75'
877011-10	STEEL COMBINATION MAST ARM ASSEMBLY & POLE 16' THROUGH 55'
878001-10	CONCRETE FOUNDATION DETAILS
880001-01	SPAN WIRE MOUNTED SIGNALS & FLASHING BEACON INSTALLATION
880006-01	TRAFFIC SIGNAL MOUNTING DETAILS
886001-01	DETECTOR LOOPS INSTALLATIONS
886006-01	TYPICAL LAYOUT FOR DETECTION LOOPS

APPLICATION	AC/PG	DESIGN AIR VOIDS	MIXTURE COMPOSITION	FRICTION AGGREGATE	QUALITY MANAGEMENT
POLYMERIZED HMA SURFACE COURSE, MIX "D", N90 (1 1/2")	SBS 70-22	4.0% @ N=90	IL - 9.5	MIXTURE D	PFP
POLYMERIZED HMA BINDER COURSE, IL-9.5FG, N90 (1 1/4")	SBS 70-22	4.0% @ N=90	IL - 9.5FG	N/A	PFP
HMA PATCHING, CLASS "D"	PG 64-22	4.0% @ N=90	IL 19.0	N/A	QC/QA
PARTIAL HMA PATCHING	PG 64-22	4.0% @ N=90	IL - 9.5	N/A	QC/QA
INCIDENTAL HMA SURFACE COURSE	PG 64-22	4.0% @ N=70	IL - 9.5	MIXTURE C	QC/QA
INCIDENTAL HMA SURFACE COURSE	SBS 70-22	4.0% @ N=90	IL - 9.5	MIXTURE D	QC/QA

Illinois 105 & Airport Road

MODEL: Default
FILE: \\bls01\pub\baron\dm\illinois\pwr\PROJECTS\DOT\Documents\DOT_Offices\IllDOT_7\Projects\71710\CADD\DATA\CAD\SheetSet\71710-10-GEN-GENERAL_NOTES.dgn

USER NAME = steffemk	DESIGNED -	REVISED -
	DRAWN -	REVISED -
PLOT SCALE = 100.0000 ' / in.	CHECKED -	REVISED -
PLOT DATE = 2/20/2020	DATE -	REVISED -

STATE OF ILLINOIS
DEPARTMENT OF TRANSPORTATION

INDEX OF SHEETS/LIST OF STANDARDS
GENERAL NOTES

SCALE: SHEET 1 OF 1 SHEETS STA. TO STA.

F.A.P. RTE.	SECTION	COUNTY	TOTAL SHEETS	SHEET NO.
*	(137Z, 139-X-2)RS-2	MACON	262	2
*F.A.P. RTE. 320, 323, 323A		CONTRACT NO. 74710		
ILLINOIS		FED. AID PROJECT		

ILLINOIS DEPARTMENT OF TRANSPORTATION			TOTAL QUANTITIES	NHPP		HSIP				
SUMMARY OF QUANTITIES				CITY OF DECATUR		FED/STATE 90% / 10%		STATE 50%	STATE 67%	CITY OF DECATUR 100%
CODE NO	ITEM	UNIT		0005	0005	0021	0021	0021	0021	
20100110	TREE REMOVAL (6 TO 15 UNITS DIAMETER)	UNIT	99	99						
28100807	STONE DUMPED RIPRAP, CLASS A4	TON	69	69						
28200200	FILTER FABRIC	SO YD	529	529						
35300700	PORTLAND CEMENT CONCRETE BASE COURSE 12"	SO YD	38	38						
40600290	BITUMINOUS MATERIALS (TACK COAT)	POUND	124700	122287	2413					
40600990	TEMPORARY RAMP	SO YD	609	609						
40603219	POLYMERIZED HOT-MIX ASPHALT BINDER COURSE, IL-9.5FG, N90	TON	9699	9511	188					
40604164	POLYMERIZED HOT-MIX ASPHALT SURFACE COURSE, IL-9.5, MIX "D", N90	TON	11638	11413	225					
40800050	INCIDENTAL HOT-MIX ASPHALT SURFACING	TON	29	29						
42400300	PORTLAND CEMENT CONCRETE SIDEWALK 6 INCH	SO FT	4028	2755					1273	
42400800	DETECTABLE WARNINGS	SO FT	371	264					107	
44000100	PAVEMENT REMOVAL	SO YD	265	265						
44000155	HOT-MIX ASPHALT SURFACE REMOVAL, 1 1/2"	SO YD	81348	80904	444					

MODEL: Default
 FILE: Main: P:\p1\p1room.dwg
 ILLINOIS.GOV:PWIDOT\Documents\DOT_Offices\District_7\Projects\17110\CADData\CAD\Sheets\17110-SHT-500.dgn

REV. - MS

USER NAME = steffenk	DESIGNED -	REVISED -	STATE OF ILLINOIS DEPARTMENT OF TRANSPORTATION	SUMMARY OF QUANTITIES		F.A.P. RTE.	SECTION	COUNTY	TOTAL SHEETS	SHEET NO.
DRAWN -	REVISIED -					*	(137Z, 139-X-2) RS-2	MACON	262	3
PLOT SCALE = 100.0000 ' / in.	CHECKED -	REVISIED -		SCALE:	SHEET 1	OF 14 SHEETS	STA.	TO STA.	*F.A.P. RTE. 320, 323, 323A CONTRACT NO. 74710	
PLOT DATE = 2/20/2020	DATE -	REVISIED -		ILLINOIS FED. AID PROJECT						

URBAN

ILLINOIS DEPARTMENT OF TRANSPORTATION			TOTAL QUANTITIES			STATE		STATE	
SUMMARY OF QUANTITIES				CITY OF		50%	67%	CITY OF	
				80% FED	DECATUR	FED/STATE	CITY	CITY	DECATUR
				20% STATE	100%	90% / 10%	50%	33%	100%
CODE NO	ITEM	UNIT	0005	0005	0021	0021	0021	0021	0021
60603800	COMBINATION CONCRETE CURB AND GUTTER, TYPE B-6.12	FOOT	109	62					47
60605000	COMBINATION CONCRETE CURB AND GUTTER, TYPE B-6.24	FOOT	359	260					99
66700205	PERMANENT SURVEY MARKERS, TYPE I	EACH	10	10					
66900200	NON-SPECIAL WASTE DISPOSAL	CU YD	60	60					
66900530	SOIL DISPOSAL ANALYSIS	EACH	4	4					
66901001	REGULATED SUBSTANCES PRE-CONSTRUCTION PLAN	LSUM	1	1					
66901003	REGULATED SUBSTANCES FINAL CONSTRUCTION REPORT	LSUM	1	1					
66901006	REGULATED SUBSTANCES MONITORING	CAL DA	3	3					
67000400	ENGINEER'S FIELD OFFICE, TYPE A	CAL MO	16	16					
67000600	ENGINEER'S FIELD LABORATORY	CAL MO	16	16					
67100100	MOBILIZATION	LSUM	1	1					
70100310	TRAFFIC CONTROL AND PROTECTION, STANDARD 701421	L SUM	1	1					

MODEL: Default
 FILE: M:\MIS: P:\uplanroom.dwg
 I:\Illinois.gov\PI\DOT\Documents\DOT_Offices\District_7\Projects\71710\CADData\CAD\Sheets\71710-SHT-500.dgn

REV. - MS

USER NAME = steffemk	DESIGNED -	REVISED -	STATE OF ILLINOIS DEPARTMENT OF TRANSPORTATION	SUMMARY OF QUANTITIES	F.A.P. RTE.	SECTION	COUNTY	TOTAL SHEETS	SHEET NO.
DRAWN -	REVISED -	*			(137Z, 139-X-2) RS-2	MACON	262	5	
PLOT SCALE = 100.0000' / in.	CHECKED -	REVISED -			*F.A.P. RTE. 320, 323, 323A		CONTRACT NO. 74710		
PLOT DATE = 2/20/2020	DATE -	REVISED -			SCALE:	SHEET 3	OF 14 SHEETS	STA.	TO STA.

ILLINOIS FED. AID PROJECT

URBAN

ILLINOIS DEPARTMENT OF TRANSPORTATION			TOTAL QUANTITIES				STATE	STATE		
SUMMARY OF QUANTITIES							50%	67%	CITY OF	
							CITY OF	FED/STATE	CITY	CITY
CODE NO	ITEM	UNIT		80% FED 20% STATE	CITY OF DECATUR 100%	FED/STATE 90%/10%	50%	33%	100%	
			0005	0005	0021	0021	0021	0021		
70100320	TRAFFIC CONTROL AND PROTECTION, STANDARD	L SUM	1	1						
	701422									
70102630	TRAFFIC CONTROL AND PROTECTION, STANDARD	L SUM	1	1						
	701601									
70102632	TRAFFIC CONTROL AND PROTECTION, STANDARD	L SUM	1	1						
	701602									
70102635	TRAFFIC CONTROL AND PROTECTION, STANDARD	L SUM	1	1						
	701701									
70102640	TRAFFIC CONTROL AND PROTECTION, STANDARD	L SUM	1	1						
	701801									
70103815	TRAFFIC CONTROL SURVEILLANCE	CAL DA	25	25						
70107025	CHANGEABLE MESSAGE SIGN	CAL DA	42	42						
70300100	SHORT TERM PAVEMENT MARKING	FOOT	6284	6228					56	
70300150	SHORT TERM PAVEMENT MARKING REMOVAL	SO FT	2074	2055					19	
70300210	TEMPORARY PAVEMENT MARKING LETTERS AND SYMBOLS	SO FT	2954	2426					528	
70300220	TEMPORARY PAVEMENT MARKING - LINE 4"	FOOT	61503	61138					365	

MODEL: Default
 FILE NAME: P:\uplanroom.dwg
 ILLINOIS.GOV:PWIDOT\Documents\DOT_Offices\District_7\Projects\74710\CADData\CAD\Sheets\74710-SHT-500.dgn

REV. - MS

USER NAME = steffenmk	DESIGNED -	REVISED -	STATE OF ILLINOIS DEPARTMENT OF TRANSPORTATION	SUMMARY OF QUANTITIES			F.A.P. RTE.	SECTION	COUNTY	TOTAL SHEETS	SHEET NO.	
PLOT SCALE = 100.0000' / in.	DRAWN -	REVISED -		SCALE:	SHEET 4	OF 14 SHEETS	STA.	TO STA.	(137Z, 139-X-2) RS-2	MACON	262	6
PLOT DATE = 2/20/2020	CHECKED -	REVISED -					*F.A.P. RTE. 320, 323, 323A		CONTRACT NO. 74710			
	DATE -	REVISED -					ILLINOIS FED. AID PROJECT					

ILLINOIS DEPARTMENT OF TRANSPORTATION			TOTAL QUANTITIES			STATE		STATE	
SUMMARY OF QUANTITIES				CITY OF		50%	67%	CITY OF	
				80% FED	DECATUR	FED/STATE	CITY	CITY	DECATUR
				20% STATE	100%	90% / 10%	50%	33%	100%
CODE NO	ITEM	UNIT	0005	0005	0021	0021	0021	0021	0021
70300240	TEMPORARY PAVEMENT MARKING - LINE 6"	FOOT	21193	19776					1417
70300250	TEMPORARY PAVEMENT MARKING - LINE 8"	FOOT	1439	961					478
70300260	TEMPORARY PAVEMENT MARKING - LINE 12"	FOOT	2146	1676					470
70300280	TEMPORARY PAVEMENT MARKING - LINE 24"	FOOT	1538	1317					221
* 72000100	SIGN PANEL - TYPE 1	SQ FT	196			86	72	23	15
* 72000200	SIGN PANEL - TYPE 2	SQ FT	36					36	
* 72000300	SIGN PANEL - TYPE 3	SQ FT	176			84	92		
* 78000100	THERMOPLASTIC PAVEMENT MARKING - LETTERS AND SYMBOLS	SQ FT	2954	2426					528
* 78000200	THERMOPLASTIC PAVEMENT MARKING - LINE 4"	FOOT	61503	61138					365
* 78000400	THERMOPLASTIC PAVEMENT MARKING - LINE 6"	FOOT	21193	19776					1417
* 78000500	THERMOPLASTIC PAVEMENT MARKING - LINE 8"	FOOT	1439	961					478
* 78000600	THERMOPLASTIC PAVEMENT MARKING - LINE 12"	FOOT	2146	1676					470
* 78000650	THERMOPLASTIC PAVEMENT MARKING - LINE 24"	FOOT	1538	1317					221

* SPECIALTY ITEM

REV. - MS

MODEL: Default
FILE NAME: P:\uplanroom.dwg
PROJECT: 71710\CADData\CADsheets\DOT 71710-SHT-500.dgn

USER NAME = steffemk	DESIGNED -	REVISED -
	DRAWN -	REVISED -
PLOT SCALE = 100.0000' / in.	CHECKED -	REVISED -
PLOT DATE = 2/20/2020	DATE -	REVISED -

STATE OF ILLINOIS
DEPARTMENT OF TRANSPORTATION

SUMMARY OF
QUANTITIES

SCALE: SHEET 5 OF 14 SHEETS STA. TO STA.

F.A.P. RTE.	SECTION	COUNTY	TOTAL SHEETS	SHEET NO.
*	(137Z, 139-X-2) RS-2	MACON	262	7
*F.A.P. RTE. 320, 323, 323A			CONTRACT NO. 74710	
ILLINOIS FED. AID PROJECT				

URBAN

ILLINOIS DEPARTMENT OF TRANSPORTATION			TOTAL QUANTITIES			STATE		STATE	
SUMMARY OF QUANTITIES				CITY OF		50%	67%	CITY OF	
				80% FED	DECATUR	FED/STATE	CITY	CITY	DECATUR
CODE NO	ITEM	UNIT		20% STATE	100%	90% / 10%	50%	33%	100%
			0005	0005	0021	0021	0021	0021	
* 78009000	MODIFIED URETHANE PAVEMENT MARKING - LETTERS AND SYMBOLS	SQ FT	337	337					
* 78009004	MODIFIED URETHANE PAVEMENT MARKING - LINE 4"	FOOT	553	553					
* 78009006	MODIFIED URETHANE PAVEMENT MARKING - LINE 6"	FOOT	2299	2299					
* 78009012	MODIFIED URETHANE PAVEMENT MARKING - LINE 12"	FOOT	2282	1850				432	
* 78009024	MODIFIED URETHANE PAVEMENT MARKING - LINE 24"	FOOT	119	119					
* 78100100	RAISED REFLECTIVE PAVEMENT MARKER	EACH	797	797					
* 78200020	CURB REFLECTORS	EACH	1237	1237					
* 80500100	SERVICE INSTALLATION, TYPE A	EACH	4		1	2	1		
* 81028310	UNDERGROUND CONDUIT, PVC, 3/4" DIA.	FOOT	502		167	226	109		
* 81028340	UNDERGROUND CONDUIT, PVC, 1 1/2" DIA.	FOOT	589		260	267	62		
* 81028350	UNDERGROUND CONDUIT, PVC, 2" DIA.	FOOT	716		95	514	107		
* 81028390	UNDERGROUND CONDUIT, PVC, 4" DIA.	FOOT	1648		457	742	449		
* 81028400	UNDERGROUND CONDUIT, PVC, 5" DIA.	FOOT	298		266	20	12		

* SPECIALTY ITEM

REV. - MS

MODEL: Default
FILE NAME: P:\uplanroom.dat\illinois.gov\PIV\DOT\Documents\DOT_Offices\District_7\Projects\74710\CADD\Drawings\74710-SHT-500.dgn

USER NAME = steffemk	DESIGNED -	REVISED -
	DRAWN -	REVISED -
PLOT SCALE = 100.0000' / in.	CHECKED -	REVISED -
PLOT DATE = 2/20/2020	DATE -	REVISED -

STATE OF ILLINOIS
DEPARTMENT OF TRANSPORTATION

SUMMARY OF
QUANTITIES

SCALE: SHEET 6 OF 14 SHEETS STA. TO STA.

F.A.P. RTE.	SECTION	COUNTY	TOTAL SHEETS	SHEET NO.
*	(137Z, 139-X-2) RS-2	MACON	262	8
*F.A.P. RTE. 320, 323, 323A			CONTRACT NO. 74710	
ILLINOIS FED. AID PROJECT				

URBAN

ILLINOIS DEPARTMENT OF TRANSPORTATION				TOTAL QUANTITIES	80% FED 20% STATE	CITY OF DECATUR 100%	FED/STATE 90% / 10%	STATE	STATE	CITY OF
SUMMARY OF QUANTITIES								50%	67%	CITY OF
								CITY	CITY	DECATUR
								50%	33%	100%
CODE NO	ITEM	UNIT		0005	0005	0021	0021	0021	0021	
* 81400100	HANDHOLE	EACH	52			21	22	9		
* 81400300	DOUBLE HANDHOLE	EACH	4			1	2	1		
* 81500100	GULFBOX JUNCTION	EACH	12			4	6	2		
* 81702420	ELECTRIC CABLE IN CONDUIT, 600V (XLP-TYPE USE) 3-1/C NO. 8	FOOT	166				166			
* 85000200	MAINTENANCE OF EXISTING TRAFFIC SIGNAL INSTALLATION	EACH	4			1	2	1		
* 85700200	FULL-ACTUATED CONTROLLER AND TYPE IV CABINET	EACH	1				1			
* 85700210	RAILROAD, FULL-ACTUATED CONTROLLER AND TYPE IV CABINET	EACH	2				1	1		
* 85700310	RAILROAD, FULL-ACTUATED CONTROLLER AND TYPE V CABINET	EACH	1			1				
* 86000100	MASTER CONTROLLER	EACH	1			1				
* 86200300	UNINTERRUPTABLE POWER SUPPLY, EXTENDED	EACH	4			1	2	1		
* 86400100	TRANSCEIVER - FIBER OPTIC	EACH	4			1	2	1		

* SPECIALTY ITEM

REV. - MS

MODEL: C:\p1\it\... FILE NAME: ...

USER NAME = steffenmk	DESIGNED -	REVISED -
PLOT SCALE = 100.0000' / in.	DRAWN -	REVISED -
PLOT DATE = 2/20/2020	CHECKED -	REVISED -
	DATE -	REVISED -

**STATE OF ILLINOIS
DEPARTMENT OF TRANSPORTATION**

SUMMARY OF QUANTITIES			
SCALE:	SHEET 7	OF 14 SHEETS	STA. TO STA.

F.A.P. RTE.	SECTION	COUNTY	TOTAL SHEETS	SHEET NO.
*	(137Z, 139-X-2) RS-2	MACON	262	9
*F.A.P. RTE. 320, 323, 323A			CONTRACT NO. 74710	
ILLINOIS FED. AID PROJECT				

URBAN

ILLINOIS DEPARTMENT OF TRANSPORTATION				TOTAL QUANTITIES	0005	0005	0021	0021	0021	0021						
SUMMARY OF QUANTITIES			UNIT								80% FED 20% STATE	CITY OF DECATUR 100%	FED/STATE 90% / 10%	STATE		CITY OF DECATUR 100%
CODE NO	ITEM	ITEM												50%	67%	
														CITY	CITY	
* 87100110	FIBER OPTIC CABLE IN CONDUIT, NO. 62.5/125,	6F	FOOT	7592		7592										
* 87301225	ELECTRIC CABLE IN CONDUIT, SIGNAL NO. 14	3C	FOOT	5313		2740	1676	897								
* 87301245	ELECTRIC CABLE IN CONDUIT, SIGNAL NO. 14	5C	FOOT	13539		5350	5903	2286								
* 87301255	ELECTRIC CABLE IN CONDUIT, SIGNAL NO. 14	7C	FOOT	4623		2582	1260	781								
* 87301305	ELECTRIC CABLE IN CONDUIT, LEAD-IN, NO. 14	1 PAIR	FOOT	9094		3785	3212	2097								
* 87301750	ELECTRIC CABLE IN CONDUIT, RAILROAD, NO. 14	3C	FOOT	657		399	128	130								
* 87301805	ELECTRIC CABLE IN CONDUIT, SERVICE, NO. 6	2 C	FOOT	63		16	31	16								
* 87301900	ELECTRIC CABLE IN CONDUIT, EQUIPMENT	GROUNDING CONDUCTOR, NO. 6	FOOT	3423		1015	1658	750								
* 87502420	TRAFFIC SIGNAL POST, GALVANIZED STEEL 8 FT.		EACH	1		1										
* 87502460	TRAFFIC SIGNAL POST, GALVANIZED STEEL 12 FT.		EACH	9		2	4	3								
* 87502480	TRAFFIC SIGNAL POST, GALVANIZED STEEL 14 FT.		EACH	14		1	11	2								

* SPECIALTY ITEM

REV. - MS

MODEL: Defaul
FILE NAME: P:\planroom.dat\illinois.pwr\DOT\Documents\DOT_Offices\District_7\Projects\71710\CADD\Drawings\CAD\Drawings\71710-SHT-500.dgn

USER NAME = steffemk	DESIGNED -	REVISED -
	DRAWN -	REVISED -
PLOT SCALE = 100.0000' / in.	CHECKED -	REVISED -
PLOT DATE = 2/20/2020	DATE -	REVISED -

STATE OF ILLINOIS
DEPARTMENT OF TRANSPORTATION

SUMMARY OF
QUANTITIES

SCALE: SHEET 8 OF 14 SHEETS STA. TO STA.

F.A.P. RTE.	SECTION	COUNTY	TOTAL SHEETS	SHEET NO.
*	(137Z, 139-X-2) R5-2	MACON	262	10
*F.A.P. RTE. 320, 323, 323A			CONTRACT NO. 74710	
ILLINOIS		FED. AID PROJECT		

URBAN

ILLINOIS DEPARTMENT OF TRANSPORTATION				TOTAL QUANTITIES	0005	0005	0021	0021	0021	0021								
SUMMARY OF QUANTITIES			CODE NO								ITEM	UNIT	STATE		STATE		CITY OF	
													50%	67%	50%	67%	DECATUR	DECATUR
													CITY	CITY	CITY	CITY	100%	100%
80% FED	20% STATE	FED/STATE	50%	33%	100%													
* 87502500	TRAFFIC SIGNAL POST, GALVANIZED STEEL 16 FT.	EACH	6				2	3	1									
* 87502520	TRAFFIC SIGNAL POST, GALVANIZED STEEL 18 FT.	EACH	6				2	2	2									
* 87700170	STEEL MAST ARM ASSEMBLY AND POLE, 26 FT.	EACH	1					1										
* 87700190	STEEL MAST ARM ASSEMBLY AND POLE, 30 FT.	EACH	2					1	1									
* 87700230	STEEL MAST ARM ASSEMBLY AND POLE, 38 FT.	EACH	1						1									
* 87700270	STEEL MAST ARM ASSEMBLY AND POLE, 46 FT.	EACH	2					1	1									
* 87700280	STEEL MAST ARM ASSEMBLY AND POLE, 48 FT.	EACH	1				1											
* 87700300	STEEL MAST ARM ASSEMBLY AND POLE, 52 FT.	EACH	1				1											
* 87700310	STEEL MAST ARM ASSEMBLY AND POLE, 54 FT.	EACH	2				1	1										
* 87700340	STEEL MAST ARM ASSEMBLY AND POLE, 58 FT.	EACH	1				1											
* 87700418	STEEL MAST ARM ASSEMBLY AND POLE, 68 FT.	EACH	1				1											
* 87702910	STEEL COMBINATION MAST ARM ASSEMBLY AND POLE 36 FT.	EACH	1					1										
* 87800100	CONCRETE FOUNDATION, TYPE A	FOOT	108				24	60	24									

* SPECIALTY ITEM

REV. - MS

MODEL: Default
FILE NAME: dx:\planroom.dwg\illinois.gov\PI\DOT\Documents\DOT_Offices\District_7\Projects\74710\CAD\Drawings\CAD\Drawings\74710-SHT-500.dgn

USER NAME = steffennk	DESIGNED -	REVISED -
	DRAWN -	REVISED -
PLOT SCALE = 100.0000' / in.	CHECKED -	REVISED -
PLOT DATE = 2/20/2020	DATE -	REVISED -

STATE OF ILLINOIS
DEPARTMENT OF TRANSPORTATION

SUMMARY OF
QUANTITIES

SCALE: SHEET 9 OF 14 SHEETS STA. TO STA.

F.A.P. RTE.	SECTION	COUNTY	TOTAL SHEETS	SHEET NO.
*	(137Z, 139-X-2) R5-2	MACON	262	11
*F.A.P. RTE. 320, 323, 323A			CONTRACT NO. 74710	
*ILLINOIS FED. AID PROJECT				

URBAN

ILLINOIS DEPARTMENT OF TRANSPORTATION			TOTAL QUANTITIES	80% FED 20% STATE	CITY OF DECATUR 100%	FED/STATE 90% / 10%	STATE		CITY OF DECATUR 100%
SUMMARY OF QUANTITIES							50%	67%	
CODE NO	ITEM	UNIT					CITY	CITY	
							50%	33%	
			0005	0005	0021	0021	0021	0021	
* 87800150	CONCRETE FOUNDATION, TYPE C	FOOT	10.5			3.5	3.5	3.5	
* 87800200	CONCRETE FOUNDATION, TYPE D	FOOT	3.5				3.5		
* 87800400	CONCRETE FOUNDATION, TYPE E 30-INCH DIAMETER	FOOT	50.5				23.5	27	
* 87800415	CONCRETE FOUNDATION, TYPE E 36-INCH DIAMETER	FOOT	69			15	41	13	
* 87800420	CONCRETE FOUNDATION, TYPE E 42-INCH DIAMETER	FOOT	88			88			
* 87900200	DRILL EXISTING HANDHOLE	EACH	4			1	2	1	
* 88040070	SIGNAL HEAD, POLYCARBONATE, LED, 1-FACE, 3-SECTION, BRACKET MOUNTED	EACH	16			3	11	2	
* 88040090	SIGNAL HEAD, POLYCARBONATE, LED, 1-FACE, 3-SECTION, MAST ARM MOUNTED	EACH	35			15	13	7	
* 88040110	SIGNAL HEAD, POLYCARBONATE, LED, 1-FACE, 4-SECTION, BRACKET MOUNTED	EACH	3				1	2	
* 88040120	SIGNAL HEAD, POLYCARBONATE, LED, 1-FACE, 4-SECTION, MAST ARM MOUNTED	EACH	6			3	2	1	
* 88040160	SIGNAL HEAD, POLYCARBONATE, LED, 1-FACE, 5-SECTION, MAST ARM MOUNTED	EACH	1			1			

* SPECIALTY ITEM

REV. - MS

MODEL: Default
FILE NAME: P:\p1\p1room.dwg
PROJECT: 17110\CADData\CAD\sheet\17110-SHT-500.dgn

USER NAME = steffennk	DESIGNED -	REVISED -
	DRAWN -	REVISED -
PLOT SCALE = 100.0000' / in.	CHECKED -	REVISED -
PLOT DATE = 2/20/2020	DATE -	REVISED -

STATE OF ILLINOIS
DEPARTMENT OF TRANSPORTATION

SUMMARY OF
QUANTITIES

SCALE: SHEET 10 OF 14 SHEETS STA. TO STA.

F.A.P. RTE.	SECTION	COUNTY	TOTAL SHEETS	SHEET NO.
*	(137Z, 139-X-2) R5-2	MACON	262	12
*F.A.P. RTE. 320, 323, 323A			CONTRACT NO. 74710	
ILLINOIS FED. AID PROJECT				

URBAN

ILLINOIS DEPARTMENT OF TRANSPORTATION				TOTAL QUANTITIES	80% FED 20% STATE	CITY OF DECATUR 100%	FED/STATE 90% / 10%	STATE	STATE	CITY OF
SUMMARY OF QUANTITIES								50%	67%	DECATUR
								CITY	CITY	DECATUR
								50%	33%	100%
CODE NO	ITEM	UNIT		0005	0005	0021	0021	0021	0021	
* 88040230	SIGNAL HEAD, POLYCARBONATE, LED, 2-FACE, 3-SECTION, BRACKET MOUNTED	EACH	4			1	2	1		
* 88040250	SIGNAL HEAD, POLYCARBONATE, LED, 2-FACE, 1-3 SECTION, 1-4 SECTION, BRACKET MOUNTED	EACH	5			1	3	1		
* 88040280	SIGNAL HEAD, POLYCARBONATE, LED, 2-FACE, 1-4 SECTION, 1-5 SECTION, BRACKET MOUNTED	EACH	1			1				
* 88102810	PEDESTRIAN SIGNAL HEAD, POLYCARBONATE, LED, 1-FACE, BRACKET MOUNTED	EACH	12			4	4	4		
* 88102825	PEDESTRIAN SIGNAL HEAD, POLYCARBONATE, LED, 1-FACE, BRACKET MOUNTED WITH COUNT DOWN TIMER	EACH	4				4			
* 88102830	PEDESTRIAN SIGNAL HEAD, POLYCARBONATE, LED, 2-FACE, BRACKET MOUNTED	EACH	2			2				
* 88200200	TRAFFIC SIGNAL BACKPLATE, ALUMINUM	EACH	2				2			
* 88200410	TRAFFIC SIGNAL BACKPLATE, LOUVERED, FORMED PLASTIC	EACH	81			28	37	16		
* 88300200	DIRECTIONAL LOUVER, TYPE B	EACH	2				2			
* 88500100	INDUCTIVE LOOP DETECTOR	EACH	46			14	22	10		

* SPECIALTY ITEM

REV. - MS

MODEL: Default
FILE NAME: P:\p1\p1room.dwg
PROJECT: I:\DOT\Documents\DOT - Offices\District 7\Projects\1710\CADData\CADsheets\1710-SHT-500.dgn

USER NAME = steffemk	DESIGNED -	REVISED -
	DRAWN -	REVISED -
PLOT SCALE = 100.0000' / in.	CHECKED -	REVISED -
PLOT DATE = 2/20/2020	DATE -	REVISED -

STATE OF ILLINOIS
DEPARTMENT OF TRANSPORTATION

SUMMARY OF
QUANTITIES

SCALE: SHEET 11 OF 14 SHEETS STA. TO STA.

F.A.P. RTE.	SECTION	COUNTY	TOTAL SHEETS	SHEET NO.
*	(137Z, 139-X-2) RS-2	MACON	262	13
*F.A.P. RTE. 320, 323, 323A			CONTRACT NO. 74710	
ILLINOIS FED. AID PROJECT				

URBAN

ILLINOIS DEPARTMENT OF TRANSPORTATION			TOTAL QUANTITIES	80% FED 20% STATE	CITY OF DECATUR 100%	FED/STATE 90% / 10%	STATE	STATE	CITY OF
SUMMARY OF QUANTITIES							50%	67%	CITY OF
CODE NO	ITEM	UNIT					CITY	CITY	DECATUR
							50%	33%	100%
			0005	0005	0021	0021	0021	0021	0021
* 88600100	DETECTOR LOOP, TYPE I	FOOT	10744			7582	2010	776	376
* 88800100	PEDESTRIAN PUSH-BUTTON	EACH	20			8	8	4	
* 89000100	TEMPORARY TRAFFIC SIGNAL INSTALLATION	EACH	1			1			
* 89500120	REMOVE EXISTING SERVICE INSTALLATION	EACH	4			1	2	1	
* 89502300	REMOVE ELECTRIC CABLE FROM CONDUIT	FOOT	3647			3647			
* 89502375	REMOVE EXISTING TRAFFIC SIGNAL EQUIPMENT	EACH	4			1	2	1	
89502380	REMOVE EXISTING HANDHOLE	EACH	37			10	16	11	
89502385	REMOVE EXISTING CONCRETE FOUNDATION	EACH	40			11	19	10	
* X0323071	SPARE FULL ACTUATED CONTROLLER, SPECIAL	EACH	3			1	1	1	
X0326223	FOAM, EXPANDING POLYURETHANE, HIGH-DENSITY	POUND	1000	1000					
X0326440	SURFACE REMOVAL, VARIABLE DEPTH (SPECIAL)	SQ YD	245	245					
X0327980	PAVEMENT MARKING REMOVAL - WATER BLASTING	SQ FT	1738	1738					
* X1400202	LUMINAIRE (SPECIAL)	EACH	1				1		
X2830495	AGGREGATE DITCH (SPECIAL)	TON	138	138					

* SPECIALTY ITEM

REV. - MS

MODEL: Default
FILE: M:\MIS_PlanRoom\dot.illinois.gov\PIWDOT\Documents\DOT_Offices\District_7\Projects\171D\CADD\Drawings\171D-SHT-500.dgn

USER NAME = steffemk	DESIGNED -	REVISED -
	DRAWN -	REVISED -
PLOT SCALE = 100.0000' / in.	CHECKED -	REVISED -
PLOT DATE = 2/20/2020	DATE -	REVISED -

STATE OF ILLINOIS
DEPARTMENT OF TRANSPORTATION

SUMMARY OF
QUANTITIES

SCALE: SHEET 12 OF 14 SHEETS STA. TO STA.

F.A.P. RTE.	SECTION	COUNTY	TOTAL SHEETS	SHEET NO.
*	(137Z, 139-X-2) RS-2	MACON	262	14
*F.A.P. RTE. 320, 323, 323A			CONTRACT NO. 74710	
ILLINOIS FED. AID PROJECT				

URBAN

ILLINOIS DEPARTMENT OF TRANSPORTATION			TOTAL QUANTITIES			STATE		STATE	
SUMMARY OF QUANTITIES				CITY OF		50%	67%	CITY OF	
CODE NO	ITEM	UNIT		80% FED	DECATUR	FED/STATE	CITY	CITY	DECATUR
				20% STATE	100%	90% / 10%	50%	33%	100%
			0005	0005	0021	0021	0021	0021	
X4060995	TEMPORARY RAMP, SPECIAL	SO YD	1050.3	1050.3					
X4402020	CONCRETE MEDIAN SURFACE REMOVAL	SO FT	279	279					
X4403300	CONCRETE MEDIAN REMOVAL	SO FT	3461	3461					
X6061702	CONCRETE MEDIAN, TYPE SM (DOWELLED)	SO FT	1679	1679					
* X7830060	GROOVING FOR RECESSED PAVEMENT MARKING, LETTERS AND SYMBOLS	SO FT	3291	2763	528				
* X7830070	GROOVING FOR RECESSED PAVEMENT MARKING 5"	FOOT	62056	61691	365				
* X7830074	GROOVING FOR RECESSED PAVEMENT MARKING 7"	FOOT	23492	22075	1417				
* X7830076	GROOVING FOR RECESSED PAVEMENT MARKING 9"	FOOT	1439	961	478				
* X7830078	GROOVING FOR RECESSED PAVEMENT MARKING 13"	FOOT	2592	2122	470				
* X7830090	GROOVING FOR RECESSED PAVEMENT MARKING 25"	FOOT	1657	1436	221				
* X8760201	PEDESTRIAN PUSH-BUTTON POST	EACH	2		2				
* X8870300	EMERGENCY VEHICLE PRIORITY SYSTEM	EACH	4		1	2	1		
* X8910050	ILLUMINATED SIGN, SPECIAL	EACH	6		2	2	2		

* SPECIALTY ITEM

REV. - MS

MODEL: Default
FILE: Main: P:\p1\p1room.dwg
PROJECT: I:\Projects\1710\CADData\CAD\Drawings\1710-SHT-500.dgn

USER NAME = steffemk	DESIGNED -	REVISED -
	DRAWN -	REVISED -
PLOT SCALE = 100.0000' / in.	CHECKED -	REVISED -
PLOT DATE = 2/20/2020	DATE -	REVISED -

STATE OF ILLINOIS
DEPARTMENT OF TRANSPORTATION

SUMMARY OF
QUANTITIES

SCALE: SHEET 13 OF 14 SHEETS STA. TO STA.

F.A.P. RTE.	SECTION	COUNTY	TOTAL SHEETS	SHEET NO.
*	(137Z, 139-X-2) R5-2	MACON	262	15
*F.A.P. RTE. 320, 323, 323A			CONTRACT NO. 74710	
ILLINOIS FED. AID PROJECT				

URBAN

ILLINOIS DEPARTMENT OF TRANSPORTATION			TOTAL QUANTITIES										
SUMMARY OF QUANTITIES													
CODE NO	ITEM	UNIT								0005	0005	0021	0021

*	X8950114	MODIFY EXISTING CONTROLLER AND CABINET	EACH	1			1
	Z0033700	LONGITUDINAL JOINT SEALANT	FOOT	63742	63742		
	Z0048665	RAILROAD PROTECTIVE LIABILITY INSURANCE	LSUM	1	1		
	Z0049799	PROTECTING OR RESETTING SURVEY MARKERS	EACH	10	10		
∅	Z0076600	TRAINEES	HOUR	1000	1000		
∅	Z0076604	TRAINEES TRAINING PROGRAM GRADUATE	HOUR	1000	1000		

* SPECIALTY ITEM ∅ 0042

REV. - MS

MODEL: Default
FILE NAME: P:\uplanroom.dat\illinois.gov\PWDOT\Documents\DOT_Offices\District 7\Projects\74710\CADData\CADsheets\74710-SHT-500.dgn

USER NAME = steffenk	DESIGNED -	REVISED -
	DRAWN -	REVISED -
PLOT SCALE = 100.0000' / in.	CHECKED -	REVISED -
PLOT DATE = 2/20/2020	DATE -	REVISED -

**STATE OF ILLINOIS
DEPARTMENT OF TRANSPORTATION**


SUMMARY OF QUANTITIES	
SCALE:	SHEET 14 OF 14 SHEETS STA. TO STA.

F.A.P. RTE.	SECTION	COUNTY	TOTAL SHEETS	SHEET NO.
*	(137Z, 139-X-2) RS-2	MACON	262	16
*F.A.P. RTE. 320, 323, 323A CONTRACT NO. 74710				
ILLINOIS FED. AID PROJECT				

EXISTING TYPICAL SECTIONS

US 36


STA. 130+00 TO STA. 104+01



EXISTING TYPICAL SECTIONS

US 36

STA. 104+01 TO STA. 108+58.22



MODEL: Default
FILE: \\nas01c.psu.edu\pub\baroncom.d\at\illinois.gov\PHUDOT\Documents\DOT_Offices\District 7\Projects\74710\CADD\Drawings\CAD\Drawings\74710-Sub-TYPICALS.dgn

USER NAME = steffenmk	DESIGNED -	REVISED -
	DRAWN -	REVISED -
PLOT SCALE = 40.0000 ' / in.	CHECKED -	REVISED -
PLOT DATE = 2/20/2020	DATE -	REVISED -

STATE OF ILLINOIS
DEPARTMENT OF TRANSPORTATION

EXISTING TYPICAL
CROSS SECTIONS


SCALE: SHEET 1 OF 19 SHEETS STA. TO STA.

F.A.P. RTE.	SECTION	COUNTY	TOTAL SHEETS	SHEET NO.
*	(137z, 139-X-2) RS-2	MACON	262	17
*F.A.P. RTE. 320, 323, 323A		CONTRACT NO. 74710		
ILLINOIS FED. AID PROJECT				

EXISTING TYPICAL SECTIONS

US 36

STA. 108+58.22 TO STA. 112+45




EXISTING TYPICAL SECTIONS

US 36

STA. 112+45 TO STA. 115+00 RT

STA. 112+45 TO STA. 113+80 LT



MODEL: Default
FILE: h:\a\h\p\planroom\dat\illinois\poc\p\midot\Documents\DOT_Offices\ltdat\7\Projects\171710\CADD\baCAD\ sheets\171710\h\h\c\TYPICALS.dgn


USER NAME = steffemk	DESIGNED -	REVISED -
	DRAWN -	REVISED -
PLOT SCALE = 40.0000 ' / in.	CHECKED -	REVISED -
PLOT DATE = 2/20/2020	DATE -	REVISED -

**STATE OF ILLINOIS
DEPARTMENT OF TRANSPORTATION**


EXISTING TYPICAL CROSS SECTIONS		
SCALE:	SHEET 2 OF 19 SHEETS	STA. TO STA.

F.A.P. RTE.	SECTION	COUNTY	TOTAL SHEETS	SHEET NO.
*	(137z, 139-X-2) RS-2	MACON	262	18
*F.A.P. RTE. 320, 323, 323A			CONTRACT NO. 74710	
ILLINOIS FED. AID PROJECT				

EXISTING TYPICAL SECTIONS
 US 36
 STA. 115+00 RT. TO STA. 118+24.75
 STA. 113+80 LT. TO STA. 118+24.75



EXISTING TYPICAL SECTIONS
 US 36
 STA. 118+23.80 TO STA. 120+67



STATE OF ILLINOIS
 DEPARTMENT OF TRANSPORTATION

EXISTING TYPICAL
 CROSS SECTIONS

SCALE: SHEET 3 OF 19 SHEETS STA. TO STA.

F.A.P. RTE.	SECTION	COUNTY	TOTAL SHEETS	SHEET NO.
*	(137z, 139-X-2) RS-2	MACON	262	19
*F.A.P. RTE. 320, 323, 323A			CONTRACT NO. 74710	
ILLINOIS FED. AID PROJECT				


MODEL: Default
 FILE: \\ibm01c.psu.ibm.com\data\illinois.gov\HWIDOT\Documents\DOT_Offices\Jdirtet_7\Projects\74710\CADD\data\CAD\sheets\074710\0-shct-TYPICALS.dgn

USER NAME = steffenmk	DESIGNED -	REVISED -
	DRAWN -	REVISED -
PLOT SCALE = 40.0000 ' / in.	CHECKED -	REVISED -
PLOT DATE = 2/20/2020	DATE -	REVISED -

EXISTING TYPICAL SECTIONS

US 36


STA. 120+67 TO STA. 123+00



EXISTING TYPICAL SECTIONS

US 36

STA. 123+00 TO STA. 125+93.5



STATE OF ILLINOIS
DEPARTMENT OF TRANSPORTATION


EXISTING TYPICAL
CROSS SECTIONS

SCALE: SHEET 4 OF 19 SHEETS STA. TO STA.


F.A.P. RTE.	SECTION	COUNTY	TOTAL SHEETS	SHEET NO.
*	(137z, 139-X-2) RS-2	MACON	262	20
*F.A.P. RTE. 320, 323, 323A		CONTRACT NO. 74710		
ILLINOIS FED. AID PROJECT				

MODEL: Default
FILE: h:\a\c\p\suplanroom.d\at\links\gov\PIWDOT\Documents\DOT_Offices\Drawtct_7\Projects\171710\CADD\Drawings\CAD\Drawings\171710-510-TYPICALS.dgn

EXISTING TYPICAL SECTIONS
 US 36
 STA. 125+93.5 TO STA. 126+04.52



EXISTING TYPICAL SECTIONS
 US 36
 STA. 126+04.52 TO STA. 132+00



MODEL: Default
 FILE: Model: P:\pub\baronm.dwg
 PROJECT: 74710\CADD\Drawings\DOT - Offices\Drawings\74710\Pub\baronm.dwg

USER NAME = steffenmk	DESIGNED -	REVISED -
	DRAWN -	REVISED -
PLOT SCALE = 40.0000 ' / in.	CHECKED -	REVISED -
PLOT DATE = 2/20/2020	DATE -	REVISED -

STATE OF ILLINOIS
 DEPARTMENT OF TRANSPORTATION


EXISTING TYPICAL
 CROSS SECTIONS

SCALE: SHEET 5 OF 19 SHEETS STA. TO STA.

F.A.P. RTE.	SECTION	COUNTY	TOTAL SHEETS	SHEET NO.
*	(137z, 139-X-2) RS-2	MACON	262	21
*F.A.P. RTE. 320, 323, 323A		CONTRACT NO. 74710		
ILLINOIS FED. AID PROJECT				


EXISTING TYPICAL SECTIONS

US 36
STA. 132+00 TO STA. 136+43.13



EXISTING TYPICAL SECTIONS

US 36
STA. 136+43.13 TO STA. 139+50



MODEL: Default
FILE: h:\mhc\p\suplanroom.d\at\illinois.gov\PHUDOT\Documents\DOT_Offices\Director_7\Projects\74710\CADD\Drawings\DOT_74710-Sub-TYPICALS.dgn

USER NAME = steffenmk	DESIGNED -	REVISED -
	DRAWN -	REVISED -
PLOT SCALE = 40.0000 ' / in.	CHECKED -	REVISED -
PLOT DATE = 2/20/2020	DATE -	REVISED -

STATE OF ILLINOIS
DEPARTMENT OF TRANSPORTATION

EXISTING TYPICAL
CROSS SECTIONS


SCALE: SHEET 6 OF 19 SHEETS STA. TO STA.

F.A.P. RTE.	SECTION	COUNTY	TOTAL SHEETS	SHEET NO.
*	(137z, 139-X-2) RS-2	MACON	262	22
*F.A.P. RTE. 320, 323, 323A			CONTRACT NO. 74710	
ILLINOIS FED. AID PROJECT				

EXISTING TYPICAL SECTIONS

US 36


STA. 139+50 TO STA. 154+00



EXISTING TYPICAL SECTIONS

US 36

STA. 154+00 TO STA. 158+75.35



MODEL: Default
FILE: \\nas01c.psu.edu\baronm.d\at\illinois.gov\PIWDOT\Documents\DOT_Offices\District 7\Projects\74710\CADD\Drawings\74710-510-TYPICALS.dgn

USER NAME = steffemk	DESIGNED -	REVISED -
	DRAWN -	REVISED -
PLOT SCALE = 40.0000' / in.	CHECKED -	REVISED -
PLOT DATE = 2/20/2020	DATE -	REVISED -


STATE OF ILLINOIS
DEPARTMENT OF TRANSPORTATION

EXISTING TYPICAL
CROSS SECTIONS


SCALE: SHEET 7 OF 19 SHEETS STA. TO STA.

F.A.P. RTE.	SECTION	COUNTY	TOTAL SHEETS	SHEET NO.
*	(137z, 139-X-2) RS-2	MACON	262	23
*F.A.P. RTE. 320, 323, 323A		CONTRACT NO. 74710		
ILLINOIS FED. AID PROJECT				

EXISTING TYPICAL SECTIONS
 US 36
 STA. 158+75.35 TO STA. 164+72.20



EXISTING TYPICAL SECTIONS
 US 36
 STA. 165+11.70 TO STA. 170+98.53
 STA. 175+65.37 TO STA. 178+66



MODEL: Default
 FILE: \\bls1c1\p\pub\harcrossm.dwg
 FILE: \\bls1c1\p\pub\harcrossm.dwg
 PROJECT: 171710\CAD\Drawings\DOT - Offices\Drawings\7\Projects\171710\CAD\Drawings\DOT - Offices\Drawings\7\Projects\171710\DOT-TYPICALS.dwg

USER NAME = steffenmk	DESIGNED -	REVISED -
	DRAWN -	REVISED -
PLOT SCALE = 40.0000 ' / in.	CHECKED -	REVISED -
PLOT DATE = 2/20/2020	DATE -	REVISED -


STATE OF ILLINOIS
 DEPARTMENT OF TRANSPORTATION

EXISTING TYPICAL CROSS SECTIONS			
SCALE:	SHEET 8	OF 19 SHEETS	STA. TO STA.

F.A.P. RTE.	SECTION	COUNTY	TOTAL SHEETS	SHEET NO.
*	(137z, 139-X-2) RS-2	MACON	262	24
*F.A.P. RTE. 320, 323, 323A		CONTRACT NO. 74710		
ILLINOIS FED. AID PROJECT				


EXISTING TYPICAL SECTIONS

US 36
STA. 178+66 TO STA. 184+92



EXISTING TYPICAL SECTIONS

US 36
STA. 184+92 TO STA. 189+46.15



MODEL: Default
FILE: h:\a\c\p\suplanroom.d\at\illinois.gov\p\w\DOT\Documents\DOT_Offices\District 7\Projects\171\10\CAD\Drawings\CAD\Drawings\171\10-5-18-TYPICALS.dwg

USER NAME = steffemk	DESIGNED -	REVISED -
	DRAWN -	REVISED -
PLOT SCALE = 40.0000 ' / in.	CHECKED -	REVISED -
PLOT DATE = 2/20/2020	DATE -	REVISED -


**STATE OF ILLINOIS
DEPARTMENT OF TRANSPORTATION**

**EXISTING TYPICAL
CROSS SECTIONS**


SCALE: SHEET 9 OF 19 SHEETS STA. TO STA.

F.A.P. RTE.	SECTION	COUNTY	TOTAL SHEETS	SHEET NO.
*	(137z, 139-X-2) RS-2	MACON	262	25
*F.A.P. RTE. 320, 323, 323A		CONTRACT NO. 74710		
ILLINOIS FED. AID PROJECT				

EXISTING TYPICAL SECTIONS
 US 36
 STA. 189+46.15 TO STA. 195+34.60



EXISTING TYPICAL SECTIONS
 US 36
 STA. 195+34.60 TO STA. 201+00



MODEL: Default
 FILE: \\bls01c01.pw\pub\baroncom.dad\illinois.gov\PWIDOT\Documents\DOT_Offices\District 7\Projects\74710\CADD\DATA\CAD\Drawings\74710-5-10-TYPICALS.dgn


USER NAME = steffenmk	DESIGNED -	REVISED -
	DRAWN -	REVISED -
PLOT SCALE = 40.0000 ' / in.	CHECKED -	REVISED -
PLOT DATE = 2/20/2020	DATE -	REVISED -

STATE OF ILLINOIS
DEPARTMENT OF TRANSPORTATION


EXISTING TYPICAL CROSS SECTIONS		SCALE:	
		SHEET 10	OF 19 SHEETS
STA. TO STA.			

F.A.P. RTE.	SECTION	COUNTY	TOTAL SHEETS	SHEET NO.
*	(137z, 139-X-2) RS-2	MACON	262	26
*F.A.P. RTE. 320, 323, 323A		CONTRACT NO. 74710		
ILLINOIS FED. AID PROJECT				

EXISTING TYPICAL SECTIONS
 US 36
 STA. 201+00 TO STA. 209+81.70



EXISTING TYPICAL SECTIONS
 US 36
 STA. 209+81.70 TO STA. 227+00



MODEL: Default
 FILE: \\blm01c-pub\pubroom\dat\illinois\pwr\pww\DOT\Documents\DOT - Offices\District 7\Projects\74710\CADD\DATA\CAD\Drawings\74710-Sub-TYPICALS.dwg

USER NAME = steffenmk	DESIGNED -	REVISED -
	DRAWN -	REVISED -
PLOT SCALE = 40.0000' / in.	CHECKED -	REVISED -
PLOT DATE = 2/20/2020	DATE -	REVISED -

**STATE OF ILLINOIS
 DEPARTMENT OF TRANSPORTATION**


**EXISTING TYPICAL
 CROSS SECTIONS**

SCALE: SHEET 11 OF 19 SHEETS STA. TO STA.

F.A.P. RTE.	SECTION	COUNTY	TOTAL SHEETS	SHEET NO.
*	(137z, 139-X-2) RS-2	MACON	262	27
*F.A.P. RTE. 320, 323, 323A		CONTRACT NO. 74710		
ILLINOIS FED. AID PROJECT				


EXISTING TYPICAL SECTIONS

US 36
STA. 227+00 TO STA. 234+86.20



EXISTING TYPICAL SECTIONS

US 36
STA. 234+86.20 TO STA. 239+50



MODEL: Default
 FILE: \\blm\c:\pub\pub\room\ada\illinois\pvc\pvid\dot\Documents\DOT_Offices\I11\171\0\AD\DATA\CAD\sheet12\74710\shc\TYPICALS.dgn


USER NAME = steffemk	DESIGNED -	REVISED -
	DRAWN -	REVISED -
PLOT SCALE = 40,0000 ' / in.	CHECKED -	REVISED -
PLOT DATE = 2/20/2020	DATE -	REVISED -

STATE OF ILLINOIS
DEPARTMENT OF TRANSPORTATION


EXISTING TYPICAL CROSS SECTIONS			
SCALE:	SHEET 12	OF 19 SHEETS	STA. TO STA.

F.A.P. RTE.	SECTION	COUNTY	TOTAL SHEETS	SHEET NO.
*	(137z, 139-X-2) RS-2	MACON	262	28
*F.A.P. RTE. 320, 323, 323A			CONTRACT NO. 74710	
ILLINOIS FED. AID PROJECT				

EXISTING TYPICAL SECTIONS
 US 36
 STA. 239+50 TO STATION 250+00



EXISTING TYPICAL SECTIONS
 US 36
 STA. 250+00 TO STA. 260+21.50



MODEL: Default
 FILE: \\bls01c.pw.usgbl.com\data\illinois\pwr\DOT\Documents\DOT_Offices\bls01c\7\Projects\74710\CADD\data\CAD\Sheet\74710-13-TYPICAL.dgn

USER NAME = steffenmk	DESIGNED -	REVISED -
	DRAWN -	REVISED -
PLOT SCALE = 40,0000 ' / in.	CHECKED -	REVISED -
PLOT DATE = 2/20/2020	DATE -	REVISED -

STATE OF ILLINOIS
 DEPARTMENT OF TRANSPORTATION

EXISTING TYPICAL
 CROSS SECTIONS


SCALE: SHEET 13 OF 19 SHEETS STA. TO STA.

F.A.P. RTE.	SECTION	COUNTY	TOTAL SHEETS	SHEET NO.
*	(137z, 139-X-2) RS-2	MACON	262	29
*F.A.P. RTE. 320, 323, 323A		CONTRACT NO. 74710		
ILLINOIS FED. AID PROJECT				

EXISTING TYPICAL SECTIONS

US 36


STA. 260+21.50 TO STA. 269+24.50



EXISTING TYPICAL SECTIONS

US 36

STA. 269+24.50 TO STA. 273+04.50



MODEL: Default
 FILE: h:\a\c\p\sup\bar\room\dat\illinois\poc\p\WIDDOT\Documents\DOT_Offices\Illinet\7\Projects\71710\CADD\DATA\CAD\Sheet\71710-51c-TYPICALS.dgn

USER NAME = steffemk	DESIGNED -	REVISED -
	DRAWN -	REVISED -
PLOT SCALE = 40.0000' / in.	CHECKED -	REVISED -
PLOT DATE = 2/20/2020	DATE -	REVISED -

**STATE OF ILLINOIS
DEPARTMENT OF TRANSPORTATION**


**EXISTING TYPICAL
CROSS SECTIONS**

SCALE: SHEET 14 OF 19 SHEETS STA. TO STA.

F.A.P. RTE.	SECTION	COUNTY	TOTAL SHEETS	SHEET NO.
*	(137z, 139-X-2) RS-2	MACON	262	30
*F.A.P. RTE. 320, 323, 323A		CONTRACT NO. 74710		
ILLINOIS FED. AID PROJECT				


EXISTING TYPICAL SECTIONS

US 36
STA. 273+04.50 TO STA. 275+25.69



EXISTING TYPICAL SECTIONS

US 36
STA. 275+25.69 TO STA. 278+00



MODEL: Default
 FILE: \\blm01c-pub\pub\baronon.dwg
 PROJECT: \\blm01c-pub\pub\baronon.dwg
 OFFICE: \\blm01c-pub\pub\baronon.dwg
 DATE: 2/20/2020

USER NAME = steffemk	DESIGNED -	REVISED -
	DRAWN -	REVISED -
PLOT SCALE = 40,0000 ' / in.	CHECKED -	REVISED -
PLOT DATE = 2/20/2020	DATE -	REVISED -

**STATE OF ILLINOIS
DEPARTMENT OF TRANSPORTATION**


**EXISTING TYPICAL
CROSS SECTIONS**

SCALE: SHEET 15 OF 19 SHEETS STA. TO STA.

F.A.P. RTE.	SECTION	COUNTY	TOTAL SHEETS	SHEET NO.
*	(137z, 139-X-2) RS-2	MACON	262	31
*F.A.P. RTE. 320, 323, 323A		CONTRACT NO. 74710		
ILLINOIS FED. AID PROJECT				


EXISTING TYPICAL SECTIONS

US 36
STA. 278+00 TO STA. 280+00



EXISTING TYPICAL SECTIONS

US 36
STA. 280+00 TO STA. 285+00



MODEL: Default
 FILE: h:\a\c\p\pub\h\arcom.dwg
 PROJECT: 74710\CADD\Drawings\DOT - Offices\Drawings\74710\Public\Typical.dwg

USER NAME = steffenmk	DESIGNED -	REVISED -
	DRAWN -	REVISED -
PLOT SCALE = 40.0000' / in.	CHECKED -	REVISED -
PLOT DATE = 2/20/2020	DATE -	REVISED -

**STATE OF ILLINOIS
DEPARTMENT OF TRANSPORTATION**

**EXISTING TYPICAL
CROSS SECTIONS**


SCALE: SHEET 16 OF 19 SHEETS STA. TO STA.

F.A.P. RTE.	SECTION	COUNTY	TOTAL SHEETS	SHEET NO.
*	(137z, 139-X-2) RS-2	MACON	262	32
*F.A.P. RTE. 320, 323, 323A			CONTRACT NO. 74710	
ILLINOIS FED. AID PROJECT				

EXISTING TYPICAL SECTIONS

US 36


STA. 285+00 TO STA. 287+36



EXISTING TYPICAL SECTIONS

US 36

STA. 287+36 TO STA. 294+40.30



MODEL: Default
 FILE: h:\mhc\p\pub\harron\m.d\at\illinois\poc\p\WIDDOT\Documents\DOT_Offices\Drawings\7\Projects\7471\0\CADData\CAD\Drawings\7471\0-5-17-TYPICALS.dwg

USER NAME = steffemk	DESIGNED -	REVISED -
	DRAWN -	REVISED -
PLOT SCALE = 40.0000' / in.	CHECKED -	REVISED -
PLOT DATE = 2/20/2020	DATE -	REVISED -

STATE OF ILLINOIS
DEPARTMENT OF TRANSPORTATION

EXISTING TYPICAL
CROSS SECTIONS


SCALE: SHEET 17 OF 19 SHEETS STA. TO STA.

F.A.P. RTE.	SECTION	COUNTY	TOTAL SHEETS	SHEET NO.
*	(137z, 139-X-2) RS-2	MACON	262	33
*F.A.P. RTE. 320, 323, 323A		CONTRACT NO. 74710		
ILLINOIS FED. AID PROJECT				

EXISTING TYPICAL SECTIONS

US 36


STA. 294+40.30 TO STATION 299+00



EXISTING TYPICAL SECTIONS

US 36

STA. 299+00 TO STA. 301+65.75



MODEL: Default
 FILE: \\nas0101.psu.edu\pub\baronm.d\at\illinois.gov\PI\DOT\Documents\DOT_Offices\Illinois\7\Projects\7471\0\CAD\Drawings\CAD\Drawings\7471\0-5-18-TYPICAL.dgn

USER NAME = steffemk	DESIGNED -	REVISED -
	DRAWN -	REVISED -
PLOT SCALE = 40.0000' / in.	CHECKED -	REVISED -
PLOT DATE = 2/20/2020	DATE -	REVISED -

STATE OF ILLINOIS
DEPARTMENT OF TRANSPORTATION


EXISTING TYPICAL
CROSS SECTIONS

SCALE: SHEET 18 OF 19 SHEETS STA. TO STA.

F.A.P. RTE.	SECTION	COUNTY	TOTAL SHEETS	SHEET NO.
*	(137z, 139-X-2) RS-2	MACON	262	34
*F.A.P. RTE. 320, 323, 323A		CONTRACT NO. 74710		
ILLINOIS FED. AID PROJECT				


EXISTING TYPICAL SECTIONS

US 36
22nd ST.



EXISTING TYPICAL SECTIONS

US 36
WOOD ST.



MODEL: Default
 FILE: \\nas0101.pw.state.il.us\pub\baronm.d\at\illinois.gov\PWIDOT\Documents\DOT_Offices\District 7\Projects\74710\CADD\Drawings\74710-510-TYPICALS.dgn

USER NAME = steffemk	DESIGNED -	REVISED -
	DRAWN -	REVISED -
PLOT SCALE = 40.0000' / in.	CHECKED -	REVISED -
PLOT DATE = 2/20/2020	DATE -	REVISED -

**STATE OF ILLINOIS
DEPARTMENT OF TRANSPORTATION**


**EXISTING TYPICAL
CROSS SECTIONS**

SCALE: SHEET 19 OF 19 SHEETS STA. TO STA.

F.A.P. RTE.	SECTION	COUNTY	TOTAL SHEETS	SHEET NO.
*	(137z, 139-X-2) RS-2	MACON	262	35
*F.A.P. RTE. 320, 323, 323A		CONTRACT NO. 74710		
ILLINOIS FED. AID PROJECT				


PROPOSED TYPICAL SECTIONS

US 36
STA. 130+00 TO STA. 104+01



PROPOSED TYPICAL SECTIONS

US 36
STA. 104+01 TO STA. 108+58.22



MODEL: Default
FILE: h:\a\c\p\pub\haronom.dwg
PROJECT: 74710\CADD\DATA\CAD\Drawings\74710-31c-TYPICALS.dwg

USER NAME = steffenmk	DESIGNED -	REVISED -
	DRAWN -	REVISED -
PLOT SCALE = 40.0000' / in.	CHECKED -	REVISED -
PLOT DATE = 2/20/2020	DATE -	REVISED -

STATE OF ILLINOIS
DEPARTMENT OF TRANSPORTATION


PROPOSED TYPICAL
CROSS SECTIONS

SCALE: SHEET 1 OF 20 SHEETS STA. TO STA.

F.A.P. RTE.	SECTION	COUNTY	TOTAL SHEETS	SHEET NO.
*	(137z, 139-X-2) RS-2	MACON	262	36
*F.A.P. RTE. 320, 323, 323A		CONTRACT NO. 74710		
ILLINOIS		FED. AID PROJECT		


PROPOSED TYPICAL SECTIONS

US 36
 STA. 108+58.22 TO STA. 112+45



PROPOSED TYPICAL SECTIONS

US 36
 STA. 112+45 TO STA. 115+00 RT
 STA. 112+45 TO STA. 113+80 LT



MODEL: Default
 FILE: h:\mhc\p\suplanroom.d\illinois\p\w\DOT\Documents\DOT_Offices\Drawings\7\Projects\71710\CADD\Drawings\71710-Sub-TYPICALS.dgn

USER NAME = steffenmk	DESIGNED -	REVISED -
	DRAWN -	REVISED -
PLOT SCALE = 40.0000 ' / in.	CHECKED -	REVISED -
PLOT DATE = 2/20/2020	DATE -	REVISED -

STATE OF ILLINOIS
 DEPARTMENT OF TRANSPORTATION

PROPOSED TYPICAL
 CROSS SECTIONS

SCALE: SHEET 2 OF 20 SHEETS STA. TO STA.


F.A.P. RTE.	SECTION	COUNTY	TOTAL SHEETS	SHEET NO.
*	(137z, 139-X-2) RS-2	MACON	262	37
*F.A.P. RTE. 320, 323, 323A		CONTRACT NO. 74710		
ILLINOIS		FED. AID PROJECT		

PROPOSED TYPICAL SECTIONS

US 36

STA. 115+00 RT. TO STA. 118+24.75


STA. 113+80 LT. TO STA. 118+24.75



PROPOSED TYPICAL SECTIONS

US 36

STA. 118+23.80 TO STA. 120+67



STATE OF ILLINOIS
DEPARTMENT OF TRANSPORTATION

PROPOSED TYPICAL
CROSS SECTIONS


F.A.P. RTE.	SECTION	COUNTY	TOTAL SHEETS	SHEET NO.
*	(137z, 139-X-2) RS-2	MACON	262	38
*F.A.P. RTE. 320, 323, 323A		CONTRACT NO. 74710		
ILLINOIS FED. AID PROJECT				

SCALE: SHEET 3 OF 20 SHEETS STA. TO STA.


USER NAME = steffenmk	DESIGNED -	REVISED -
	DRAWN -	REVISED -
PLOT SCALE = 40.0000' / in.	CHECKED -	REVISED -
PLOT DATE = 2/20/2020	DATE -	REVISED -

MODEL: Default
 FILE: \\nas101.pwd.state.il.us\pwr\dot\Documents\DOT_Offices\District 7\Projects\74710\CADD\Drawings\CAD\Drawings\74710-31c-TYPICALS.dgn

PROPOSED TYPICAL SECTIONS
US 36
STA. 120+67 TO STA. 123+00



PROPOSED TYPICAL SECTIONS
US 36
STA. 123+00 TO STA. 125+93.5



MODEL: Default
 FILE: h:\a\c\p\pub\haronom.dwg
 PROJECT: 74710\CADD\DATA\CADD\sheet\074710-shc-TYPICALS.dwg

USER NAME = steffemk	DESIGNED -	REVISED -
	DRAWN -	REVISED -
PLOT SCALE = 40.0000 ' / in.	CHECKED -	REVISED -
PLOT DATE = 2/20/2020	DATE -	REVISED -


**STATE OF ILLINOIS
DEPARTMENT OF TRANSPORTATION**

**PROPOSED TYPICAL
CROSS SECTIONS**


SCALE: SHEET 4 OF 20 SHEETS STA. TO STA.

F.A.P. RTE.	SECTION	COUNTY	TOTAL SHEETS	SHEET NO.
*	(137z, 139-X-2) RS-2	MACON	262	39
*F.A.P. RTE. 320, 323, 323A		CONTRACT NO. 74710		
ILLINOIS FED. AID PROJECT				

PROPOSED TYPICAL SECTIONS
 US 36
 STA. 125+93.5 TO STA. 126+04.52



PROPOSED TYPICAL SECTIONS
 US 36
 STA. 126+04.52 TO STA. 132+00



MODEL: Default
 FILE: \\blm1c1.pw.us.ibm.com\data\illinois.gov\pww\DOT\Documents\DOT_Offices\District 7\Projects\74710\CADD\Drawings\74710-5-11c-TYPICALS.dgn

USER NAME = steffenmk	DESIGNED -	REVISED -
	DRAWN -	REVISED -
PLOT SCALE = 40.0000' / in.	CHECKED -	REVISED -
PLOT DATE = 2/20/2020	DATE -	REVISED -

**STATE OF ILLINOIS
 DEPARTMENT OF TRANSPORTATION**

**PROPOSED TYPICAL
 CROSS SECTIONS**


SCALE: SHEET 5 OF 20 SHEETS STA. TO STA.

F.A.P. RTE.	SECTION	COUNTY	TOTAL SHEETS	SHEET NO.
*	(137z, 139-X-2) RS-2	MACON	262	40
*F.A.P. RTE. 320, 323, 323A		CONTRACT NO. 74710		
ILLINOIS FED. AID PROJECT				

PROPOSED TYPICAL SECTIONS

US 36


STA. 132+00 TO STA. 136+43.13



PROPOSED TYPICAL SECTIONS

US 36

STA. 136+43.13 TO STA. 139+50



MODEL: Default
 FILE: h:\a\c\p\pub\h\room\dat\illinois.gov\p\w\dot\Documents\DOT_Offices\District_7\Projects\171710\CADD\Drawings\DOT_7\171710-01-TYPICALS.dgn

USER NAME = steffenmk	DESIGNED -	REVISED -
	DRAWN -	REVISED -
PLOT SCALE = 40.0000 ' / in.	CHECKED -	REVISED -
PLOT DATE = 2/20/2020	DATE -	REVISED -


STATE OF ILLINOIS
DEPARTMENT OF TRANSPORTATION

PROPOSED TYPICAL
CROSS SECTIONS


SCALE: SHEET 6 OF 20 SHEETS STA. TO STA.

F.A.P. RTE.	SECTION	COUNTY	TOTAL SHEETS	SHEET NO.
*	(137z, 139-X-2) RS-2	MACON	262	41
*F.A.P. RTE. 320, 323, 323A		CONTRACT NO. 74710		
ILLINOIS FED. AID PROJECT				

PROPOSED TYPICAL SECTIONS
 US 36
 STA. 139+50 TO STA. 154+00



PROPOSED TYPICAL SECTIONS
 US 36
 STA. 154+00 TO STA. 157+75.35



MODEL: Default
 FILE: h:\mhc\p\pub\haronom.dwg
 PROJECT: 74710\CADData\CAD\Drawings\74710\Sheet\TYPICALS.dwg

USER NAME = steffemk	DESIGNED -	REVISED -
	DRAWN -	REVISED -
PLOT SCALE = 40.0000 ' / in.	CHECKED -	REVISED -
PLOT DATE = 2/20/2020	DATE -	REVISED -


STATE OF ILLINOIS
 DEPARTMENT OF TRANSPORTATION

PROPOSED TYPICAL
 CROSS SECTIONS


SCALE: SHEET 7 OF 20 SHEETS STA. TO STA.

F.A.P. RTE.	SECTION	COUNTY	TOTAL SHEETS	SHEET NO.
*	(137z, 139-X-2) RS-2	MACON	262	42
*F.A.P. RTE. 320, 323, 323A		CONTRACT NO. 74710		
ILLINOIS FED. AID PROJECT				

PROPOSED TYPICAL SECTIONS
 US 36
 STA. 157+75.35 TO STA. 164+72.20



PROPOSED TYPICAL SECTIONS
 US 36
 STA. 165+11.70 TO STA. 170+98.53
 STA. 175+65.37 TO STA. 178+66



MODEL: Default
 FILE: h:\mfc_p\pub\haronom.dwg
 PROJECT: 74710\CADD\Drawings\DOT_Offices\Drawings\74710\Sheet\TYPICALS.dwg

USER NAME = steffemk	DESIGNED -	REVISED -
	DRAWN -	REVISED -
PLOT SCALE = 40.0000' / in.	CHECKED -	REVISED -
PLOT DATE = 2/20/2020	DATE -	REVISED -


STATE OF ILLINOIS
 DEPARTMENT OF TRANSPORTATION

PROPOSED TYPICAL
 CROSS SECTIONS


SCALE: SHEET 8 OF 20 SHEETS STA. TO STA.

F.A.P. RTE.	SECTION	COUNTY	TOTAL SHEETS	SHEET NO.
*	(137z, 139-X-2) RS-2	MACON	262	43
*F.A.P. RTE. 320, 323, 323A		CONTRACT NO. 74710		
		ILLINOIS	FED. AID PROJECT	

PROPOSED TYPICAL SECTIONS
 US 36
 STA. 178+66 TO STA. 184+92



PROPOSED TYPICAL SECTIONS
 US 36
 STA. 184+92 TO STA. 189+46.15



STATE OF ILLINOIS
 DEPARTMENT OF TRANSPORTATION

PROPOSED TYPICAL
 CROSS SECTIONS

F.A.P. RTE.	SECTION	COUNTY	TOTAL SHEETS	SHEET NO.
*	(137z, 139-X-2) RS-2	MACON	262	44
*F.A.P. RTE. 320, 323, 323A		CONTRACT NO. 74710		
		ILLINOIS FED. AID PROJECT		

SCALE: SHEET 9 OF 20 SHEETS STA. TO STA.


USER NAME = steffemk	DESIGNED -	REVISED -
	DRAWN -	REVISED -
PLOT SCALE = 40.0000' / in.	CHECKED -	REVISED -
PLOT DATE = 2/20/2020	DATE -	REVISED -

MODEL: Default
 FILE: 1341612.dwg
 PROJECT: 1341612\1341612.dwg
 PLOT: 2/20/2020 9:05:11 AM
 PLOTTER: HP DesignJet T1300
 PLOT SCALE: 40.0000' / in.
 PLOT DATE: 2/20/2020

PROPOSED TYPICAL SECTIONS

US 36

STA. 201+00 TO STA. 209+81.70




••Note: Turn Lanes Shown on Pavement Plan Sheets••

PROPOSED TYPICAL SECTIONS

US 36

STA. 209+81.70 TO STA. 227+00



••Note: Turn Lanes Shown on Pavement Plan Sheets••

STATE OF ILLINOIS
DEPARTMENT OF TRANSPORTATION

PROPOSED TYPICAL
CROSS SECTIONS

F.A.P. RTE.	SECTION	COUNTY	TOTAL SHEETS	SHEET NO.
*	(137z, 139-X-2) RS-2	MACON	262	46
*F.A.P. RTE. 320, 323, 323A		CONTRACT NO. 74710		
ILLINOIS FED. AID PROJECT				


SCALE: SHEET 11 OF 20 SHEETS STA. TO STA.

MODEL: Default
 FILE: h:\mfc\p\pub\harcross.dwg
 PLOT DATE: 2/20/2020
 PROJECT: 74710\DATA\CADD\Drawings\DOT_Offices\Drawings\74710\Public\TYPICAL.dwg

PROPOSED TYPICAL SECTIONS

US 36


STA. 227+00 TO STA. 234+86.20



PROPOSED TYPICAL SECTIONS

US 36

STA. 234+86.20 TO STA. 239+50



••Note: Turn Lanes Shown on Pavement Plan Sheets••

MODEL: Default
FILE: h:\mfc_p\pub\harron\mfc\p\w\DOT\Documents\DOT_Offices\121710\CADD\DATA\CAD\sheet\121710-12-TYPICAL.dwg

USER NAME = steffemk	DESIGNED -	REVISED -
	DRAWN -	REVISED -
PLOT SCALE = 40.0000 ' / in.	CHECKED -	REVISED -
PLOT DATE = 2/20/2020	DATE -	REVISED -


STATE OF ILLINOIS
DEPARTMENT OF TRANSPORTATION

PROPOSED TYPICAL
CROSS SECTIONS


SCALE: SHEET 12 OF 20 SHEETS STA. TO STA.

F.A.P. RTE.	SECTION	COUNTY	TOTAL SHEETS	SHEET NO.
*	(137z, 139-X-2) RS-2	MACON	262	47
*F.A.P. RTE. 320, 323, 323A		CONTRACT NO. 74710		
ILLINOIS FED. AID PROJECT				

PROPOSED TYPICAL SECTIONS
US 36
STA. 239+50 TO STATION 250+00



PROPOSED TYPICAL SECTIONS
US 36
STA. 250+00 TO STA. 260+21.50



MODEL: Default
FILE: h:\mhc\p\pub\haronom.dwg
PROJECT: 74710\ADAD\Drawings\DOT_Offices\Drawings\74710\Public\TYPICAL.dwg

USER NAME = steffenmk	DESIGNED -	REVISED -
	DRAWN -	REVISED -
PLOT SCALE = 40.0000' / in.	CHECKED -	REVISED -
PLOT DATE = 2/21/2020	DATE -	REVISED -

STATE OF ILLINOIS
DEPARTMENT OF TRANSPORTATION

PROPOSED TYPICAL
CROSS SECTIONS


SCALE: SHEET 13 OF 20 SHEETS STA. TO STA.

F.A.P. RTE.	SECTION	COUNTY	TOTAL SHEETS	SHEET NO.
*	(137z, 139-X-2) RS-2	MACON	262	48
*F.A.P. RTE. 320, 323, 323A		CONTRACT NO. 74710		
ILLINOIS FED. AID PROJECT				

PROPOSED TYPICAL SECTIONS

US 36

STA. 278+00 TO STA. 280+00




••Note: Turn Lanes Shown on Pavement Plan Sheets••

PROPOSED TYPICAL SECTIONS

US 36

STA. 280+00 TO STA. 285+00



••Note: Turn Lanes Shown on Pavement Plan Sheets••

MODEL: Default
FILE: \\nas01c.psu.edu\pub\baronm.d\at\illinois.gov\PI\DOT\Documents\DOT_Offices\Illinet\7\Projects\74710\CADD\Drawings\CADD\Drawings\74710\Spec\TYPICAL.dgn

USER NAME = steffemk	DESIGNED -	REVISED -
	DRAWN -	REVISED -
PLOT SCALE = 40.0000 ' / in.	CHECKED -	REVISED -
PLOT DATE = 2/20/2020	DATE -	REVISED -

STATE OF ILLINOIS
DEPARTMENT OF TRANSPORTATION

PROPOSED TYPICAL
CROSS SECTIONS


SCALE: SHEET 16 OF 20 SHEETS STA. TO STA.

F.A.P. RTE.	SECTION	COUNTY	TOTAL SHEETS	SHEET NO.
*	(137z, 139-X-2) RS-2	MACON	262	51
*F.A.P. RTE. 320, 323, 323A		CONTRACT NO. 74710		
ILLINOIS FED. AID PROJECT				

PROPOSED TYPICAL SECTIONS

US 36


STA. 285+00 TO STA. 287+36



PROPOSED TYPICAL SECTIONS

US 36

STA. 287+36 TO STA. 294+40.30



MODEL: Default
 FILE: h:\mhc\p\pub\haronom.dwg
 PROJECT: 74710\CADD\Drawings\DOT_Offices\Drawings\74710\p-hic-TYPICALS.dwg

USER NAME = steffenmk	DESIGNED -	REVISED -
	DRAWN -	REVISED -
PLOT SCALE = 40.0000' / in.	CHECKED -	REVISED -
PLOT DATE = 2/20/2020	DATE -	REVISED -


STATE OF ILLINOIS
DEPARTMENT OF TRANSPORTATION

PROPOSED TYPICAL
CROSS SECTIONS


SCALE: SHEET 17 OF 20 SHEETS STA. TO STA.

F.A.P. RTE.	SECTION	COUNTY	TOTAL SHEETS	SHEET NO.
*	(137z, 139-X-2) RS-2	MACON	262	52
*F.A.P. RTE. 320, 323, 323A		CONTRACT NO. 74710		
ILLINOIS FED. AID PROJECT				

PROPOSED TYPICAL SECTIONS
 US 36
 TURN LANES AT SIDEROAD INTERSECTIONS



PROPOSED TYPICAL SECTIONS
 US 36
 22nd ST.



MODEL: Default
 FILE: \\nas0101.pwiddot.com\data\illinois\pwr\pww\DOT\Documents\DOT_Offices\Illin\71710\CADData\CAD\Sheets\71710-51c-TYPICALS.dgn

USER NAME = steffenmk	DESIGNED -	REVISED -
	DRAWN -	REVISED -
PLOT SCALE = 40.0000 ' / in.	CHECKED -	REVISED -
PLOT DATE = 2/20/2020	DATE -	REVISED -

STATE OF ILLINOIS
 DEPARTMENT OF TRANSPORTATION


PROPOSED TYPICAL
 CROSS SECTIONS

SCALE: SHEET 19 OF 20 SHEETS STA. TO STA.

F.A.P. RTE.	SECTION	COUNTY	TOTAL SHEETS	SHEET NO.
*	(137z, 139-X-2) RS-2	MACON	262	54
*F.A.P. RTE. 320, 323, 323A		CONTRACT NO. 74710		
ILLINOIS FED. AID PROJECT				

PROPOSED TYPICAL SECTIONS

US 36
WOOD ST.



MODEL: Default
FILE: h:\a\c\p\pub\h\room\dat\illinois.gov\RWIDOT\Documents\DOT_Offices\District_7\Projects\74710\CADD\ata\CAD\sheets\74710-shc-TYPICALS.dgn

USER NAME = steffenmk	DESIGNED -	REVISED -
	DRAWN -	REVISED -
PLOT SCALE = 40.0000 ' / in.	CHECKED -	REVISED -
PLOT DATE = 2/20/2020	DATE -	REVISED -

STATE OF ILLINOIS
DEPARTMENT OF TRANSPORTATION

PROPOSED TYPICAL
CROSS SECTIONS

SCALE: SHEET 20 OF 20 SHEETS STA. TO STA.

F.A.P. RTE.	SECTION	COUNTY	TOTAL SHEETS	SHEET NO.
*	(137z, 139-X-2) RS-2	MACON	262	55
*F.A.P. RTE. 320, 323, 323A		CONTRACT NO. 74710		
ILLINOIS FED. AID PROJECT				

PAVING SCHEDULE										
STATION	TO	STATION	FEET	FEET	SQ FT	SQ YD	SQ YD	POUND	TON	TON
129+83.50	TO	132+55.19	271.7	63.5	17252	0	1917	1725	134	161
132+55.19 BK = 104+00.28 AH			STATION EQUATION							
104+00.28	TO	108+58.32	458.0	VAR.	28522	0	3169	2852	222	266
108+58.32	TO	112+53.78	395.5	61.0	24123	0	2680	2412	188	225
112+53.78	TO	113+96.70	142.9	60.0	8575	0	953	858	67	80
113+96.70	TO	115+35.40	138.7	VAR.	8257	0	917	826	64	77
115+35.40	TO	116+17.87	82.5	60.0	4946	0	550	495	38	46
116+17.87	TO	118+01.83	184.0	64.0	11773	0	1308	1177	92	110
118+01.83	TO	119+38.05	136.2	70.5	9604	0	1067	960	75	90
119+38.05	TO	123+33.46	395.4	VAR.	26818	0	2980	2682	209	250
123+33.46	TO	124+03.25	69.8	62.5	4362	0	485	436	34	41
124+03.25	TO	126+90.27	287.0	59.0	16934	0	1882	1693	132	158
126+90.27	TO	131+97.90	507.6	62.0	31473	0	3497	3147	245	294
131+97.90	TO	139+04.16	706.3	VAR.	42765	0	4752	4276	333	399
139+04.16 BK = 139+13.26 AH			STATION EQUATION							
139+13.26	TO	139+64.20	50.9	VAR.	3565	0	396	357	28	33
139+64.20	TO	142+86.10	321.9	60.0	19314	0	2146	1931	150	180
142+86.10	TO	145+00.00	213.9	VAR.	11556	0	1284	1156	90	108
145+00.00	TO	153+00.00	800.0	48.0	38400	0	4267	3840	299	358
153+00.00	TO	154+80.00	180.0	VAR.	9526	0	1058	953	74	89
154+80.00	TO	157+17.45	237.5	60.0	14247	0	1583	1425	111	133
157+17.45	TO	158+17.50	100.1	VAR.	6056	0	673	606	47	57
158+17.50	TO	160+64.18	246.7	60.0	14801	0	1645	1480	115	138
160+64.18	TO	164+00.00	335.8	VAR.	18281	0	2031	1828	142	171
164+00.00	TO	164+68.40	68.4	48.0	3283	0	365	328	26	31
165+08.10	TO	170+95.78	587.7	48.0	28209	0	3134	2821	219	263
170+95.78 TO 175+58.00			BRIDGE OMISSION							
175+58.00	TO	176+65.30	107.3	48.0	5150	0	572	515	40	48
176+65.30	TO	177+44.00	78.7	54.0	4250	0	472	425	33	40
177+44.00	TO	183+61.33	617.3	48.0	29632	0	3292	2963	230	277
183+61.33	TO	190+50.10	688.8	VAR.	50818	0	5646	5082	395	474
190+50.10	TO	190+90.62	40.5	72.0	2917	0	324	292	23	27
190+90.62	TO	192+22.31	131.7	72.0	9482	1054	0	948	74	88
192+22.31	TO	196+88.40	466.1	VAR.	27452	3050	0	2745	214	256
196+88.40	TO	197+64.00	75.6	60.0	4536	504	0	454	35	42
197+64.00	TO	199+57.50	193.5	VAR.	14887	1654	0	1489	116	139
199+57.50	TO	200+34.00	76.5	60.0	4590	510	0	459	36	43
200+34.00	TO	201+34.00	100.0	VAR.	5370	597	0	537	42	50
201+34.00	TO	204+02.80	268.8	48.0	12902	1434	0	1290	100	120
204+02.80	TO	206+36.88	234.1	VAR.	14310	1590	0	1431	111	134
206+36.88	TO	208+02.59	165.7	72.0	11931	1326	0	1193	93	111
SHEET TOTAL=						11718	55045	60087	4673	5608

PAVING SCHEDULE CONTINUED										
STATION	TO	STATION	FEET	FEET	SQ FT	SQ YD	SQ YD	POUND	TON	TON
208+02.59	TO	210+02.06	199.5	VAR.	15871	1763	0	1587	123	148
210+02.06	TO	211+66.88	164.8	60.0	9889	1099	0	989	77	92
211+66.88	TO	213+97.09	230.2	VAR.	12016	1335	0	1202	93	112
213+97.09	TO	221+44.90	747.8	48.0	35895	3988	0	3589	279	335
221+44.90	TO	223+30.04	185.1	VAR.	11184	1243	0	1118	87	104
223+30.04	TO	224+20.00	90.0	72.0	6477	720	0	648	50	60
224+20.00	TO	225+99.00	179.0	VAR.	10100	1122	0	1010	79	94
225+99.00	TO	228+00.00	201.0	60.0	12060	1340	0	1206	94	113
228+00.00	TO	230+00.00	200.0	VAR.	10170	1130	0	1017	79	95
230+00.00	TO	234+00.05	400.1	48.0	19202	2134	0	1920	149	179
234+00.05 BK = 234+18.00			STATION EQUATION							
234+18.00	TO	236+96.36	278.4	VAR.	15657	1740	0	1566	122	146
236+96.36	TO	237+86.85	90.5	72.0	6515	724	0	652	51	61
237+86.85	TO	240+02.00	215.2	VAR.	18201	2022	0	1820	142	170
240+02.00	TO	241+54.51	152.5	60.0	9151	1017	0	915	71	85
241+54.51	TO	243+84.51	230.0	VAR.	12536	1393	0	1254	98	117
243+84.51	TO	247+56.99	372.5	48.0	17879	1987	0	1788	139	167
247+56.99	TO	250+25.30	268.3	VAR.	17862	1985	0	1786	139	167
250+25.30	TO	251+81.99	156.7	72.0	11282	1254	0	1128	88	105
251+81.99	TO	253+49.66	167.7	VAR.	15278	1698	0	1528	119	143
253+49.66	TO	255+27.95	178.3	60.0	10697	1189	0	1070	83	100
255+27.95	TO	257+57.55	229.6	VAR.	12603	1400	0	1260	98	118
257+57.55	TO	262+06.90	449.4	48.0	21569	2397	0	2157	168	201
262+06.90	TO	264+46.94	240.0	VAR.	13592	1510	0	1359	106	127
264+46.94	TO	266+08.50	161.6	60.0	9694	1077	0	969	75	90
266+08.50	TO	268+00.40	191.9	VAR.	16590	1843	0	1659	129	155
268+00.40	TO	269+53.30	152.9	60.0	9174	1019	0	917	71	86
269+53.30	TO	272+00.40	247.1	VAR.	13749	1528	0	1375	107	128
272+00.40	TO	273+04.50	104.1	48.0	4997	555	0	500	39	47
273+04.50	TO	277+46.76	442.3	VAR.	29428	3270	0	2943	229	275
277+46.76	TO	277+65.30	18.5	84.0	1557	173	0	156	12	15
277+65.30	TO	279+00.00	134.7	84.0	11315	0	1257	1131	88	106
279+00.00	TO	282+52.02	352.0	VAR.	27288	0	3032	2729	212	255
282+52.02	TO	283+27.70	75.7	60.0	4541	0	505	454	35	42
283+27.70	TO	283+98.90	71.2	60.0	4272	475	0	427	33	40
283+98.90	TO	288+57.90	459.0	VAR.	29402	3267	0	2940	229	274
288+57.90	TO	301+19.70	1261.8	VAR.	67578	7509	0	6758	526	631
301+19.70	TO	301+65.75	46.1	24.0	1105	123	0	111	9	10
SHEET TOTAL =						57026	4794	55638	4327	5193
						**				
MAINLINE TOTALS =						68744	59839	115724	9001	10801

** = NOT TOTAL PLAN QUALITY (MORE ON HMA SHOULDERS SCHEDULE)

MODEL: Default
FILE: \\s:\pub\baronm\ad\illinois\pwr\WIDOT\Documents\BIDOT_Offices\Illinet_3\Projects\74710\CADData\CADsheets\074710\Shc-Schedule.dgn

USER NAME = steffemk	DESIGNED -	REVISED -
PLOT SCALE = 100.0000' / in.	DRAWN -	REVISED -
PLOT DATE = 2/20/2020	CHECKED -	REVISED -
	DATE -	REVISED -

**STATE OF ILLINOIS
DEPARTMENT OF TRANSPORTATION**

**SCHEDULE OF
QUANTITIES**

SCALE: SHEET 1 OF 12 SHEETS STA. TO STA.

F.A.P. RTE.	SECTION	COUNTY	TOTAL SHEETS	SHEET NO.
*	(137Z, 139-X-2)RS-2	MACON	262	56
*F.A.P. RTE. 320, 323, 323A		CONTRACT NO. 74710		
ILLINOIS		FED. AID PROJECT		

PAVING SCHEDULE CONTINUED										
STATION	TO	STATION	FEET	AREA	HOT-MIX ASPHALT SURFACE REMOVAL 1 1/2"	HOT-MIX ASPHALT SURFACE REMOVAL 2 3/4"	BITUMINOUS MATERIAL (TACK COAT)	POLYMERIZED HOT-MIX ASPHALT BINDER COURSE, IL-9.5 FINE GRADED, N90 (1 1/4")	POLYMERIZED HOT-MIX ASPHALT SURFACE COURSE, IL-9.5 MIX "D", N90 (1 1/2")	
N. 22ND ST.										
116+43.22	TO	118+75.70	232.5	12846	0	1427	1285	99.9	119.9	
* PRA (E. PRAIRIE ST. S. LEG)										
122+76.55	TO	123+98.06	121.5	1634	0	182	163	12.7	15.3	
PRA (NELSON ST.)										
134+77.50	TO	136+45.30	167.8	7901	0	878	790	61.5	73.7	
* PRA (S. 27TH ST.)										
156+44.74	TO	158+58.40	213.7	5223	0	580	522	40.6	48.7	
PRA (N. 32ND ST. N. LEG)										
187+41.51	TO	189+81.58	240.1	6248	0	694	625	48.6	58.3	
PRA (N. 32ND ST. S. LEG)										
189+45.00	TO	190+66.80	121.8	4566	0	507	457	35.5	42.6	
PRA (E. GREENHILL RD S. LEG)										
208+33.35	TO	209+42.56	109.2	3872	430	0	387	30.1	36.1	
PRA (E. GREENHILL RD N. LEG)										
208+48.38	TO	209+53.70	105.3	2304	256	0	230	17.9	21.5	
PRA (S. 36TH ST.)										
224+17.34	TO	225+64.09	146.8	4378	486	0	438	34.1	40.9	
PRA (S. BALTIMORE AVE.)										
238+32.98	TO	239+60.67	127.7	2854	317	0	285	22.2	26.6	
* PRA (S. 44TH ST. N. LEG)										
251+68.66	TO	252+79.24	110.6	3996	444	0	400	31.1	37.3	
PRA (S. 44TH ST. S LEG)										
252+14.03	TO	253+37.73	123.7	2591	288	0	259	20.1	24.2	
AIRPORT PLAZA										
266+58.55	TO	267+85.00	126.5	1958	218	0	196	15.2	18.3	
* S. AIRPORT RD. (N. LEG)										
277+88.52	TO	282+48.18	459.7	13280	0	1476	1328	103.3	123.9	
MT. ZION RD (S. LEG)										
279+60.88	TO	283+02.52	341.6	16110	0	1790	1611	125.3	150.4	
SIDE ROAD TOTALS =						2439	7534	8976	698	838
CITY OF DECATUR PROJECT TOTALS=						444	2237	2413	188	225
STATE PROJECT TOTALS=						70739	65136	122287	9511	11413

* = 100% CITY OF DECATUR'S RESPONSIBILITY

HMA SHOULDER SCHEDULE									
LOCATION			LENGTH (FOOT)	EASTBOUND		WESTBOUND		HMA SURFACE REMOVAL	SHOULDER
				OUTSIDE	MEDIAN	OUTSIDE	MEDIAN	1 & 1/2"	QTY
129+83.50	TO	190+53.70	6070	OMIT INLAY SECTION					
190+53.70	TO	190+81.40	28	0	3	0	0	9	1
190+81.40	TO	191+37.50	56	0	3	3	0	37	6
191+37.50	TO	194+80.20	343	3	3	3	0	343	53
194+80.20	TO	195+98.40	118	3	3	3	3	158	24
195+98.40	TO	197+64.00	166	3	0	3	3	166	26
197+64.00	TO	199+57.40	193	3	0	3	0	129	20
199+57.40	TO	201+34.00	177	3	3	3	0	177	27
201+34.00	TO	204+06.88	273	3	3	3	3	364	56
204+06.88	TO	208+39.17	432	0	0	3	3	288	44
208+39.17	TO	209+65.17	126	0	0	0	0	0	0
209+65.17	TO	209+70.11	5	0	0	3	0	2	0
209+70.11	TO	210+02.06	32	3	0	3	0	21	3
210+02.06	TO	213+08.27	306	3	3	3	0	306	47
213+08.27	TO	221+44.90	837	3	3	3	3	1116	172
221+44.90	TO	222+29.04	84	0	3	3	3	84	13
222+29.04	TO	224+20.00	191	0	0	3	3	127	20
224+20.00	TO	225+60.00	140	0	0	3	0	47	7
225+60.00	TO	225+99.00	39	0	3	3	0	26	4
225+99.00	TO	230+00.00	401	3	3	3	0	401	62
230+00.00	TO	234+00.00	400	3	3	3	3	533	82
234+00.05 BK = 234+18.00 STATION EQUATION									
234+18.00	TO	235+96.36	178	0	3	3	3	178	27
235+96.36	TO	237+86.85	190	0	0	3	3	127	20
237+86.85	TO	239+66.36	180	0	0	3	0	60	9
239+66.36	TO	240+02.00	36	0	3	3	0	24	4
240+02.00	TO	243+84.51	383	3	3	3	0	383	59

MODEL: Default
FILE: \\nas01c.pw.state.il.us\pub\haronom.d\at\illinois.gov\pww\DOT\Documents\DOT_Offices\Illinois\7\Projects\74710\CAD\Drawings\DOT_74710\Shc-Schedules.dgn

USER NAME = steffenmk	DESIGNED -	REVISED -
	DRAWN -	REVISED -
PLOT SCALE = 100.0000' / in.	CHECKED -	REVISED -
PLOT DATE = 2/20/2020	DATE -	REVISED -

STATE OF ILLINOIS
DEPARTMENT OF TRANSPORTATION

SCHEDULE OF
QUANTITIES

SCALE: SHEET 2 OF 12 SHEETS STA. TO STA.

F.A.P. RTE.	SECTION	COUNTY	TOTAL SHEETS	SHEET NO.
*	(137Z, 139-X-2)RS-2	MACON	262	57
*F.A.P. RTE. 320, 323, 323A		CONTRACT NO. 74710		
ILLINOIS		FED. AID PROJECT		

HMA SHOULDER SCHEDULE (CONT.)									
LOCATION			LENGTH (FOOT)	EASTBOUND		WESTBOUND		HMA SURFACE REMOVAL 1 & 1/2" (SQ YD)	SHOULDER QTY (TON)
				OUTSIDE	MEDIAN	OUTSIDE	MEDIAN		
			SHOULDER	SHOULDER					
243+84.51	TO	247+98.30	414	3	3	3	3	552	85
247+98.30	TO	251+86.87	389	0	0	3	3	259	40
251+86.87	TO	253+03.11	116	0	0	0	0	0	0
253+03.11	TO	253+27.94	25	0	3	3	0	17	3
253+27.94	TO	253+49.66	22	0	3	3	0	14	2
253+49.66	TO	257+57.55	408	3	3	3	0	408	63
257+57.55	TO	262+06.90	449	3	3	3	3	599	92
262+06.90	TO	266+12.87	406	3	3	3	3	541	83
266+12.87	TO	266+48.37	36	3	3	3	0	36	5
266+48.37	TO	266+70.70	22	3	0	0	3	15	2
266+70.70	TO	267+79.35	109	0	0	3	0	36	6
267+79.35	TO	277+90.30	1011	0	3	3	3	1011	156
277+90.30	TO	279+40.50	150	0	3	0	3	100	15
279+40.50	TO	279+72.25	32	0	3	0	0	11	2
279+72.25	TO	281+34.82	163	0	0	0	0	0	0
281+34.82	TO	281+49.00	14	0	0	0	3	5	1
281+49.00	TO	282+52.01	103	0	3	0	3	69	11
282+52.01	TO	283+02.70	51	0	3	3	3	51	8
283+02.70	TO	285+98.76	296	3	3	3	3	395	61
285+98.76	TO	286+77.60	79	3	0	3	3	79	12
286+77.60	TO	292+77.50	600	3	0	3	0	400	62
292+77.50	TO	293+62.42	85	0	0	3	0	28	4
293+62.42	TO	294+69.52	107	0	0	0	0	0	0
294+69.52	TO	294+87.92	18	0	0	3	0	6	1
294+87.92	TO	298+69.60	382	3	0	3	0	254	39
298+69.60	TO	299+37.00	67	0	0	3	0	22	3
299+37.00	TO	301+65.75	229	3	0	3	0	153	23
TOTALS=								10165	1565

REMOVAL SCHEDULE								
LOCATION	PAVEMENT REMOVAL SQ YD	CURB REMOVAL FOOT	100% CITY OF DECATUR CURB REMOVAL FOOT	COMBINATION CURB AND GUTTER REMOVAL FOOT	100% CITY OF DECATUR COMBINATION CURB AND GUTTER REMOVAL FOOT	SIDEWALK REMOVAL SQ FT	100 % CITY OF DECATUR SIDEWALK REMOVAL SQ FT	CONCRETE MEDIAN SURFACE REMOVAL SQ FT
US 36 & ELDORADO STREET INTERSECTION								
Ramp South of Eastbound US 36	0.0	0.0	0.0	22.9	0.0	112.8	0.0	0.0
Median Along US 36	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Ramp North of Westbound US 36	0.0	0.0	0.0	15.0	0.0	85.6	0.0	0.0
US 36 & 22ND STREET INTERSECTION								
Southwest Quadrant	0.0	0.0	0.0	9.5	14.2	236.8	145.5	0.0
Island South of Eastbound US 36	0.0	0.0	0.0	0.0	9.2	0.0	74.1	0.0
Southeast Quadrant	87.8	21.7	0.0	43.1	0.0	183.9	0.0	0.0
Northeast Quadrant	0.0	0.0	0.0	20.3	0.0	165.6	0.0	0.0
Island North of Westbound US 36 - Northeast Quadrant	0.0	0.0	0.0	27.3	0.0	0.0	0.0	200.4
Island North of Westbound US 36 - Northwest Quadrant	0.0	0.0	0.0	29.6	0.0	0.0	0.0	78.7
Northwest Quadrant	0.0	0.0	0.0	16.2	0.0	148.5	0.0	0.0
US 36 & PRAIRIE STREET INTERSECTION								
Southwest Quadrant	0.0	0.0	0.0	0.0	16.4	0.0	309.6	0.0
Median South of Eastbound 36	0.0	0.0	0.0	0.0	20.3	0.0	60.2	0.0
Southeast Quadrant	0.0	0.0	0.0	10.3	14.5	150.2	59.8	0.0
Median and Stop Bar Along US 36	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Northeast Quadrant	0.0	0.0	0.0	9.2	0.0	103.9	0.0	0.0
US 36 & WOOD STREET INTERSECTION								
Ramp Southwest of US 36	0.0	0.0	0.0	0.0	11.9	0.0	193.8	0.0
Ramp Between Wood Street and Nelson BLVD	0.0	0.0	40.4	0.0	25.5	0.0	185.0	0.0
Ramp Southeast of US 36	0.0	0.0	0.0	0.0	10.3	0.0	69.8	0.0
US 36 & 27TH STREET INTERSECTION								
Ramp Southeast of US 36	0.0	0.0	0.0	30.5	0.0	122.6	0.0	0.0
Ramp Southwest of US 36	0.0	0.0	0.0	14.5	0.0	172.6	0.0	0.0
Island Nothwest Quadrant	40.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Northwest Quadrant	0.0	0.0	0.0	0.0	21.3	0.0	76.2	0.0
Northeast Quadrant	61.4	0.0	0.0	20.1	0.0	127.2	0.0	0.0
Median Along US 36	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
US 36 & 32ND STREET INTERSECTION								
Southwest Quadrant	0.0	0.0	0.0	12.8	0.0	232.4	0.0	0.0
Northwest Quadrant	75.1	0.0	0.0	35.0	0.0	54.0	0.0	0.0
SHEET TOTAL =								
	265	22	40	316	144	1896	1174	279

MODEL: Default
 FILE: h:\mfc_p\pub\baronm.d\at\links\gov\PIWDOT\Documents\DOT_Offices\Dir\atct_7\Projects\7171\0\ADAD\CAD\Drawings\7171\05-Shc-Schedule.dgn

USER NAME = steffemk	DESIGNED -	REVISED -
	DRAWN -	REVISED -
PLOT SCALE = 100.0000 ' / in.	CHECKED -	REVISED -
PLOT DATE = 2/20/2020	DATE -	REVISED -

**STATE OF ILLINOIS
DEPARTMENT OF TRANSPORTATION**

**SCHEDULE OF
QUANTITIES**

SCALE: SHEET 3 OF 12 SHEETS STA. TO STA.

F.A.P. RTE.	SECTION	COUNTY	TOTAL SHEETS	SHEET NO.
*	(137Z, 139-X-2)RS-2	MACON	262	58
	*F.A.P. RTE. 320, 323, 323A	CONTRACT NO. 74710		
	ILLINOIS	FED. AID PROJECT		

CONCRETE CONSTRUCTION SCHEDULE											
LOCATION		PORTLAND CEMENT CONCRETE SIDEWALK 6 INCH	100% CITY OF DECATUR PORTLAND CEMENT CONCRETE SIDEWALK 6 INCH	DETECTABLE WARNINGS	100% CITY OF DECATUR DETECTABLE WARNINGS	CONCRETE CURB, TYPE B	100% CITY OF DECATUR CONCRETE CURB, TYPE B	COMBINATION CONCRETE CURB AND GUTTER, TYPE B-6.12	100% CITY OF DECATUR COMBINATION CONCRETE CURB AND GUTTER, TYPE B-6.12	COMBINATION CONCRETE CURB AND GUTTER, TYPE B-6.24	100% CITY OF DECATUR COMBINATION CONCRETE CURB AND GUTTER, TYPE B-6.24
		SQ FT	SQ FT	SQ FT	SQ FT	FOOT	FOOT	FOOT	FOOT	FOOT	FOOT
US 36 & ELDORADO STREET INTERSECTION											
Ramp South of Eastbound US 36		114.3	0.0	10.0	0.0	0.0	0.0	0.0	0.0	22.7	0.0
Median Along US 36		96.7	0.0	20.0	0.0	0.0	0.0	9.1	0.0	0.0	0.0
Ramp North of Westbound US 36		79.1	0.0	10.0	0.0	0.0	0.0	0.0	0.0	15.0	0.0
US 36 & 22ND STREET INTERSECTION											
Southwest Quadrant		251.3	120.6	10.0	10.0	0.0	0.0	0.0	0.0	10.0	14.2
Island South of Eastbound US 36		0.0	72.7	0.0	10.0	0.0	0.0	0.0	9.2	0.0	0.0
Southeast Quadrant		185.6	0.0	10.0	0.0	21.3	0.0	42.9	0.0	0.0	0.0
Northeast Quadrant		159.8	0.0	20.0	0.0	0.0	0.0	0.0	0.0	20.3	0.0
Island North of Westbound US 36 - Northeast Quadrant		293.7	0.0	30.0	0.0	0.0	0.0	0.0	0.0	20.7	0.0
Island North of Westbound US 36 - Northwest Quadrant		137.5	0.0	30.0	0.0	0.0	0.0	9.8	0.0	19.8	0.0
Northwest Quadrant		175.0	0.0	10.0	0.0	0.0	0.0	0.0	0.0	16.9	0.0
US 36 & PRAIRIE STREET INTERSECTION											
Southwest Quadrant		0.0	337.0	0.0	10.0	0.0	0.0	0.0	17.0	0.0	0.0
Median South of Eastbound 36		0.0	55.0	0.0	20.0	0.0	0.0	0.0	20.5	0.0	0.0
Southeast Quadrant		188.8	73.9	10.0	10.0	0.0	0.0	0.0	0.0	12.0	14.5
Median and Stop Bar Along US 36		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Northeast Quadrant		206.5	0.0	10.0	0.0	0.0	0.0	0.0	0.0	9.3	0.0
US 36 & WOOD STREET INTERSECTION											
Ramp Southwest of US 36		0.0	169.9	0.0	10.0	0.0	0.0	0.0	0.0	0.0	12.6
Ramp Between Wood Street and Nelson BLVD		0.0	232.2	0.0	18.0	0.0	34.9	0.0	0.0	0.0	25.0
Ramp Southeast of US 36		0.0	73.4	0.0	9.0	0.0	0.0	0.0	0.0	0.0	10.7
US 36 & 27TH STREET INTERSECTION											
Ramp Southeast of US 36		149.1	0.0	10.0	0.0	0.0	0.0	0.0	0.0	30.5	0.0
Ramp Southwest of US 36		161.4	0.0	10.0	0.0	0.0	0.0	0.0	0.0	14.5	0.0
Island Nothwest Quadrant		68.1	0.0	24.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Northwest Quadrant		0.0	138.0	0.0	10.0	0.0	23.2	0.0	0.0	0.0	21.9
Northeast Quadrant		140.1	0.0	10.0	0.0	0.0	0.0	0.0	0.0	20.1	0.0
Median Along US 36		69.5	0.0	20.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
US 36 & 32ND STREET INTERSECTION											
Southwest Quadrant		228.2	0.0	10.0	0.0	0.0	0.0	0.0	0.0	13.1	0.0
Northwest Quadrant		50.1	0.0	10.0	0.0	0.0	0.0	0.0	0.0	35.0	0.0
SHEET TOTAL =		2755	1273	264	107	21	58	62	47	260	99

INCIDENTAL PAVING SCHEDULE						
STATION	TO	STATION	LENGTH FEET	AREA SQ FT	SURFACE REMOVAL, VAR. SQ YD	INCIDENTAL HMA SURFACING TON
MAILBOX TURNOUT						
197+95.80	TO	198+83.55	87.8	468.1	52.0	5.8
PE						
199+90.77	TO	200+29.07	38.3	270.0	30.0	3.4
PE						
260+07.16	TO	260+47.84	40.7	18.5	2.1	2.1
PRA (N. OCEAN TRAIL)						
293+62.40	TO	294+69.50	107.1	719.8	80.0	9.0
PE						
296+37.69	TO	296+64.81	27.1	225.0	25.0	2.8
MBT						
299+76.19	TO	300+49.13	72.9	287.1	31.9	3.6
PE						
299+91.63	TO	300+26.21	34.6	213.3	23.7	2.7
PROJECT TOTALS =					245	29

STONE RIP RAP/ FILTER FABRIC SCHEDULE					
LOCATION			LENGTH FEET	STONE DUMPED RIP RAP, CLASS A4 TON	FILTER FABRIC SQ YD
187+78.90	TO	189+15.00	136	69	529
TOTALS=				69	529

AGGREGATE DITCH SPECIAL				
LOCATION			LENGTH FEET	AGGREGATE DITCH (SPECIAL) TON
200+41.22	TO	202+48.22	207	91
202+99.45	TO	204+05.45	106	47
TOTALS=				138

MODEL: Default
 FILE: \\pub1bancom.dta\illinois.gov\PWIDOT\Documents\DOT_Offices\IDatct_7\Projects\7471\0\CADData\CAD\sheet\07471\0-Sht-Schedule.dgn

USER NAME = steffenmk	DESIGNED -	REVISED -
	DRAWN -	REVISED -
PLOT SCALE = 100,0000' / in.	CHECKED -	REVISED -
PLOT DATE = 2/20/2020	DATE -	REVISED -

**STATE OF ILLINOIS
DEPARTMENT OF TRANSPORTATION**

SCHEDULE OF QUANTITIES	
SCALE:	SHEET 4 OF 12 SHEETS STA. TO STA.

F.A.P. RTE.	SECTION	COUNTY	TOTAL SHEETS	SHEET NO.
*	(137Z, 139-X-2)RS-2	MACON	262	59
CONTRACT NO. 74710				
ILLINOIS FED. AID PROJECT				

AGGREGATE SHOULDER SCHEDULE								
LOCATION	TO	FROM	LENGTH	EASTBOUND		WESTBOUND		SHOULDER QTY (TON)
				OUTSIDE	MEDIAN	OUTSIDE	MEDIAN	
				SHOULDER		SHOULDER		
129+83.50	TO	190+53.70	6070	OMIT INLAY SECTION				
190+53.70	TO	190+81.40	28	0	3	0	0	1
190+81.40	TO	191+37.50	56	0	3	7	0	6
191+37.50	TO	195+98.40	461	7	3	7	4	107
195+98.40	TO	198+09.40	211	7	4	7	4	51
198+09.40	TO	199+05.60	96	7	0	7	0	15
199+05.60	TO	199+57.47	52	7	4	7	4	13
199+57.47	TO	201+34.00	177	7	3	7	4	41
201+34.00	TO	204+06.88	273	7	3	7	3	60
204+06.88	TO	208+02.59	396	3	4	7	3	74
208+02.59	TO	208+53.40	51	3	4	3	4	8
208+53.40	TO	209+49.80	96	0	0	0	0	0
209+49.80	TO	209+65.17	15	0	4	0	4	1
209+65.17	TO	210+02.06	37	7	4	7	4	9
210+02.06	TO	213+97.09	395	7	3	7	4	92
213+97.09	TO	221+44.90	748	7	3	7	3	166
221+44.90	TO	222+29.04	84	3	3	7	3	15
222+29.04	TO	224+20.00	191	3	4	7	3	36
224+20.00	TO	224+62.60	43	0	4	7	4	7
224+62.60	TO	225+34.60	72	0	0	7	0	6
225+34.60	TO	225+60.00	25	0	4	7	4	4
225+60.00	TO	225+99.00	39	0	3	7	4	6
225+99.00	TO	230+00.00	401	7	3	7	4	93
230+00.00	TO	234+00.00	400	7	3	7	3	89
234+00.05 BK = 234+18.00 STATION EQUATION								
234+18.00	TO	235+96.36	178	3	3	7	3	32
235+96.36	TO	237+86.85	190	3	4	7	3	36
237+86.85	TO	238+29.60	43	3	4	7	4	9

AGGREGATE SHOULDER SCHEDULE (CONT.)								
LOCATION	TO	FROM	LENGTH	EASTBOUND		WESTBOUND		SHOULDER QTY (TON)
				OUTSIDE	MEDIAN	OUTSIDE	MEDIAN	
				SHOULDER		SHOULDER		
238+29.60	TO	238+34.75	5	3	0	7	0	1
238+34.75	TO	239+25.96	91	0	0	7	0	7
239+25.96	TO	239+66.36	40	0	4	7	4	7
239+66.36	TO	240+02.00	36	0	3	7	4	6
240+02.00	TO	243+84.51	383	7	3	7	4	89
243+84.51	TO	247+56.99	372	7	3	7	3	82
247+56.99	TO	247+98.30	41	7	4	7	3	10
247+98.30	TO	251+86.87	389	3	4	7	3	73
251+86.87	TO	252+14.10	27	3	4	0	4	3
252+14.10	TO	252+20.03	6	3	0	0	0	0
252+20.03	TO	253+03.11	83	0	0	0	0	0
253+03.11	TO	253+49.66	47	0	0	7	0	4
253+49.66	TO	262+06.70	857	7	0	7	0	133
262+06.70	TO	268+46.60	640	0	0	7	0	50
268+46.60	TO	273+92.00	545	10	0	7.5	0	106
273+92.00	TO	275+91.80	200	0	0	10	0	22
275+91.80	TO	277+06.60	115	0	4	10	0	18
277+06.60	TO	277+26.80	20	0	4	10	4	4
277+26.80	TO	277+90.40	64	0	0	10	4	10
277+90.40	TO	279+35.70	145	0	0	0	4	6
279+35.70	TO	282+51.99	316	0	0	0	0	0
282+51.99	TO	283+02.70	51	0	0	7	0	4
283+02.70	TO	292+77.50	975	5	0	7	0	130
292+77.50	TO	293+62.40	85	0	0	7	0	7
293+62.40	TO	294+69.50	107	0	0	7	0	8
294+69.50	TO	298+69.60	400	7	0	7	0	62
298+69.60	TO	299+36.82	67	0	0	7	0	5
299+36.82	TO	301+06.63	170	7	0	7	0	26
301+06.63	TO	301+65.75	59	0	0	7	0	5
Total								1852

PATCHING SCHEDULE				
PATCHING SCHEDULE	CLASS C PATCHES, TYPE I, 13"	CLASS C PATCHES, TYPE II, 13"	CLASS C PATCHES, TYPE III, 13"	CLASS C PATCHES, TYPE IV, 13"
	SO YD	SO YD	SO YD	SO YD
EBDL	28	728	172	136
EBPL	32	650	104	27
EBTL	3	32	0	0
WBDL	4	392	56	121
WBPL	12	297	16	160
WBTL	0	65	0	0
TOTALS	79	2164	348	444

STRUCTURE 058-0019 PAVING SCHEDULE										
STATION	TO	STATION	LENGTH FEET	PAVEMENT WIDTH FEET	AREA SQ FT	HOT-MIX ASPHALT SURFACE REMOVAL 2 1/4" SQ YD	BITUMINOUS MATERIAL (TACK COAT) POUND	POLYMERIZED HOT-MIX ASPHALT BINDER COURSE, IL-9.5 FINE GRADED, N90 (3/4") TON	POLYMERIZED HOT-MIX ASPHALT SURFACE COURSE, MIX "D", N90 (1 1/2") TON	FOAM EXPANDING POLYURETHANE, HIGH DENSITY POUND
164+68.40	TO	165+08.10	39.70	52.8	2096.16	233	210	10	20	1000

CONCRETE MEDIAN SCHEDULE				
LOCATION			CONCRETE MEDIAN REMOVAL	CONCRETE MEDIAN, TYPE SM (DOWELLED)
			SQ FT	SQ FT
105+73.00	TO	105+91.00	61	61
105+53.70	TO	106+07.70	519	519
119+04.00	TO	119+24.00	52	52
123+89.00	TO	124+06.00	47	11
125+87.00	TO	126+10.00	77	77
138+50.00	TO	138+65.00	59	59
157+19.50	TO	157+40.60	197	223
157+80.90	TO	157+95.50	112	0
157+67.00	TO	158+14.00	745	563
167+89.80	TO	170+01.80	838	48
176+59.30	TO	176+65.30	28	28
177+78.70	TO	178+71.30	726	38
TOTALS=			3461	1679

MODEL: Default
 FILE: \\nas01\pub\baronm\ad\illinois\gov\pww\DOT\Documents\IBOT_Offices\Illinet\7\Projects\7171\0\CAAD\Bak\CAD\Drawings\7171\0-Sbc\Schedules.dgn

USER NAME = steffemk	DESIGNED -	REVISED -
	DRAWN -	REVISED -
PLOT SCALE = 100.0000 ' / in.	CHECKED -	REVISED -
PLOT DATE = 2/20/2020	DATE -	REVISED -

STATE OF ILLINOIS
DEPARTMENT OF TRANSPORTATION

SCHEDULE OF
QUANTITIES

SCALE: SHEET 5 OF 12 SHEETS STA. TO STA.

F.A.P. RTE.	SECTION	COUNTY	TOTAL SHEETS	SHEET NO.
*	(137Z, 139-X-2)RS-2	MACON	262	60
CONTRACT NO. 74710			ILLINOIS FED. AID PROJECT	

TEMPORARY RAMP SCHEDULE	
TEMPORARY RAMP SCHEDULE	PAVEMENT AREA
LOCATION	SQ YD
129+83.50	65
170+95.78	53
175+58.00	53
301+65.75	32
22nd STREET	
208+29.97	73
COUNTRY CLUB RD.	
8+59.60	22
11+50.30	26
GREENHILL RD.	
8+42.90	29
10+82.30	36
44th STREET	
38+87.20	44
42+00.80	25
IL 121/AIRPORT RD.	
490+67.00	82
1+86.60	27
2+96.00	44
TOTAL	609

TEMPORARY RAMP, SPECIAL SCHEDULE				
TEMPORARY RAMP SCHEDULE			PAVEMENT AREA	
SIDE	LOCATION		AREA (SQ YD)	
RT.	129+83.50	TO 130+16.89	7.4	
RT.	130+87.56	TO 131+23.56	8.0	
LT.	131+30.27	TO 131+75.27	10.0	
RT.	131+60.65	TO 131+78.65	4.0	
RT.	132+03.47	TO 132+31.66	6.3	
LT.	132+62.06	TO 132+93.21	6.9	
RT.	132+86.91	TO 133+18.64	7.1	
	132+55.19 BK = 104+00.28 AH			
LT.	105+67.49	TO 107+35.51	37.3	
RT.	108+69.78	TO 109+24.78	12.2	
RT.	111+02.29	TO 112+31.59	28.7	
RT.	112+75.44	TO 113+07.36	7.1	
RT.	114+36.58	TO 114+69.81	7.4	
LT.	115+35.99	TO 117+02.06	36.9	
RT.	116+39.18	TO 118+73.60	52.1	
RT.	119+04.73	TO 119+54.75	11.1	
RT.	120+44.32	TO 121+26.77	18.3	
LT.	122+38.11	TO 124+02.80	36.6	
RT.	122+72.81	TO 124+00.00	28.3	
RT.	124+40.57	TO 124+81.67	9.1	
RT.	125+17.81	TO 125+50.44	7.3	
RT.	126+59.56	TO 126+97.45	8.4	
RT.	127+35.97	TO 127+69.34	7.4	
RT.	127+87.85	TO 128+43.34	12.3	
RT.	128+67.79	TO 131+12.00	54.3	

TEMPORARY RAMP, SPECIAL SCHEDULE (CONT.)				
TEMPORARY RAMP SCHEDULE			PAVEMENT AREA	
SIDE	LOCATION		AREA (SQ YD)	
RT.	131+62.56	TO 132+18.16	12.4	
RT.	132+54.53	TO 133+01.28	10.4	
RT.	133+70.46	TO 134+27.04	12.6	
RT.	134+73.72	TO 136+45.19	38.1	
	139+04.16 BK = 139+13.26 AH			
LT.	156+40.98	TO 158+03.75	36.2	
LT.	187+53.38	TO 189+43.19	42.2	
RT.	189+22.72	TO 190+66.33	31.9	
LT.	197+95.25	TO 198+89.32	20.9	
RT.	208+25.19	TO 209+51.43	28.1	
LT.	208+46.69	TO 209+53.85	23.8	
RT.	224+18.49	TO 225+62.43	32.0	
	234+00.05 BK = 234+18.00			
RT.	238+35.27	TO 239+58.54	27.4	
LT.	251+68.27	TO 252+80.02	24.8	
RT.	252+15.60	TO 253+37.37	27.1	
RT.	266+57.60	TO 267+86.12	28.6	
RT.	279+50.51	TO 282+13.57	58.5	
LT.	278+80.68	TO 281+66.83	63.6	
RT.	292+71.43	TO 294+87.42	48.0	
LT.	293+71.00	TO 294+69.39	21.9	
RT.	296+36.85	TO 296+65.16	6.3	
RT.	298+69.76	TO 299+36.06	14.7	
RT.	300+91.47	TO 301+65.75	16.5	
TOTAL			1050.3	

PERMANENT SURVEY MARKER, TYPE I SCHEDULE	
PSM SCHEDULE	OFFSET
LOCATION	FEET
123+92.58	0.0
132+55.19(BK)/104+00.28(AH)	0.0
106+37.54	38.49' Lt CL of US 36, 0.0 CL Eldorado St.
108+58.32	0.0
110+31.08	5.08 LT
112+03.44	0.0
117+26.13	0.0
129+00.00	0.0
139+04.16(BK)/139+13.26(AH)	0.0
189+77.81	0.0

PCC BASE COURSE WIDENING SCHEDULE		
LOCATION		PCC BASE COURSE WIDENING, 12"
US 36 & PRAIRIE STREET INTERSECTION		SQ YD
Southwest Quadrant		0.0
Median South of Eastbound 36		0.0
Southeast Quadrant		0.0
Median and Stop Bar Along US 36		4.6
Northeast Quadrant		0.0
US 36 & 27TH STREET INTERSECTION		
Ramp Southeast of US 36		0.0
Ramp Southwest of US 36		0.0
Island Northwest Quadrant		2.6
Northwest Quadrant		0.0
Northeast Quadrant		12.4
Median Along US 36		18.6
SHEET TOTAL =		38

MODIFIED URETHANE PAVEMENT MARKING SCHEDULE								
			LENGTH	MODIFIED URETHANE PAVEMENT MARKING - LETTERS & SYMBOLS	MODIFIED URETHANE PAVEMENT MARKING - LINES 4"	MODIFIED URETHANE PAVEMENT MARKING - LINES 6"	MODIFIED URETHANE PAVEMENT MARKING - LINES 12"	MODIFIED URETHANE PAVEMENT MARKING - LINES 24"
LOCATION			FEET	SQ FT	FOOT	FOOT	FOOT	FOOT
N. 22ND STREET								
115+36.70	TO	118+00.00	263	276	466	1847	379	96
N. 23RD STREET								
122+54.70	TO	124+08.10	153	61	87	452	67	23
PROJECT TOTALS=				337	553	2299	446	119

CATCH BASINS NEW TYPE 3 FRAME & GRATE SCHEDULE		
LOCATION		CATCH BASINS TO BE ADJUSTED WITH NEW TYPE 3 FRAME & GRATE
US 36 & 27TH STREET INTERSECTION		
NW QUADRANT, 157+08.3/LT 68.5'		1
PROJECT TOTAL=		1

** = NOT TOTAL PLAN QUALITY (MORE ON PAVEMENT MARKING SCHEDULE)

MODEL: Default
FILE: \\s:\p\pub\baron\baron.dwg
PROJECT: 74710\CAAD\baron\baron.dwg
OFFICE: 74710\CAAD\baron\baron.dwg

USER NAME = stefenmk	DESIGNED -	REVISED -
	DRAWN -	REVISED -
PLOT SCALE = 100.0000' / in.	CHECKED -	REVISED -
PLOT DATE = 2/20/2020	DATE -	REVISED -

**STATE OF ILLINOIS
DEPARTMENT OF TRANSPORTATION**

**SCHEDULE OF
QUANTITIES**

SCALE: SHEET 6 OF 12 SHEETS STA. TO STA.

F.A.P. RTE.	SECTION	COUNTY	TOTAL SHEETS	SHEET NO.
*	(137Z, 139-X-2)RS-2	MACON	262	61
*F.A.P. RTE. 320, 323, 323A		CONTRACT NO. 74710		
ILLINOIS FED. AID PROJECT				

PAVEMENT MARKING SCHEDULE

STATION	TO	STATION	FEET	FOOT	SQ FT	SQ FT	FOOT	FOOT	FOOT	FOOT	FOOT	FOOT	FOOT	FOOT	FOOT	FOOT	SQ FT	FOOT	FOOT	FOOT	FOOT	FOOT	FOOT	FOOT	FOOT	FOOT	FOOT	FOOT	FOOT	FOOT	FOOT	EACH	EACH	EACH	SQ FT
129+83.50	TO	131+40.77	157.3	64.0	21.1	31.2	80.0	0.0	319.8	0.0	80.0	0.0	0.0	0.0	0.0	0.0	31.2	80.0	0.0	319.8	0.0	80.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	8.0	0.0	3.0	203.1
131+40.77	TO	132+55.19	114.4	48.0	15.8	0.0	0.0	447.2	0.0	0.0	60.0	0.0	0.0	98.6	0.0	0.0	0.0	0.0	447.2	0.0	0.0	60.0	0.0	0.0	98.6	0.0	0.0	0.0	0.0	4.0	0.0	3.0	276.2		
132+55.19 BK = 104+00.28 AH			STATION EQUATION																																
104+00.28	TO	104+74.05	73.8	32.0	10.6	0.0	0.0	307.3	0.0	0.0	40.0	0.0	0.0	58.7	0.0	0.0	0.0	0.0	307.3	0.0	0.0	40.0	0.0	0.0	58.7	0.0	0.0	0.0	0.0	4.0	0.0	2.0	180.1		
104+74.05	TO	104+97.24	23.2	8.0	2.6	0.0	0.0	0.0	46.4	0.0	10.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	46.4	0.0	10.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	20.3
104+97.24	TO	105+39.68	42.4	8.0	2.6	0.0	0.0	0.0	84.9	0.0	20.0	0.0	84.9	0.0	0.0	0.0	0.0	0.0	84.9	0.0	20.0	0.0	84.9	0.0	0.0	84.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.0	80.5
105+39.68	TO	105+51.15	11.5	0.0	0.0	0.0	0.0	0.0	22.9	0.0	10.0	0.0	34.4	0.0	0.0	12.0	0.0	0.0	22.9	0.0	10.0	0.0	34.4	0.0	0.0	34.4	0.0	0.0	12.0	0.0	0.0	0.0	0.0	0.0	53.8
105+51.15	TO	105+52.95	1.8	0.0	0.0	0.0	0.0	0.0	5.4	0.0	0.0	0.0	5.4	0.0	0.0	0.0	0.0	0.0	5.4	0.0	0.0	5.4	0.0	0.0	5.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4.5	
105+52.95	TO	106+08.90	55.9	12.0	4.0	61.2	0.0	0.0	167.8	0.0	30.0	0.0	111.9	0.0	0.0	22.3	61.2	0.0	0.0	167.8	0.0	30.0	0.0	111.9	0.0	0.0	0.0	22.3	0.0	0.0	0.0	3.0	0.0	3.0	232.1
106+08.90	TO	106+38.47	29.6	12.0	4.0	61.2	0.0	0.0	88.7	0.0	10.0	0.0	59.1	0.0	0.0	0.0	61.2	0.0	0.0	88.7	0.0	10.0	0.0	59.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.0	125.0	
106+38.47	TO	106+65.90	27.4	12.0	4.0	0.0	0.0	0.0	82.3	0.0	10.0	0.0	27.4	0.0	0.0	10.9	0.0	0.0	82.3	0.0	10.0	0.0	27.4	0.0	0.0	0.0	10.9	3.0	0.0	0.0	0.0	0.0	0.0	67.7	
106+65.90	TO	106+68.14	2.2	0.0	0.0	0.0	0.0	0.0	6.7	0.0	0.0	0.0	6.7	0.0	0.0	0.0	0.0	0.0	6.7	0.0	0.0	6.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.2		
106+68.14	TO	111+76.83	508.7	156.0	51.5	31.2	160.0	0.0	1017.4	0.0	250.0	0.0	0.0	0.0	0.0	24.0	31.2	160.0	0.0	1017.4	0.0	250.0	0.0	0.0	0.0	84.0	24.0	13.0	0.0	0.0	14.0	592.7			
111+76.83	TO	112+54.55	77.7	16.0	5.3	0.0	0.0	0.0	0.0	0.0	40.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	40.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.0	20.0			
112+54.55	TO	113+96.75	142.2	48.0	15.8	31.2	0.0	0.0	284.4	0.0	70.0	0.0	142.2	0.0	0.0	0.0	31.2	0.0	0.0	284.4	0.0	70.0	0.0	142.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	8.0	231.2		
113+96.75	TO	115+41.20	144.5	32.0	10.6	0.0	0.0	0.0	288.9	0.0	70.0	66.0	0.0	0.0	0.0	0.0	0.0	0.0	288.9	0.0	70.0	66.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4.0	163.3		
115+41.20	TO	116+15.28	74.1	24.0	7.9	31.2	0.0	0.0	148.2	0.0	20.0	0.0	148.2	0.0	0.0	12.0	31.2	0.0	0.0	148.2	0.0	20.0	0.0	148.2	0.0	0.0	12.0	0.0	0.0	5.0	188.2				
116+15.28	TO	116+79.61	64.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	24.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	135.0	24.0	0.0	0.0	0.0	48.0		
116+79.61	TO	118+18.87	139.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	30.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	30.0	0.0	0.0	0.0	0.0	156.0	0.0	0.0	0.0	0.0	15.0		
118+18.87	TO	119+58.32	139.4	48.0	15.8	78.0	0.0	0.0	278.9	0.0	30.0	0.0	418.3	0.0	0.0	46.6	78.0	0.0	0.0	278.9	0.0	30.0	0.0	418.3	0.0	0.0	0.0	46.6	0.0	0.0	10.0	487.4			
119+58.32	TO	121+38.00	179.7	48.0	15.8	31.2	0.0	0.0	359.4	0.0	90.0	82.0	179.7	0.0	0.0	0.0	31.2	0.0	0.0	359.4	0.0	90.0	82.0	179.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	9.0	325.6		
121+38.00	TO	121+45.00	7.0	0.0	0.0	15.6	0.0	0.0	14.0	0.0	0.0	2.0	0.0	0.0	0.0	0.0	15.6	0.0	0.0	14.0	0.0	0.0	2.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	21.2		
121+45.00	TO	122+76.51	131.5	48.0	15.8	46.8	0.0	0.0	263.0	0.0	30.0	0.0	263.0	0.0	0.0	0.0	46.8	0.0	0.0	263.0	0.0	30.0	0.0	263.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	8.0	280.1		
122+76.51	TO	122+86.70	10.2	0.0	0.0	0.0	0.0	0.0	20.4	0.0	0.0	0.0	0.0	0.0	0.0	35.0	0.0	0.0	0.0	20.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	35.0	0.0	0.0	0.0	76.7		
122+86.70	TO	123+85.54	98.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0		
123+85.54	TO	123+88.07	2.5	0.0	0.0	0.0	0.0	0.0	5.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	35.4	0.0	0.0	5.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	35.4	0.0	0.0	0.0	0.0	72.5		
123+88.07	TO	125+88.09	200.0	60.0	19.8	46.8	0.0	0.0	400.0	0.0	50.0	0.0	400.0	0.0	0.0	0.0	46.8	0.0	0.0	400.0	0.0	50.0	0.0	400.0	0.0	0.0	132.0	0.0	0.0	0.0	12.0	403.8			
125+88.09	TO	126+90.70	102.6	24.0	7.9	0.0	0.0	0.0	205.2	0.0	50.0	28.0	0.0	0.0	0.0	0.0	0.0	0.0	205.2	0.0	50.0	28.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.0	106.7		
126+90.70	TO	129+56.57	265.9	112.0	37.0	0.0	140.0	0.0	531.7	0.0	130.0	0.0	0.0	0.0	0.0	0.0	0.0	140.0	0.0	531.7	0.0	130.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	14.0	0.0	8.0	286.7		
129+56.57	TO	130+50.40	93.8	16.0	5.3	0.0	0.0	0.0	0.0	0.0	50.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	50.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.0	25.0			
130+50.40	TO	131+97.61	147.2	64.0	21.1	31.2	80.0	0.0	294.4	0.0	80.0	0.0	0.0	0.0	0.0	0.0	31.2	80.0	0.0	294.4	0.0	80.0	0.0	0.0	0.0	0.0	0.0	0.0	8.0	0.0	4.0	194.8			
131+97.61	TO	132+82.20	84.6	32.0	10.6	0.0	20.0	0.0	169.2	0.0	40.0	0.0	0.0	0.0	0.0	0.0	0.0	20.0	0.0	169.2	0.0	40.0	0.0	0.0	0.0	0.0	0.0	0.0	5.0	0.0	2.0	82.4			
132+82.20	TO	134+44.23	162.0	40.0	13.2	0.0	0.0	324.1	162.0	0.0	80.0	0.0	0.0	76.4	0.0	0.0	0.0	0.0	324.1	162.0	0.0	80.0	0.0	0.0	76.4	0.0	0.0	0.0	0.0	4.0	276.8				
134+44.23	TO	134+93.68	49.5	8.0	2.6	0.0	0.0	0.0	98.9	0.0	20.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	98.9	0.0	20.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.0	42.6			
134+93.68	TO	135+17.87	24.2	8.0	2.6	0.0	0.0	0.0	72.6	0.0	20.0	0.0	24.2	0.0	0.0	23.0	0.0	0.0	72.6	0.0	20.0	0.0	24.2	0.0	0.0	23.0	0.0	0.0	0.0	0.0	0.0	0.0	92.0		
135+17.87	TO	135+24.82	6.9	0.0	0.0	0.0	0.0	0.0	6.9	0.0	0.0	0.0	6.9	0.0	0.0	23.0	0.0	0.0	6.9	0.0	0.0	0.0	6.9	0.0	0.0	23.0	0.0	0.0	0.0	0.0	0.0	51.8			
135+24.82	TO	136+34.14	109.3	12.0	4.0	0.0	0.0	0.0	109.3	0.0	30.0	0.0	109.3	0.0	0.0	0.0	0.0	0.0	109.3	0.0	30.0	0.0	109.3												

PAVEMENT MARKING SCHEDULE CONTINUED

STATION	TO	STATION	FEET	FOOT	SQ FT	SQ FT	FOOT	FOOT	FOOT	FOOT	FOOT	FOOT	FOOT	FOOT	FOOT	FOOT	SQ FT	FOOT	FOOT	FOOT	FOOT	FOOT	FOOT	FOOT	FOOT	FOOT	FOOT	FOOT	FOOT	EACH	EACH	EACH	SQ FT
279+98.75	TO	280+96.00	97.25	28.0	9.24	0.0	0.0	0.0	0.0	0.0	0.0	60.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	60.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	30.0	
280+96.00	TO	281+42.34	46.34	14.0	4.62	15.6	0.0	0.0	92.7	0.0	0.0	0.0	92.7	0.0	0.0	43.1	15.6	0.0	0.0	92.7	0.0	0.0	0.0	92.7	0.0	0.0	0.0	43.1	0.0	0.0	3.0	178.7	
281+42.34	TO	282+47.23	104.89	42.0	13.86	15.6	0.0	0.0	209.8	0.0	30.0	0.0	209.8	0.0	0.0	0.0	15.6	0.0	0.0	209.8	0.0	30.0	0.0	209.8	0.0	0.0	0.0	0.0	0.0	7.0	204.7		
282+47.23	TO	283+03.83	56.60	20.0	6.6	15.6	0.0	0.0	113.2	56.6	10.0	0.0	113.2	0.0	0.0	0.0	15.6	0.0	0.0	113.2	56.6	10.0	0.0	113.2	0.0	0.0	0.0	0.0	0.0	2.0	133.2		
283+03.83	TO	284+28.01	124.18	48.0	15.84	31.2	0.0	0.0	248.4	248.4	30.0	0.0	248.4	0.0	0.0	0.0	31.2	0.0	0.0	248.4	248.4	30.0	0.0	248.4	0.0	0.0	0.0	0.0	0.0	8.0	334.3		
284+28.01	TO	284+54.82	26.81	12.0	3.96	0.0	0.0	0.0	53.6	53.6	10.0	8.0	26.8	0.0	0.0	0.0	0.0	0.0	0.0	53.6	53.6	10.0	8.0	26.8	0.0	0.0	0.0	0.0	0.0	1.0	57.8		
284+54.82	TO	286+01.04	146.22	50.0	16.5	0.0	0.0	0.0	292.4	292.4	70.0	46.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	292.4	292.4	70.0	46.0	0.0	0.0	0.0	0.0	0.0	0.0	4.0	251.0		
286+01.04	TO	288+56.86	255.82	74.0	24.435576	0.0	0.0	511.6	255.8	511.6	130.0	4.0	0.0	152.3	0.0	0.0	0.0	0.0	0.0	511.6	255.8	511.6	130.0	4.0	0.0	152.3	0.0	0.0	0.0	5.0	6.0	641.4	
288+56.86	TO	291+30.12	273.26	108.0	35.64792	0.0	0.0	1093.0	0.0	546.5	70.0	54.0	0.0	326.2	0.0	0.0	0.0	0.0	0.0	1093.0	0.0	546.5	70.0	54.0	0.0	326.2	0.0	0.0	0.0	14.0	3.0	929.3	
291+30.12	TO	292+70.51	140.4	56.0	18.5	46.8	0.0	561.6	0.0	280.8	40.0	0.0	140.4	94.9	0.0	0.0	46.8	0.0	0.0	561.6	0.0	280.8	40.0	0.0	140.4	94.9	0.0	0.0	0.0	2.0	8.0	6.0	509.9
292+70.51	TO	293+28.55	58.0	36.0	11.9	15.6	0.0	232.2	0.0	58.0	10.0	0.0	58.0	30.9	0.0	0.0	15.6	0.0	0.0	232.2	0.0	58.0	10.0	0.0	58.0	30.9	0.0	0.0	0.0	1.0	2.0	1.0	176.2
293+28.55	TO	293+30.88	2.3	0.0	0.0	0.0	0.0	9.3	0.0	2.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	9.3	0.0	2.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.8	
293+30.88	TO	293+62.59	31.7	4.0	1.3	0.0	0.0	0.0	0.0	0.0	31.7	10.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	31.7	10.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	15.5
293+62.59	TO	294+36.75	74.2	8.0	2.6	0.0	0.0	0.0	0.0	0.0	20.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	20.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0	10.0		
294+36.75	TO	294+47.59	10.8	0.0	0.0	0.0	0.0	43.4	0.0	0.0	0.0	0.0	10.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	19.7	
294+47.59	TO	294+87.23	39.6	20.0	6.6	15.6	0.0	158.6	0.0	39.6	10.0	0.0	36.0	9.7	0.0	0.0	15.6	0.0	0.0	158.6	0.0	39.6	10.0	0.0	36.0	9.7	0.0	0.0	1.0	2.0	1.0	113.7	
294+87.23	TO	295+00.00	12.8	0.0	0.0	15.6	0.0	51.1	0.0	25.5	10.0	0.0	12.8	9.1	0.0	0.0	15.6	0.0	0.0	51.1	0.0	25.5	10.0	0.0	12.8	9.1	0.0	0.0	1.0	0.0	0.0	61.4	
295+00.00	TO	295+23.72	23.7	12.0	4.0	0.0	0.0	94.9	0.0	47.4	10.0	12.0	0.0	9.4	0.0	0.0	0.0	0.0	0.0	94.9	0.0	47.4	10.0	12.0	0.0	9.4	0.0	0.0	0.0	1.0	0.0	67.4	
295+23.72	TO	301+19.91	596.2	180.0	59.4	0.0	0.0	2384.8	0.0	1192.4	0.0	68.0	0.0	221.5	0.0	0.0	0.0	0.0	0.0	2384.8	0.0	1192.4	0.0	68.0	0.0	221.5	0.0	0.0	0.0	29.0	0.0	1436.0	
301+19.91	TO	301+65.75	45.8	0.0	0.0	0.0	0.0	91.7	0.0	91.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	91.7	0.0	91.7	0.0	0.0	0.0	0.0	0.0	4.0	0.0	0.0	60.5		

PAGE TOTAL				712	235	172	0	5232	1266	3479	460	252	949	854	0	43	172	0	5232	1266	3479	460	252	949	854	0	0	43	10	61	43	5234
SHEET TOTAL				6048	1996	2244	480	6311	33618	19641	8300	1564	9565	1200	0	939	2244	480	6311	33618	19641	8300	1564	9565	1200	0	1107	939	69	61	629	34845

MODEL: Default
FILE: h:\mfc_p\pub\baroncom.dwg
PROJECTS\74710\DATA\CADD\baroncom.dwg
PROJECTS\74710\DATA\CADD\baroncom.dwg
PROJECTS\74710\DATA\CADD\baroncom.dwg

USER NAME = steffemk	DESIGNED -	REVISED -
	DRAWN -	REVISED -
PLOT SCALE = 100.0000 ' / in.	CHECKED -	REVISED -
PLOT DATE = 2/20/2020	DATE -	REVISED -

STATE OF ILLINOIS
DEPARTMENT OF TRANSPORTATION

SCHEDULE OF QUANTITIES			
SCALE:	SHEET 10	OF 12 SHEETS	STA. TO STA.

F.A.P. RTE.	SECTION	COUNTY	TOTAL SHEETS	SHEET NO.
*	(137Z, 139-X-2)RS-2	MACON	262	65
*F.A.P. RTE. 320, 323, 323A		CONTRACT NO. 74710		
		ILLINOIS	FED. AID PROJECT	

MODEL: Default
 FILE: \\nas102.pw.state.il.us\pub\lansom.d\at\illinois.gov\PWIDOT\Documents\DOT_Offices\DIR\dtct_7\Projects\74710\CADD\DATA\CAD\Sheets\074710-Sht-Schedule.dgn







				TEMPORARY PAVEMENT MARKING LINE-8" (WHITE)
LOCATION				FOOT
N. 22ND STREET				
115+36.70	TO	118+00.00		0.0
S. 22ND STREET				
116+43.22	TO	118+75.70		0.0
PRA (E. PRAIRIE ST. S. LEG)				
122+76.55	TO	123+98.06		0.0
WOOD & NELSON ST.				
134+77.50	TO	136+45.26		0.0
PRA (S. 27TH ST.)				
156+44.74	TO	158+58.40		288.0
PRA (S. 32ND ST. N. LEG)				
187+41.51	TO	189+81.58		282.1
PRA (S. 32ND ST. S. LEG)				
189+28.60	TO	190+52.90		113.5
PRA (E. GREENHILL RD S. LEG)				
208+33.35	TO	209+42.56		0.0
PRA (E. GREENHILL RD N. LEG)				
208+48.38	TO	209+53.70		0.0
PRA (S. 36TH ST.)				
224+17.34	TO	225+64.09		129.0
PRA (S. BALTIMORE AVE.)				
238+32.98	TO	239+60.67		111.0
PRA (S. 44TH ST. N. LEG)				
251+68.66	TO	252+79.24		0.0
PRA (S. 44TH ST. S LEG)				
252+14.03	TO	253+37.73		0.0
AIRPORT PLAZA				
266+58.55	TO	267+85.00		0.0
S. AIRPORT RD. (N. LEG)				
277+88.52	TO	282+48.18		189.7
MT. ZION RD (S. LEG)				
279+60.88	TO	283+02.52		325.7
PAGE TOTAL				1439
CITY OF DECATUR PROJECT TOTALS				478
STATE PROJECT TOTALS				961
PROJECT TOTALS				1439

**STATE OF ILLINOIS
DEPARTMENT OF TRANSPORTATION**

**SCHEDULE OF
QUANTITIES**

SCALE: SHEET 12 OF 12 SHEETS STA. TO STA.

F.A.P. RTE.	SECTION	COUNTY	TOTAL SHEETS	SHEET NO.
*	(137Z, 139-X-2)RS-2	MACON	262	67
			CONTRACT NO. 74710	
		ILLINOIS	FED. AID PROJECT	



MODEL: Default
 FILE: h:\mfc_2020\paw\planroom.dwg
 PROJECT: 74710\CD\DATA\CADD\hchess\74710-shc-atb.dgn
 OFFICE: 74710\CD\DATA\CADD\hchess\74710-shc-atb.dgn
 DATE: 2/20/2020







USER NAME = steffemk	DESIGNED -	REVISED -
PLOT SCALE = 100.0000' / in.	DRAWN -	REVISED -
PLOT DATE = 2/20/2020	CHECKED -	REVISED -
	DATE -	REVISED -

STATE OF ILLINOIS
DEPARTMENT OF TRANSPORTATION

SCALE:	SHEET 1 OF 2 SHEETS	STA. TO STA.
--------	---------------------	--------------

F.A.P. 320, 323 SECTION	COUNTY	TOTAL SHEETS	SHEET NO.
(137Z, 139-X-2)RS-2	MACON	262	68
F.A.P. RTE. 320, 323, 323A	CONTRACT NO. 74710		
ILLINOIS FED. AID PROJECT			

TIE POINTS



MODEL: Default
 FILE: h:\m\c_p\pub\barroom.dwg
 PROJECT: 74710\CADD\Drawings\DOT_Offices\Drawings\74710\DOT\74710-18-18-18.dwg


USER NAME = steffnmk	DESIGNED -	REVISED -
PLOT SCALE = 100.0000' / in.	DRAWN -	REVISED -
PLOT DATE = 2/20/2020	CHECKED -	REVISED -
	DATE -	REVISED -

**STATE OF ILLINOIS
DEPARTMENT OF TRANSPORTATION**

TIE POINTS			
SCALE:	SHEET 2	OF 2	SHEETS
	STA.		TO STA.

F.A.P. RTE. 320,323	SECTION	COUNTY	TOTAL SHEETS	SHEET NO.
*	(137Z, 139-X-2)RS-2	MACON	262	69
*F.A.P. RTE. 320, 323, 323A		CONTRACT NO. 74710		
ILLINOIS FED. AID PROJECT				

MODEL: Default
 FILE: \\h:\b\p\pub\harcourt_dtc\illinois.gov\PWD\DOT\Documents\DOT - Offices\District 7\Projects\T323\T323-CAD\CAD\Drawings\Bldg.dwg



↑↑↑↑↑↑↑↑↑↑ TEMPORARY RAMP

USER NAME = steffemk	DESIGNED -	REVISED -
	DRAWN -	REVISED -
PLOT SCALE = 40.0000 ' / in.	CHECKED -	REVISED -
PLOT DATE = 2/20/2020	DATE -	REVISED -


**STATE OF ILLINOIS
DEPARTMENT OF TRANSPORTATION**

**PAVING PLAN
US 36**

SCALE: SHEET 1 OF 38 SHEETS STA. 129+83,5 TO STA. 107+00

F.A.P. RTE.	SECTION	COUNTY	TOTAL SHEETS	SHEET NO.
*	(137z, 139-X-2) RS-2	MACON	262	70
*F.A.P. RTE. 320, 323, 323A			CONTRACT NO. 74710	
ILLINOIS FED. AID PROJECT				

MODEL: Default
FILE: \\blm1c:\pub\planroom\dat\illinois.gov\PWIDOT\Documents\DOT_Offices\District_7\Projects\74710\CA00\Drawings\74710-Sub-Pavement_Plan.dwg




USER NAME = steffenmk	DESIGNED -	REVISED -
	DRAWN -	REVISED -
PLOT SCALE = 40.0000 ' / in.	CHECKED -	REVISED -
PLOT DATE = 2/20/2020	DATE -	REVISED -

**STATE OF ILLINOIS
DEPARTMENT OF TRANSPORTATION**

PAVING PLAN US 36			
SCALE:	SHEET 2	OF 38 SHEETS	STA. 107+00 TO STA. 110+00

F.A.P. RTE.	SECTION	COUNTY	TOTAL SHEETS	SHEET NO.
*	(137z, 139-X-2) RS-2	MACON	262	71
*F.A.P. RTE. 320, 323, 323A			CONTRACT NO. 74710	
ILLINOIS FED. AID PROJECT				

MODEL: Default
 FILE: \\blm1c1-pub\pub\aroom\dat\illinois\pwr\WIDOT\Documents\DOT_Offices\District 7\Projects\74710\CAD\Drawings\74710-Sub-Pavement_Plan.dwg




USER NAME = steffemk	DESIGNED -	REVISED -
	DRAWN -	REVISED -
PLOT SCALE = 40,0000 ' / in.	CHECKED -	REVISED -
PLOT DATE = 2/20/2020	DATE -	REVISED -

**STATE OF ILLINOIS
 DEPARTMENT OF TRANSPORTATION**

PAVING PLAN US 36			
SCALE:	SHEET 3	OF 38 SHEETS	STA. 110+00 TO STA. 115+00

F.A.P. RTE.	SECTION	COUNTY	TOTAL SHEETS	SHEET NO.
*	(137z, 139-X-2) RS-2	MACON	262	72
*F.A.P. RTE. 320, 323, 323A			CONTRACT NO. 74710	
ILLINOIS		FED. AID PROJECT		

MODEL: Default
 FILE: h:\a\c\p\pub\barroom.dwg
 PROJECT: 74710\CAADDATA\CADD\sheet\74710\pavement_Plan.dwg



USER NAME = steffenmk	DESIGNED -	REVISED -
	DRAWN -	REVISED -
PLOT SCALE = 40.0000 ' / in.	CHECKED -	REVISED -
PLOT DATE = 2/20/2020	DATE -	REVISED -

**STATE OF ILLINOIS
 DEPARTMENT OF TRANSPORTATION**


**PAVING PLAN
 US 36**

SCALE: SHEET 4 OF 38 SHEETS STA. 115+00 TO STA. 120+00

F.A.P. RTE.	SECTION	COUNTY	TOTAL SHEETS	SHEET NO.
*	(137z, 139-X-2) RS-2	MACON	262	73
*F.A.P. RTE. 320, 323, 323A			CONTRACT NO. 74710	
ILLINOIS FED. AID PROJECT				

▲▲▲▲▲▲▲▲▲▲▲▲▲▲▲▲ TEMPORARY RAMP

MODEL: Default
 FILE: h:\a\c\p\pub\barroom.dwg
 PROJECT: 74710\CADD\Drawings\DOT_Offices\Drawings\74710\Site\Barroom_Plan.dwg




USER NAME = steffenmk	DESIGNED -	REVISED -
	DRAWN -	REVISED -
PLOT SCALE = 40.0000 ' / in.	CHECKED -	REVISED -
PLOT DATE = 2/21/2020	DATE -	REVISED -

**STATE OF ILLINOIS
 DEPARTMENT OF TRANSPORTATION**

**PAVING PLAN
 US 36**

SCALE: SHEET 5 OF 38 SHEETS STA. 120+00 TO STA. 126+00

F.A.P. RTE.	SECTION	COUNTY	TOTAL SHEETS	SHEET NO.
*	(137z, 139-X-2) RS-2	MACON	262	74
*F.A.P. RTE. 320, 323, 323A		CONTRACT NO. 74710		
ILLINOIS FED. AID PROJECT				



MODEL: Default
 FILE: Model: P:\pub\barroom.dwg
 PROJECT: I:\Projects\74710\CAAD\Drawings\DOT\Office\Drawings\74710\Sheet\pavement_810.dwg


USER NAME = steffenmk	DESIGNED -	REVISED -
	DRAWN -	REVISED -
PLOT SCALE = 40.0000 * / in.	CHECKED -	REVISED -
PLOT DATE = 2/20/2020	DATE -	REVISED -

STATE OF ILLINOIS
DEPARTMENT OF TRANSPORTATION

PAVING PLAN
US 36
 SCALE: SHEET 6 OF 38 SHEETS STA. 126+00 TO STA. 131+00

F.A.P. RTE.	SECTION	COUNTY	TOTAL SHEETS	SHEET NO.
*	(137z, 139-X-2) RS-2	MACON	262	75
*F.A.P. RTE. 320, 323, 323A		CONTRACT NO. 74710		
ILLINOIS FED. AID PROJECT				

MODEL: Default
 FILE: h:\a11\c:\pub\baronm.dwg
 PROJECT: 71710\CADD\Drawings\DOT_Offices\Drawings\71710\Site\Site\Baronm.dwg




USER NAME = steffemk	DESIGNED -	REVISED -
	DRAWN -	REVISED -
PLOT SCALE = 40,0000 ' / in.	CHECKED -	REVISED -
PLOT DATE = 2/20/2020	DATE -	REVISED -

**STATE OF ILLINOIS
 DEPARTMENT OF TRANSPORTATION**

PAVING PLAN US 36			
SCALE:	SHEET 7	OF 38 SHEETS	STA. 131+00 TO STA. 137+00

F.A.P. RTE.	SECTION	COUNTY	TOTAL SHEETS	SHEET NO.
*	(137z, 139-X-2) RS-2	MACON	262	76
*F.A.P. RTE. 320, 323, 323A		CONTRACT NO. 74710		
ILLINOIS FED. AID PROJECT				

STA. 136+06.2 (US 36)=
STA. 10+00.00 (WOOD ST.)




MODEL: Default
FILE: h:\a\c\p\pub\barroom.dwg
D:\CADData\CAD\Projects\DOT\Projects\171710\CADData\CAD\Projects\171710\Sheet\pavement_8.plt.dwg

USER NAME = steffenmk	DESIGNED -	REVISED -
	DRAWN -	REVISED -
PLOT SCALE = 40.0000 ' / in.	CHECKED -	REVISED -
PLOT DATE = 2/20/2020	DATE -	REVISED -

**STATE OF ILLINOIS
DEPARTMENT OF TRANSPORTATION**

PAVING PLAN US 36			
SCALE:	SHEET 8	OF 38 SHEETS	STA. 137+00 TO STA. 142+00

F.A.P. RTE.	SECTION	COUNTY	TOTAL SHEETS	SHEET NO.
*	(137z, 139-X-2) RS-2	MACON	262	77
*F.A.P. RTE. 320, 323, 323A		CONTRACT NO. 74710		
ILLINOIS		FED. AID PROJECT		



MODEL: Default
 FILE: \\nls-px-planningroom.dfs\illinois.gov\PI\DOT\Documents\DOT_Offices\District_7\Projects\171710\CADD\Drawings\171710-Sub-Pavement_Plan.dwg


USER NAME = steffenmk	DESIGNED -	REVISED -
	DRAWN -	REVISED -
PLOT SCALE = 40.0000' / in.	CHECKED -	REVISED -
PLOT DATE = 2/20/2020	DATE -	REVISED -

STATE OF ILLINOIS
DEPARTMENT OF TRANSPORTATION

PAVING PLAN
US 36

SCALE: SHEET 9 OF 38 SHEETS STA. 142+00 TO STA. 148+00

F.A.P. RTE.	SECTION	COUNTY	TOTAL SHEETS	SHEET NO.
*	(137z, 139-X-2) RS-2	MACON	262	78
*F.A.P. RTE. 320, 323, 323A		CONTRACT NO. 74710		
ILLINOIS FED. AID PROJECT				



MODEL: Default
 FILE: \\blm1c1.pw.usplanning.com\data\illinois.gov\PW\DOT\Documents\DOT_Offices\District_7\Projects\74710\CADD\data\CAD\Drawings\74710-Sub-Pavement_Plan.dgn

USER NAME = steffenmk	DESIGNED -	REVISED -
	DRAWN -	REVISED -
PLOT SCALE = 40.0000 ' / in.	CHECKED -	REVISED -
PLOT DATE = 2/20/2020	DATE -	REVISED -


STATE OF ILLINOIS
DEPARTMENT OF TRANSPORTATION

PAVING PLAN
US 36

SCALE: SHEET 10 OF 38 SHEETS STA. 148+00 TO STA. 153+00

F.A.P. RTE.	SECTION	COUNTY	TOTAL SHEETS	SHEET NO.
*	(137z, 139-X-2) RS-2	MACON	262	79
*F.A.P. RTE. 320, 323, 323A		CONTRACT NO. 74710		
ILLINOIS FED. AID PROJECT				

MODEL: Default
 FILE: \\bls1c1.pw.state.il.us\pub\baronm.d\at\illinois.gov\PW\DOT\Documents\DOT_Offices\District_7\Projects\74710\CAAD\Drawings\74710-Sub-Pavement_Plan.dgn



STA. 157+60.03 (US 36)=
 STA. 0+00.00 (27th ST.)


USER NAME = steffemk	DESIGNED -	REVISED -
	DRAWN -	REVISED -
PLOT SCALE = 40,0000 ' / in.	CHECKED -	REVISED -
PLOT DATE = 2/20/2020	DATE -	REVISED -

**STATE OF ILLINOIS
 DEPARTMENT OF TRANSPORTATION**

PAVING PLAN US 36			
SCALE:	SHEET 11	OF 38 SHEETS	STA. 153+00 TO STA. 159+00

F.A.P. RTE.	SECTION	COUNTY	TOTAL SHEETS	SHEET NO.
*	(137z, 139-X-2) RS-2	MACON	262	80
*F.A.P. RTE. 320, 323, 323A			CONTRACT NO. 74710	
ILLINOIS FED. AID PROJECT				

MODEL: Default
 FILE: \\bls01c.pw.state.il.us\bls01c\pww\DOT\Documents\DOT_Offices\District 7\Projects\74710\CADD\Bids\CAD\Sheet\74710-Pave-Pavement_Bldg.dgn




USER NAME = steffenmk	DESIGNED -	REVISED -
	DRAWN -	REVISED -
PLOT SCALE = 40.0000 ' / in.	CHECKED -	REVISED -
PLOT DATE = 2/20/2020	DATE -	REVISED -

**STATE OF ILLINOIS
 DEPARTMENT OF TRANSPORTATION**

PAVING PLAN US 36			
SCALE:	SHEET 12 OF 38 SHEETS	STA. 159+00	TO STA. 164+00

F.A.P. RTE.	SECTION	COUNTY	TOTAL SHEETS	SHEET NO.
*	(137z, 139-X-2) RS-2	MACON	262	81
*F.A.P. RTE. 320, 323, 323A		CONTRACT NO. 74710		
ILLINOIS		FED. AID PROJECT		

MODEL: Default
 FILE: \\bls01c.pw.state.il.us\bls01c\pww\DOT\Documents\DOT_Offices\District 7\Projects\171710\CADD\Drawings\171710-Sub-Pavement_Plan.dgn



	MILLING TRANSITION 2 & 3/4" TO 2 & 1/4"
	MILLING 2 & 1/4"

USER NAME = steffenmk	DESIGNED -	REVISED -
	DRAWN -	REVISED -
PLOT SCALE = 40.0000' / in.	CHECKED -	REVISED -
PLOT DATE = 2/20/2020	DATE -	REVISED -


**STATE OF ILLINOIS
 DEPARTMENT OF TRANSPORTATION**

**PAVING PLAN
 US 36**

SCALE: SHEET 13 OF 38 SHEETS STA. 164+00 TO STA. 170+00

F.A.P. RTE.	SECTION	COUNTY	TOTAL SHEETS	SHEET NO.
*	(137z, 139-X-2)RS-2	MACON	262	82
*F.A.P. RTE. 320, 323, 323A			CONTRACT NO. 74710	
ILLINOIS		FED. AID PROJECT		

MODEL: Default
 FILE: \\bls1c1\pub\lanscom\dat\illinois\pwr\DOT\Documents\DOT_Offices\District 7\Projects\171\10\CADD\Drawings\171\10\171-10-14-171-10-14-Paving-Plan.dwg




USER NAME = steffenmk	DESIGNED -	REVISED -
	DRAWN -	REVISED -
PLOT SCALE = 40.0000' / in.	CHECKED -	REVISED -
PLOT DATE = 2/20/2020	DATE -	REVISED -

**STATE OF ILLINOIS
 DEPARTMENT OF TRANSPORTATION**

PAVING PLAN US 36			
SCALE:	SHEET 14	OF 38 SHEETS	STA. 170+00 TO STA. 175+00

F.A.P. RTE.	SECTION	COUNTY	TOTAL SHEETS	SHEET NO.
*	(137z, 139-X-2)RS-2	MACON	262	83
*F.A.P. RTE. 320, 323, 323A		CONTRACT NO. 74710		
ILLINOIS		FED. AID PROJECT		

MODEL: Default
 FILE: \\nas101.pw.state.il.us\pub\baronm.d\at\illinois.gov\PWIDOT\Documents\DOT_Offices\District 7\Projects\171\10\CADD\Bids\CAD\Drawings\171\10-Sub-Pavement_Plan.dwg




 TEMPORARY RAMP

USER NAME = steffenmk	DESIGNED -	REVISED -
	DRAWN -	REVISED -
PLOT SCALE = 40.0000 ' / in.	CHECKED -	REVISED -
PLOT DATE = 2/20/2020	DATE -	REVISED -

STATE OF ILLINOIS
DEPARTMENT OF TRANSPORTATION


PAVING PLAN			
US 36			
SCALE:	SHEET 15	OF 38 SHEETS	STA. 175+00 TO STA. 181+00

F.A.P. RTE.	SECTION	COUNTY	TOTAL SHEETS	SHEET NO.
*	(137z, 139-X-2)RS-2	MACON	262	84
*F.A.P. RTE. 320, 323, 323A		CONTRACT NO. 74710		
ILLINOIS FED. AID PROJECT				

PI Sta 180+53.66

MODEL: Default
 FILE: \\blm01c:\pub\lancorn.dwg
 PROJECT: \\blm01c:\pub\lancorn.dwg
 OFFICE: \\blm01c:\pub\lancorn.dwg
 DATE: 2/21/2020

EXIST. CURVE C16
 PI STA. = 180+53.66
 I = 1° 21' 43" (RT)
 D = 0° 08' 30"
 R = 40,439.18'
 T = 480.64'
 L = 961.23'
 E = 2.86'
 e = ____
 T.R. = ____
 S.E. RUN = ____
 P.C. STA. = 175+73.02
 P.T. STA. = 185+34.26





USER NAME = steffemk	DESIGNED -	REVISED -
	DRAWN -	REVISED -
PLOT SCALE = 40,0000 ' / in.	CHECKED -	REVISED -
PLOT DATE = 2/21/2020	DATE -	REVISED -

**STATE OF ILLINOIS
 DEPARTMENT OF TRANSPORTATION**

PAVING PLAN US 36			
SCALE:	SHEET 16	OF 38 SHEETS	STA. 181+00 TO STA. 186+00

F.A.P. RTE.	SECTION	COUNTY	TOTAL SHEETS	SHEET NO.
*	(137z, 139-X-2)RS-2	MACON	262	85
*F.A.P. RTE. 320, 323, 323A			CONTRACT NO. 74710	
ILLINOIS FED. AID PROJECT				

MODEL: Default
 FILE: h:\mhc\pav\pavplanroom.dwg
 PROJECT: 74710\CADData\CAD\Drawings\74710\Site\pavement_Plan.dwg



EXIST. CURVE C17
 PI STA. = 189+77.81
 $\Delta = 1^\circ 45' 12''$ (L)
 $D = 0^\circ 12' 44''$
 $R = 26,995.88'$
 $T = 413.08'$
 $L = 826.10'$
 $e = 3.16'$
 T.R. = ---
 S.E. RUN = ---
 P.C. STA. = 185+64.73
 P.T. STA. = 193+90.83


USER NAME = steffemk	DESIGNED -	REVISED -
DRAWN -	REVISED -	
PLOT SCALE = 40,0000' / in.	CHECKED -	REVISED -
PLOT DATE = 2/21/2020	DATE -	REVISED -

**STATE OF ILLINOIS
 DEPARTMENT OF TRANSPORTATION**

PAVING PLAN US 36			
SCALE:	SHEET 17	OF 38 SHEETS	STA. 186+00 TO STA. 192+00

F.A.P. RTE. *	SECTION	COUNTY	TOTAL SHEETS	SHEET NO.
(137z, 139-X-2)RS-2		MACON	262	86
*F.A.P. RTE. 320, 323, 323A		CONTRACT NO. 74710		
ILLINOIS FED. AID PROJECT				

MODEL: Default
 FILE: h:\mhc\p\pub\harron.mxd\illinois\p\p\DOT\Documents\DOT_Offices\District_7\Projects\74710\CADD\Drawings\CADD\Drawings\74710-Sub-Pavement_Plan.dwg



USER NAME = steffemk	DESIGNED -	REVISED -
	DRAWN -	REVISED -
PLOT SCALE = 40,0000 ' / in.	CHECKED -	REVISED -
PLOT DATE = 2/20/2020	DATE -	REVISED -


**STATE OF ILLINOIS
 DEPARTMENT OF TRANSPORTATION**

**PAVING PLAN
 US 36**

SCALE: SHEET 18 OF 38 SHEETS STA. 192+00 TO STA. 197+00

F.A.P. RTE.	SECTION	COUNTY	TOTAL SHEETS	SHEET NO.
*	(137z, 139-X-2)RS-2	MACON	262	87
*F.A.P. RTE. 320, 323, 323A		CONTRACT NO. 74710		
ILLINOIS		FED. AID PROJECT		

MODEL: Default
 FILE: h:\mfc_paving\pavroom.dwg
 PROJECT: 74710\CADD\Drawings\DOT_Offices\Drawings\74710\Site\pavement_Plan.dwg




USER NAME = steffemk	DESIGNED -	REVISED -
	DRAWN -	REVISED -
PLOT SCALE = 40.0000' / in.	CHECKED -	REVISED -
PLOT DATE = 2/20/2020	DATE -	REVISED -

**STATE OF ILLINOIS
 DEPARTMENT OF TRANSPORTATION**

PAVING PLAN US 36			
SCALE:	SHEET 19	OF 38 SHEETS	STA. 197+00 TO STA. 202+00

F.A.P. RTE.	SECTION	COUNTY	TOTAL SHEETS	SHEET NO.
*	(137z, 139-X-2)RS-2	MACON	262	88
*F.A.P. RTE. 320, 323, 323A			CONTRACT NO. 74710	
ILLINOIS FED. AID PROJECT				


MODEL: Default
 FILE: h:\mfc_pav\pavroom.dwg
 PROJECT: 74710\CAADData\CADD\Drawings\DOT_Offices\Drawings\74710\SitePavement_Plan.dwg



STA. 209+04.59 (US 36) =
 STA. 10+00.00 (34th ST.)

	USER NAME = steffenmk	DESIGNED -	REVISED -	STATE OF ILLINOIS DEPARTMENT OF TRANSPORTATION	PAVING PLAN US 36	F.A.P. RTE. *	SECTION	COUNTY	TOTAL SHEETS	SHEET NO.	
	PLOT SCALE = 40.0000" / in.	CHECKED -	REVISED -					(137z, 139-X-2)RS-2	MACON	262	89
	PLOT DATE = 2/20/2020	DATE -	REVISED -					*F.A.P. RTE. 320, 323, 323A	CONTRACT NO. 74710		
								ILLINOIS FED. AID PROJECT			
SCALE:						SHEET 20 OF 38 SHEETS		STA. 202+00 TO STA. 207+00			

MODEL: Default
 FILE: h:\mfc_pav\pavroom.dwg
 PROJECT: 74710\CADD\Drawings\DOT_Offices\Drawings\74710\SitePavement_Plan.dwg



STA. 209+04.59 (US 36) =
 STA. 10+00.00 (34th St.)


USER NAME = steffemk	DESIGNED -	REVISED -
	DRAWN -	REVISED -
PLOT SCALE = 40.0000' / in.	CHECKED -	REVISED -
PLOT DATE = 2/20/2020	DATE -	REVISED -

**STATE OF ILLINOIS
 DEPARTMENT OF TRANSPORTATION**

PAVING PLAN US 36			
SCALE:	SHEET 21	OF 38 SHEETS	STA. 207+00 TO STA. 213+00

F.A.P. RTE.	SECTION	COUNTY	TOTAL SHEETS	SHEET NO.
*	(137z, 139-X-2)RS-2	MACON	262	90
*F.A.P. RTE. 320, 323, 323A			CONTRACT NO. 74710	
ILLINOIS FED. AID PROJECT				

MODEL: Default
 FILE: A:\a1130628_pavplannorm.dwg
 C:\ProgramData\Autodesk\DWGReaderEngine\bin\net\7\Projects\74710\CADData\CAD\sheets\74710\sheet\pavement Plan.dwg




USER NAME	= steffenmk	DESIGNED	-	REVISED	-
DRAWN	-	CHECKED	-	REVISIED	-
PLOT SCALE	= 40.0000 "/math>"/math> in.	DATE	-	REVISED	-
PLOT DATE	= 2/20/2020				

STATE OF ILLINOIS
DEPARTMENT OF TRANSPORTATION

PAVING PLAN US 36		SCALE:	SHEET 22	OF 38	SHEETS	STA. 213+00	TO STA. 218+00

F.A.P. RTE.	SECTION	COUNTY	TOTAL SHEETS	SHEET NO.
*	(137z, 139-X-2)RS-2	MACON	262	91
*F.A.P. RTE. 320, 323, 323A		CONTRACT NO. 74710		
ILLINOIS FED. AID PROJECT				

EXIST. CURVE C18
 PI STA. = 222+25.60
 $\Delta = 23^\circ 20' 48''$ (L.T.)
 D = 5,846.77'
 R = 1,207.98'
 L = 2,382.43'
 E = 123.48'
 $\theta = \dots$
 T.R. = \dots
 S.E. RUN = \dots
 P.C. STA. = 210+17.62
 P.T. STA. = 234+00.05



MODEL: Default
 FILE: h:\aspc_pavplannerom.dat\illinois.gov\RWIDOT\Documents\DOT_Offices\District_7\Projects\71710\CADDData\CAD\Drawings\71710\18-018-Pavement_Plan.dgn


USER NAME = steffenmk	DESIGNED -	REVISED -
DRAWN -	REVISED -	
PLOT SCALE = 40,0000 ' / in.	CHECKED -	REVISED -
PLOT DATE = 2/21/2020	DATE -	REVISED -

**STATE OF ILLINOIS
 DEPARTMENT OF TRANSPORTATION**

PAVING PLAN US 36		
SCALE:	SHEET 23	OF 38 SHEETS
	STA. 218+00	TO STA. 223+00

F.A.P. RTE.	SECTION	COUNTY	TOTAL SHEETS	SHEET NO.
137z, 139-X-2)RS-2		MACON	262	92
*F.A.P. RTE. 320, 323, 323A		CONTRACT NO. 74710		
ILLINOIS FED. AID PROJECT				

MODEL: Default
 FILE: h:\mfc_pav\p1\barroom.dwg
 PROJECT: 71710\CAAD\Drawings\DOT_Offices\Drawings\71710\DOT\p1\barroom.dwg



STA. 224+98.70 (US 36) =
 STA. 20+00.00 (36th ST.)


USER NAME = steffemk	DESIGNED -	REVISED -
DRAWN -	REVISED -	
PLOT SCALE = 40.0000 ' / in.	CHECKED -	REVISED -
PLOT DATE = 2/20/2020	DATE -	REVISED -

**STATE OF ILLINOIS
 DEPARTMENT OF TRANSPORTATION**

**PAVING PLAN
 US 36**

SCALE: SHEET 24 OF 38 SHEETS STA. 223+00 TO STA. 229+00

F.A.P. RTE.	SECTION	COUNTY	TOTAL SHEETS	SHEET NO.
*	(137z, 139-X-2)RS-2	MACON	262	93
*F.A.P. RTE. 320, 323, 323A		CONTRACT NO. 74710		
ILLINOIS		FED. AID PROJECT		



MODEL: Default
 FILE: \\blm1c2.pw.usplanning.com\data\illinois.gov\PIWDOT\Documents\DOT_Offices\District_7\Projects\74710\CADD\Drawings\74710-Sub-Pavement_Plan.dgn

USER NAME = steffenmk	DESIGNED -	REVISED -
	DRAWN -	REVISED -
PLOT SCALE = 40.0000' / in.	CHECKED -	REVISED -
PLOT DATE = 2/20/2020	DATE -	REVISED -


**STATE OF ILLINOIS
DEPARTMENT OF TRANSPORTATION**

**PAVING PLAN
US 36**

SCALE: SHEET 25 OF 38 SHEETS STA. 229+00 TO STA. 235+00

F.A.P. RTE.	SECTION	COUNTY	TOTAL SHEETS	SHEET NO.
*	(137z, 139-X-2)RS-2	MACON	262	94
*F.A.P. RTE. 320, 323, 323A		CONTRACT NO. 74710		
ILLINOIS		FED. AID PROJECT		

MODEL: Default
 FILE: h:\mfc\pav\pavroom.dwg
 PROJECTS\74710\CADD\Drawings\DOT_Offices\Drawings\74710\DOT\pavement_Plan.dwg




USER NAME = steffenmk	DESIGNED -	REVISED -
	DRAWN -	REVISED -
PLOT SCALE = 40,0000 ' / in.	CHECKED -	REVISED -
PLOT DATE = 2/20/2020	DATE -	REVISED -

**STATE OF ILLINOIS
 DEPARTMENT OF TRANSPORTATION**

PAVING PLAN US 36			
SCALE:	SHEET 26	OF 38 SHEETS	STA. 235+00 TO STA. 240+00

F.A.P. RTE.	SECTION	COUNTY	TOTAL SHEETS	SHEET NO.
*	(137z, 139-X-2)RS-2	MACON	262	95
*F.A.P. RTE. 320, 323, 323A		CONTRACT NO. 74710		
ILLINOIS		FED. AID PROJECT		

MODEL: Default
FILE: h:\a11\c:\p\pub\room\dat\illinois.gov\RWIDOT\Documents\IDOT_Offices\District 7\Projects\74710\CADD\Drawings\74710-Sub-Pavement_Plan.dgn




USER NAME = steffenmk	DESIGNED -	REVISED -
	DRAWN -	REVISED -
PLOT SCALE = 40.0000 ' / in.	CHECKED -	REVISED -
PLOT DATE = 2/20/2020	DATE -	REVISED -

**STATE OF ILLINOIS
DEPARTMENT OF TRANSPORTATION**

**PAVING PLAN
US 36**
SCALE: SHEET 27 OF 38 SHEETS STA. 240+00 TO STA. 246+00

F.A.P. RTE.	SECTION	COUNTY	TOTAL SHEETS	SHEET NO.
*	(137z, 139-X-2)RS-2	MACON	262	96
*F.A.P. RTE. 320, 323, 323A			CONTRACT NO. 74710	
ILLINOIS FED. AID PROJECT				

MODEL: Default
 FILE: h:\m\c_p\pub\barroom.dwg
 PROJECT: 71710\CADD\DATA\CAD\Drawings\DOT - Offices\Drawings\71710\pavement - Plan.dwg



USER NAME = steffemk	DESIGNED -	REVISED -
	DRAWN -	REVISED -
PLOT SCALE = 40.0000 ' / in.	CHECKED -	REVISED -
PLOT DATE = 2/20/2020	DATE -	REVISED -


**STATE OF ILLINOIS
 DEPARTMENT OF TRANSPORTATION**

**PAVING PLAN
 US 36**

SCALE: SHEET 28 OF 38 SHEETS STA. 246+00 TO STA. 251+00

F.A.P. RTE.	SECTION	COUNTY	TOTAL SHEETS	SHEET NO.
*	(137z, 139-X-2)RS-2	MACON	262	97
*F.A.P. RTE. 320, 323, 323A		CONTRACT NO. 74710		
ILLINOIS FED. AID PROJECT				

MODEL: Default
 FILE: h:\a1\c:\pub\barcoms.dwt\illinois\gov\pwwid\DOT\Documents\DOT_Offices\Drawings\Projects\71710\CADD\Drawings\Roads\71710\AsBuilt\Drawing_Plan.dwg



STA. 251+65.44 (US 36) =
 STA. 40+100.00 (44th ST. SOUTH)




USER NAME = steffenmk	DESIGNED -	REVISED -
DRAWN -	REVISIED -	
PLOT SCALE = 40,0000 ' / in.	CHECKED -	REVISED -
PLOT DATE = 2/20/2020	DATE -	REVISED -

**STATE OF ILLINOIS
DEPARTMENT OF TRANSPORTATION**

PAVING PLAN US 36			
SCALE:	SHEET 29	OF 38 SHEETS	STA. 251+00 TO STA. 256+00

F.A.P. RTE.	SECTION	COUNTY	TOTAL SHEETS	SHEET NO.
*	(137z, 139-X-2)RS-2	MACON	262	98
*F.A.P. RTE. 320, 323, 323A		CONTRACT NO. 74710		
ILLINOIS FED. AID PROJECT				

MODEL: Default
 FILE: \\blm1c1.pw.usplanning.com\data\illinois.gov\PW\DOT\Documents\DOT_Offices\District_7\Projects\74710\CADD\data\CADD\sheet\74710-38-Paving Plan.dwg



USER NAME = steffenmk	DESIGNED -	REVISED -
	DRAWN -	REVISED -
PLOT SCALE = 40.0000 ' / in.	CHECKED -	REVISED -
PLOT DATE = 2/20/2020	DATE -	REVISED -


**STATE OF ILLINOIS
 DEPARTMENT OF TRANSPORTATION**

**PAVING PLAN
 US 36**

SCALE: SHEET 30 OF 38 SHEETS STA. 256+00 TO STA. 262+00

F.A.P. RTE.	SECTION	COUNTY	TOTAL SHEETS	SHEET NO.
*	(137z, 139-X-2)RS-2	MACON	262	99
*F.A.P. RTE. 320, 323, 323A			CONTRACT NO. 74710	
ILLINOIS FED. AID PROJECT				

MODEL: Default
 FILE: \\blm1c1-pub\pub\room\dat\illinois.gov\RWIDOT\Documents\DOT_Offices\District 7\Projects\74710\CADD\Drawings\74710-Sub-Pavement_Plan.dwg



USER NAME = steffemk	DESIGNED -	REVISED -
	DRAWN -	REVISED -
PLOT SCALE = 40.0000 ' / in.	CHECKED -	REVISED -
PLOT DATE = 2/20/2020	DATE -	REVISED -

**STATE OF ILLINOIS
 DEPARTMENT OF TRANSPORTATION**

**PAVING PLAN
 US 36**

F.A.P. RTE.	SECTION	COUNTY	TOTAL SHEETS	SHEET NO.
320	(137z, 139-X-2)RS-2	MACON	262	100
*F.A.P. RTE. 320, 323, 323A			CONTRACT NO. 74710	
		ILLINOIS	FED. AID PROJECT	

SCALE: SHEET 31 OF 38 SHEETS STA. TO STA.