

40603310 HOT-MIX ASPHALT SURFACE COURSE, MIX "C", N50

TON	LOCATION			THICKNESS (In)
6.1	Sta. 775+31.5 TO 775+81.5			1.5
6.1	Sta. 775+31.5 TO 775+81.5			1.5
12.2 TOTAL				

REMARKS
OVER CLASS C PATCH
OVER CLASS C PATCH

542D5503 PIPE CULVERTS, CLASS D, TYPE 1 EQUIVALENT ROUND-SIZE 48"

FOOT	LOCATION	
35.0	LT Sta. 775+56.5	
35.0 TOTAL		

REMARKS
STAGE 1 - Temporary Pipe

40800050 INCIDENTAL HOT-MIX ASPHALT SURFACING

TON	LOCATION			THICKNESS (In)
63.3	Sta. 773+16.5 TO 777+71.2			3
24.7	Sta. 773+83.7 TO 777+28.6			3
88.0 TOTAL				

REMARKS
Stage 1--Temporary run-around
Stage 2--Temporary run-around

61100500 EXPLORATION TRENCH 52" DEPTH

FOOT	LOCATION	OFFSET (ft)	REMARKS
50.0	LT Sta. 775+56.5	66.3	Field tiles
25.0	LT Sta. 778+55.6	37.7	Field tiles
75.0 TOTAL			

44201359 CLASS C PATCHES, TYPE IV, 10 INCH

SQ YD	LOCATION		
72.3	LT Sta. 775+31.5 TO 775+81.5		
72.3	RT Sta. 775+31.5 TO 775+81.5		
144.6 TOTAL			

REMARKS
50 x 13 - One Lane
50 x 13 - One Lane

61133100 FIELD TILE JUNCTION VAULTS, 2' DIA.

EACH	LOCATION	OFFSET (ft)	REMARKS
1	LT Sta. 775+49.7	67.6	
1	LT Sta. 775+60.7	66.4	
1	LT Sta. 775+73.5	66.7	
1	RT Sta. 775+67.3	99.4	
1	LT Sta. 778+55.6	37.7	
5 TOTAL			

48101200 AGGREGATE SHOULDERS, TYPE B

TON	LOCATION		
109.4	LT Sta. 773+00.0 TO 779+00.0		
109.4	RT Sta. 773+00.0 TO 779+00.0		
218.8 TOTAL			

REMARKS

61140000 STORM SEWERS (SPECIAL) 8"

FOOT	LOCATION	OFFSET (ft)	REMARKS
75.7	Sta. 778+55.4	36.72' LT to 38.83' RT	
75.7 TOTAL			

50100100 REMOVAL OF EXISTING STRUCTURES

EACH	LOCATION	
1	Sta. 775+56.5	
1 TOTAL		

REMARKS
EXISTING 6' X 4' BOX CULVERT

61140100 STORM SEWERS (SPECIAL) 10"

FOOT	LOCATION	OFFSET (ft)	REMARKS
10.0	LT Sta. 775+73.5 To 775+60.7	53.03' LT to 52.74' LT	
10.0 TOTAL			

50104400 CONCRETE HEADWALL REMOVAL

EACH	LOCATION	
2	Sta. 778+53.5	
2 TOTAL		

REMARKS
See special provision

61140400 STORM SEWERS, SPECIAL 15"

FOOT	LOCATION	OFFSET (ft)	REMARKS
12.0	LT Sta. 775+49.7 to 775+59.6	67.57' LT to 66.50' LT	
12.0 TOTAL			

51205200 TEMPORARY SHEET PILING

SQ FT	LOCATION		
1200.0	Sta. 775+56.5		
160.0	Sta. 775+56.5		
1360.0 TOTAL			

REMARKS
STAGE 1
STAGE 2

61140600 STORM SEWERS, SPECIAL 18"

FOOT	LOCATION	OFFSET (ft)	REMARKS
166.0	Sta. 775+60.7	66.38' LT to 99.40' R	15 degree bend or less to get around End Section
30.0	Sta. 775+67.3	99.40' RT to 118' RT	Use to drain into ditch
196.0 TOTAL			

51500100 NAME PLATES

EACH	LOCATION	
1	Sta. 775+56.5	
1 TOTAL		

REMARKS

63200310 GUARDRAIL REMOVAL

FOOT	LOCATION		
177.0	LT Sta. 774+68.3 TO 776+44.2		
201.0	RT Sta. 774+54.3 TO 776+54.6		
378.0 TOTAL			

REMARKS
During Stage I
Prior to Stage 1

FILE NAME = c:\projects\p210006\d10006cwr.dgn

USER NAME = grantpm

DESIGNED -

REVISED -

PLOT SCALE = 50.0000' / IN.

CHECKED -

REVISED -

PLOT DATE = Thu Jan 31 07:04:50 2008

DATE -

REVISED -

STATE OF ILLINOIS
DEPARTMENT OF TRANSPORTATION

SCHEDULE OF QUANTITIES

F.A.P. RTE.	SECTION	COUNTY	TOTAL SHEETS	SHEET NO.
638	136T	HENRY	34	10
CONTRACT NO. 64A57				

SCALE: SHEET NO. OF SHEETS STA. TO STA.

FED. ROAD DIST. NO. ILLINOIS FED. AID PROJECT