

GIRDER 8

Location	Station	Offset	Theoretical Grade Elevations	Theoretical Grade Elevations Adjusted For Dead Load Deflection
Bk. of S. Abut.	57+42.61	18.85	819.78	819.78
⊘ Brg. S. Abut.	57+43.40	18.85	819.79	819.79
A	57+53.40	18.85	819.88	819.93
B	57+63.40	18.85	819.97	820.05
C	57+73.40	18.85	820.05	820.15
D	57+83.40	18.85	820.13	820.24
E	57+93.40	18.85	820.20	820.31
F	58+03.40	18.85	820.26	820.36
G	58+13.40	18.85	820.32	820.39
H	58+23.40	18.85	820.38	820.42
I	58+33.40	18.85	820.42	820.44
J	58+43.40	18.85	820.47	820.47
⊘ Brg. Pier	58+51.90	18.85	820.50	820.50
K	58+61.90	18.85	820.53	820.54
L	58+71.90	18.85	820.56	820.58
M	58+81.90	18.85	820.58	820.63
N	58+91.90	18.85	820.59	820.67
O	59+01.90	18.85	820.60	820.71
P	59+11.90	18.85	820.60	820.72
Q	59+21.90	18.85	820.60	820.72
R	59+31.90	18.85	820.60	820.70
S	59+41.90	18.85	820.58	820.66
T	59+51.90	18.85	820.56	820.61
⊘ Brg. N. Abut.	59+61.40	18.85	820.54	820.54
Bk. of N. Abut.	59+62.19	18.85	820.54	820.54

GIRDER 9

Location	Station	Offset	Theoretical Grade Elevations	Theoretical Grade Elevations Adjusted For Dead Load Deflection
Bk. of S. Abut.	57+42.61	26.25	819.67	819.67
⊘ Brg. S. Abut.	57+43.40	26.25	819.68	819.68
A	57+53.40	26.25	819.77	819.81
B	57+63.40	26.25	819.86	819.93
C	57+73.40	26.25	819.94	820.03
D	57+83.40	26.25	820.01	820.12
E	57+93.40	26.25	820.08	820.19
F	58+03.40	26.25	820.15	820.24
G	58+13.40	26.25	820.21	820.27
H	58+23.40	26.25	820.26	820.30
I	58+33.40	26.25	820.31	820.33
J	58+43.40	26.25	820.35	820.35
⊘ Brg. Pier	58+51.90	26.25	820.38	820.38
K	58+61.90	26.25	820.41	820.42
L	58+71.90	26.25	820.44	820.46
M	58+81.90	26.25	820.46	820.51
N	58+91.90	26.25	820.48	820.55
O	59+01.90	26.25	820.49	820.59
P	59+11.90	26.25	820.49	820.60
Q	59+21.90	26.25	820.49	820.60
R	59+31.90	26.25	820.48	820.58
S	59+41.90	26.25	820.47	820.54
T	59+51.90	26.25	820.45	820.49
⊘ Brg. N. Abut.	59+61.40	26.25	820.43	820.43
Bk. of N. Abut.	59+62.19	26.25	820.42	820.42

GIRDER 10

Location	Station	Offset	Theoretical Grade Elevations	Theoretical Grade Elevations Adjusted For Dead Load Deflection
Bk. of S. Abut.	57+42.61	33.00	819.56	819.56
⊘ Brg. S. Abut.	57+43.40	33.00	819.57	819.57
A	57+53.40	33.00	819.66	819.70
B	57+63.40	33.00	819.75	819.82
C	57+73.40	33.00	819.83	819.93
D	57+83.40	33.00	819.91	820.01
E	57+93.40	33.00	819.98	820.08
F	58+03.40	33.00	820.04	820.13
G	58+13.40	33.00	820.10	820.17
H	58+23.40	33.00	820.15	820.19
I	58+33.40	33.00	820.20	820.22
J	58+43.40	33.00	820.24	820.25
⊘ Brg. Pier	58+51.90	33.00	820.28	820.28
K	58+61.90	33.00	820.31	820.32
L	58+71.90	33.00	820.33	820.36
M	58+81.90	33.00	820.36	820.40
N	58+91.90	33.00	820.37	820.45
O	59+01.90	33.00	820.38	820.48
P	59+11.90	33.00	820.38	820.50
Q	59+21.90	33.00	820.38	820.49
R	59+31.90	33.00	820.37	820.47
S	59+41.90	33.00	820.36	820.44
T	59+51.90	33.00	820.34	820.38
⊘ Brg. N. Abut.	59+61.40	33.00	820.32	820.32
Bk. of N. Abut.	59+62.19	33.00	820.32	820.32

GIRDER 11

Location	Station	Offset	Theoretical Grade Elevations	Theoretical Grade Elevations Adjusted For Dead Load Deflection
Bk. of S. Abut.	57+42.61	40.17	819.45	819.45
⊘ Brg. S. Abut.	57+43.40	40.17	819.46	819.46
A	57+53.40	40.17	819.55	819.59
B	57+63.40	40.17	819.64	819.71
C	57+73.40	40.17	819.72	819.82
D	57+83.40	40.17	819.80	819.90
E	57+93.40	40.17	819.87	819.97
F	58+03.40	40.17	819.93	820.02
G	58+13.40	40.17	819.99	820.06
H	58+23.40	40.17	820.04	820.08
I	58+33.40	40.17	820.09	820.11
J	58+43.40	40.17	820.13	820.14
⊘ Brg. Pier	58+51.90	40.17	820.16	820.16
K	58+61.90	40.17	820.20	820.20
L	58+71.90	40.17	820.22	820.25
M	58+81.90	40.17	820.24	820.29
N	58+91.90	40.17	820.26	820.34
O	59+01.90	40.17	820.27	820.37
P	59+11.90	40.17	820.27	820.39
Q	59+21.90	40.17	820.27	820.39
R	59+31.90	40.17	820.26	820.37
S	59+41.90	40.17	820.25	820.33
T	59+51.90	40.17	820.23	820.27
⊘ Brg. N. Abut.	59+61.40	40.17	820.21	820.21
Bk. of N. Abut.	59+62.19	40.17	820.21	820.21

GIRDER 12

Location	Station	Offset	Theoretical Grade Elevations	Theoretical Grade Elevations Adjusted For Dead Load Deflection
Bk. of S. Abut.	57+42.61	47.33	819.34	819.34
⊘ Brg. S. Abut.	57+43.40	47.33	819.35	819.35
A	57+53.40	47.33	819.44	819.48
B	57+63.40	47.33	819.53	819.60
C	57+73.40	47.33	819.61	819.71
D	57+83.40	47.33	819.68	819.80
E	57+93.40	47.33	819.75	819.86
F	58+03.40	47.33	819.82	819.91
G	58+13.40	47.33	819.88	819.95
H	58+23.40	47.33	819.93	819.97
I	58+33.40	47.33	819.98	820.00
J	58+43.40	47.33	820.02	820.02
⊘ Brg. Pier	58+51.90	47.33	820.05	820.05
K	58+61.90	47.33	820.08	820.09
L	58+71.90	47.33	820.11	820.14
M	58+81.90	47.33	820.13	820.19
N	58+91.90	47.33	820.15	820.23
O	59+01.90	47.33	820.16	820.26
P	59+11.90	47.33	820.16	820.28
Q	59+21.90	47.33	820.16	820.28
R	59+31.90	47.33	820.15	820.26
S	59+41.90	47.33	820.14	820.22
T	59+51.90	47.33	820.12	820.16
⊘ Brg. N. Abut.	59+61.40	47.33	820.10	820.10
Bk. of N. Abut.	59+62.19	47.33	820.10	820.10

(Sheet 4 of 4)