APPROXIMATELY 15' (4.5 m) OR 8' (2.4 m) BACK FROM AND PARALLEL TO GATE, IF PRESENT. WISE TABLE 2C-4 FROM THE 15' (15.2 m) WINDIAM MUTCO MANUAL FOR THIS DISTANCE 400' ror 55 WPH 250' for 45 WPH 250' for 45 WPH 100' for 35 MPH or Less NOTES THE TRAVERSE SPREAD OF THE "X" MAY VARY ACCORDING TO LANE WIDTH. ON MULTI-LANE ROADS, THE STOP LINES SHALL EXTEND ACROSS ALL APPROACH LANES AND SEPARATE RXR SYMBOLS SHALL BETLACED ADJACENT TO EACH OTHER IN

PAVEMENT MARKINGS AT

RAILROAD-HIGHWAY GRADE CROSSING

EACH LANE.

OF THE MUTCD.


WHEN THE PAVEMENT MARKING SYMBOL

TO THE ADVANCE WARNING SIGN (W10-1) AS PLACED BY TABLE II-1, CONDITION B

IS USED, A PORTION OF THE SYMBOL SHOULD BE LOCATED DIRECTLY ADJACENT

RAILROAD CROSSING WITH INTERCONNECT ONLY

RAILROAD CROSSING WITH INTERCONNECT AND PRE-SIGNALS



SUPPLEMENTAL PAVEMENT MARKING TREATMENT FOR RAILROAD-HIGHWAY GRADE CROSSING

GENERAL NOTES

- SUPPLEMENTAL PAVEMENT MARKINGS TO BE INSTALLED ONLY ON APPROACHES TO INTERSECTIONS CONTROLLED BY TRAFFIC SIGNALS WHICH ARE INTERCONNECTED WITH THE RAILROAD WARNING SIGNALS.
- 2. EXTEND PAVEMENT MARKINGS TO THE INTERSECTION ONLY WHERE NEAR-SIDE TRAFFIC SIGNALS ARE USED.
- 3. WHERE THE ANGLE BETWEEN THE DIAGONAL PAVEMENT MARKINGS AND THE TRACK WOULD BE LESS THAN 20°, THE PAVEMENT MARKINGS SHOULD BE PLACED IN THE OPPOSITE DIRECTION FROM THAT SHOWN.

Note: All dimensions are in INCHES (millimeters) unless otherwise shown.

**MCLEAN & PIATT COUNTIES

									DISTRICT 5 DETAIL NO. 7800AAAA			
FILE NAME =	USER NAME = cearlockjd	DESIGNED -	REVISED - 11/06		PAVEMENT MARKING AND MARKERS		F.A.	SECTION	COUNTY	TOTAL SHEET SHEETS NO.		
c:\pw_work\pwidot\cearlockjd\d0380704\D	570A33-sht-details.dgn	DRAWN -	REVISED - 09/2009 - KJT	STATE OF ILLINOIS			VAR.	*	**	38 37		
	PLOT SCALE = 40.0000 ' / in.	CHECKED -	REVISED -	DEPARTMENT OF TRANSPORTATION		(RURAL & URBAN APPLICATIONS)	*D5 CRACK	& JOINT SEAL 2014-2	CONTRACT			
	PLOT DATE = 2/14/2014	DATE -	REVISED -		SCALE:	SHEET NO. 4 OF 4 SHEETS STA. TO STA.	FED. ROAD DIS					