



Illinois Department of Transportation

2300 South Dirksen Parkway / Springfield, Illinois / 62764

04/14/2014

SUBJECT: Various Routes
Section D6 DE Misc. 2014-2
Sangamon & Morgan County
Contract No. 72G66
Item No. 056, April 25, 2014 Letting
Addendum A

NOTICE TO PROSPECTIVE BIDDERS:

Attached is an addendum to the plans or proposal. This addendum involves revised and/or added material.

1. Revised Table of Contents of Special Provisions.
2. Added Page 31 to Special Provisions.
3. Revised Planes Sheet No. (2)

Prime contractors must utilize the enclosed material when preparing their bid and must include any Schedule of Prices changes in their bidding proposal.

Bidders using computer-generated bids are cautioned to reflect any and all Schedule of Prices changes, if involved, into their computer programs.

Very truly yours,

John D. Baranzelli, P.E.
Acting Engineer of Design and Environment

A handwritten signature in cursive script, reading "Ted B. Walschleger, P.E." with a small "P.E." to the right.

By: Ted B. Walschleger, P. E.
Engineer of Project Management

cc: Roger Driskell, Region 4, District 6;; Tim Kell; D. Carl Puzey; Estimates

HM/kp

TABLE OF CONTENTS

LOCATION OF PROJECT	1
DESCRIPTION OF PROJECT	1
TRAFFIC CONTROL PLAN	1
STATUS OF UTILITIES TO BE ADJUSTED	4
CONCRETE CURB REPAIR	4
CORRUGATED MEDIAN REMOVAL	4
CONCRETE MEDIAN SURFACE REMOVAL	5
APPROACH SLAB REPAIR	5
AUTOMATED FLAGGER ASSISTANCE DEVICES (BDE).....	9
CONTRACT CLAIMS (BDE)	11
DISADVANTAGED BUSINESS ENTERPRISE PARTICIPATION (BDE)	12
GRANULAR MATERIALS (BDE)	21
PAYROLLS AND PAYROLL RECORDS (BDE)	22
PROGRESS PAYMENTS (BDE)	24
REMOVAL AND DISPOSAL OF REGULATED SUBSTANCES (BDE)	24
REMOVAL AND DISPOSAL OF SURPLUS MATERIALS (BDE)	28
TRACKING THE USE OF PESTICIDES (BDE).....	29
WEEKLY DBE TRUCKING REPORTS (BDE).....	29
WORKING DAYS (BDE)	30
HOT MIX ASPHALT – N50 MIXTURES	30

Revised 04/14/2014

WORKING DAYS (BDE)

Effective: January 1, 2002

The Contractor shall complete the work within **20** working days.

HOT MIX ASPHALT – N50 MIXTURES

N50 High ESAL mixtures are exempt from the Hamburg Wheel Mix Design Test Criteria described in the Special Provision for Hot Mix Asphalt – Mixture Design Verification and Production.

IL 9.5 N50 High ESAL mixtures are exempt from the Voids in the Mineral Aggregate (VMA) requirement described in the Special Provision for Hot Mix Asphalt – Mixture Design Composition and Volumetric Requirements. The minimum VMA requirement is 14.5%.

Revised page 04/14/2014