

COMBINATION CURB AND GUTTER REMOVAL		44000500
LOCATION		LENGTH
STATION TO STATION	RT/LT	FOOT
STA. 25+15.95 TO STA. 25+45.58	RT	47.0
STA. 25+79.67 TO STA. 40+29.18	RT	1485.3
STA. 40+57.72 TO STA. 44+69.08	RT	494.8
STA. 30+02.91 TO STA. 44+61.83	LT	1511.6
STA. 26+01.43 TO STA. 40+25.49	RT/LT	2856.4
STA. 40+73.46 TO STA. 44+57.88	RT/LT	774.9
STA. 44+44.67 TO STA. 44+66.76	RT	70.3
STA. 44+47.71 TO STA. 44+64.32	LT	54.7
TOTAL		7295.0

SIDEWALK REMOVAL					44000600
LOCATION		LENGTH	WIDTH	AREA	
STATION TO STATION	RT/LT	FOOT	FOOT	SQ FT	
STA. 25+80.22 TO STA. 40+21.95	RT	1447.8	5.0	7238.9	
STA. 40+64.65 TO STA. 44+69.09	RT	484.8	8.0	3878.3	
STA. 30+03.00 TO STA. 43+74.55	LT	1371.6	5.0	6857.8	
STA. 43+74.55 TO STA. 44+39.28	LT	70.6	6.0	423.3	
TOTAL					18399.0

MEDIAN REMOVAL				44003100
LOCATION	LENGTH	WIDTH	AREA	
STATION TO STATION	FOOT	FOOT	SQ FT	
STA. 26+17.59 TO STA. 27+78.73	161.1	VARIES	606.6	
STA. 40+74.16 TO STA. 44+57.38	383.2	2.9	1111.3	
TOTAL				1718.0

PAVED SHOULDER REMOVAL						44004250
LOCATION		LENGTH	WIDTH	AREA	AREA	
STATION TO STATION	RT/LT	FOOT	FOOT	SQ FT	SQ YD	
STA. 25+14.28 TO STA. 30+03.00	LT	488.7	VARIES	3796.0	421.8	
TOTAL						422.0

PROTECTIVE COAT			48301000
LOCATION	AREA	AREA	
STATION TO STATION	SQ FT	SQ YD	
STA. 25+14.28 TO STA. 44+67.21	111890.0	12432.2	
RHODORA INTERSECTION	1326.9	147.4	
STA. 25+14.30 LT TO STA. 43+73.71 LT	13015.9	1446.2	
STA. 43+73.71 LT TO STA. 44+19.83 LT	290.0	32.2	
STA. 44+19.83 LT TO STA. 44+38.58 LT	147.6	16.4	
STA. 25+08.43 RT TO STA. 25+36.79 RT	170.3	18.9	
STA. 25+90.97 RT TO STA. 26+10.47 RT	108.0	12.0	
STA. 26+10.47 RT TO STA. 40+02.23 RT	9742.3	1082.5	
STA. 40+02.23 RT TO STA. 40+22.23 RT	104.8	11.6	
STA. 40+64.23 RT TO STA. 40+84.69 RT	115.0	12.8	
STA. 40+84.69 RT TO STA. 41+36.78 RT	390.7	43.4	
STA. 41+36.78 RT TO STA. 43+36.76 RT	1502.6	167.0	
STA. 43+36.76 RT TO STA. 43+80.97 RT	331.6	36.8	
STA. 43+80.97 RT TO STA. 44+38.29 RT	525.0	58.3	
STA. 44+38.29 RT TO STA. 44+61.89 RT	551.5	61.3	
TOTAL			15580.0

STORM SEWER REMOVAL SCHEDULE		55100500
LOCATION		STORM SEWER REMOVAL 12"
STA. AND O/S TO STA. AND O/S		LENGTH
STA. 25+88.74, 42.1' RT TO STA. 26+12.76, 35.8' RT		24.8
STA. 25+88.74, 42.1' RT TO STA. 26+98.74, 48.2' RT		110.2
STA. 30+17.91, 35.3' LT TO STA. 30+17.91, 35.4' RT		69.8
STA. 31+95.89, 96.5' RT TO STA. 33+39.40, 62.3' RT		148.4
STA. 33+31.86, 52.4' LT TO STA. 33+32.92, 34.7' LT		17.8
STA. 33+31.86, 52.4' LT TO STA. 35+21.89, 51.4' LT		190.0
STA. 33+32.92, 34.7' LT TO STA. 33+33.32, 34.5' RT		69.1
STA. 35+21.89, 51.4' LT TO STA. 35+37.97, 51.2' LT		16.1
STA. 35+21.89, 51.4' LT TO STA. 36+77.72, 50.4' LT		155.8
STA. 36+76.63, 34.4' RT TO STA. 36+77.54, 35.0' LT		69.4
STA. 36+77.54, 35.0' LT TO STA. 36+77.72, 50.4' LT		15.4
STA. 36+77.72, 50.4' LT TO STA. 36+93.49, 50.4' LT		15.8
STA. 41+20.21, 83.3' LT TO STA. 41+59.05, 121.6' LT		54.6
TOTAL		958.0

PIPE UNDERDRAINS 6"		60107700
LOCATION		LENGTH
STATION TO STATION	FOOT	
STA. 25+88.74, 42.05' RT TO STA. 25+95.88, 32.41' RT		12.0
STA. 25+95.88, 32.41' RT TO STA. 27+75.00, 32.41' RT		179.1
STA. 27+75.00, 34.29' RT TO STA. 30+11.91, 34.29' RT		236.9
STA. 30+17.91, 34.29' RT TO STA. 33+27.32, 34.29' RT		309.4
STA. 33+33.32, 34.29' RT TO STA. 36+70.64, 34.29' RT		337.3
STA. 36+76.64, 34.29' RT TO STA. 41+25.19, 34.29' RT		448.6
STA. 41+31.19, 35.27' RT TO STA. 41+37.10, 32.41' RT		6.5
STA. 41+37.10, 32.41' RT TO STA. 43+37.10, 44.41' RT		200.4
STA. 43+37.10, 44.41' RT TO STA. 43+80.97, 44.41' RT		43.9
STA. 25+28.27, 34.29' LT TO STA. 26+93.99, 34.29' LT		165.7
STA. 26+99.99, 34.29' LT TO STA. 30+11.91, 34.29' LT		311.9
STA. 30+17.91, 34.29' LT TO STA. 33+26.97, 34.29' LT		309.1
STA. 33+32.93, 34.29' LT TO STA. 36+71.54, 34.29' LT		338.6
STA. 36+77.53, 34.29' LT TO STA. 40+76.49, 34.29' LT		399.0
STA. 40+82.49, 34.29' LT TO STA. 43+73.71, 34.29' LT		291.2
TOTAL		3590.0

PIPE UNDERDRAINS, 6" (SPECIAL)		60108200
LOCATION		UNIT
STATION TO STATION		FOOT
STA. 25+16.22, 65.7' LT TO STA. 25+28.27, 34.3' LT		33.7
TOTAL		33.7

CONCRETE HEADWALLS FOR PIPE DRAINS		60100060
LOCATION		UNIT
STATION		EACH
STA. 25+16.22, 65.7' LT		1.0
TOTAL		1.0

PROPOSED STORM SEWER STRUCTURE SCHEDULE												
STRUCTURE NUMBER	STATION	OFFSET	RT/LT	STRUCTURE & CASTING TYPE	RIM ELEVATION	INVERT ELEVATIONS IN	INVERT ELEVATIONS OUT	60218400	60219000	60221700	X6020082	X6022230
								MANHOLES, TYPE A, 4'-DIAMETER, TYPE 1 FRAME, CLOSED LID	MANHOLES, TYPE A, 4'-DIAMETER, TYPE 8 GRATE	MANHOLES, TYPE A, 5'-DIAMETER, TYPE 8 GRATE	INLETS, TYPE G-1	MANHOLES TYPE A, 4' DIAMETER, SPECIAL FRAME & GRATE
								UNIT EACH	UNIT EACH	UNIT EACH	UNIT EACH	UNIT EACH
1	25+87.47	40.63	RT	MANHOLE, TYPE A, 4' DIAMETER, SPECIAL FRAME & GRATE	514.72	510.11, 12" NW (E) 509.41, 12" E	(E) 509.21, 15" SW					1.0
2	26+12.76	33.00	RT	INLET, TYPE G-1	516.06	513.29, 12" N	513.00, 12" SE				1.0	
2A	27+75.00	33.00	RT	INLET, TYPE G-1	525.37	517.50, 12" E	517.30, 12" S				1.0	
2B	27+75.00	57.43	RT	MANHOLE, TYPE A, 4'-DIAMETER, TYPE 1 FRAME, CLOSED LID	529.00	525.04, 18" N	517.72, 12" W	1.0				
3	33+33.32	33.00	RT	INLET, TYPE G-1	558.87	-	555.89, 12" W				1.0	
4	36+76.63	33.00	RT	INLET, TYPE G-1	579.47	-	576.50, 12" W				1.0	
5	41+31.35	33.00	RT	INLET, TYPE G-1	606.75	-	(E) 604.22, 12" SE				1.0	
7	40+82.49	33.00	LT	INLET, TYPE G-1	603.82	-	594.42, 15" W				1.0	
8	36+77.57	33.00	LT	INLET, TYPE G-1	579.52	575.40, 12" E	575.20, 15" W				1.0	
9	33+32.92	33.00	LT	INLET, TYPE G-1	558.85	555.40, 12" E	555.20, 12" W				1.0	
11	35+21.88	50.43	LT	MANHOLE, TYPE A, 4'-DIAMETER, TYPE 8 GRATE	569.23	566.22, 18" N 563.58, 15" N	559.19, 15" S	1.0				
12	33+31.86	52.44	LT	MANHOLE, TYPE A, 5'-DIAMETER, TYPE 8 GRATE	557.32	550.64, 15" N (E) 546.75, 24" NW 554.06, 18" NW 554.48, 12" E	(E) 542.20, 24" S			1.0		
13	30+17.91	33.00	RT	INLET, TYPE G-1	539.94	-	537.10, 12" W				1.0	
14	30+17.91	33.00	LT	INLET, TYPE G-1	539.94	536.49, 12" E	(E) 536.44, 12" SW				1.0	
17	36+77.72	50.43	LT	MANHOLE, TYPE A, 4'-DIAMETER, TYPE 8 GRATE	578.75	575.54, 18" N 574.80, 15" E	569.45, 15" S	1.0				
18	27+00.00	33.00	LT	INLET, TYPE G-1	520.87	-	518.37, 12" SW				1.0	
TOTAL								1.0	2.0	1.0	11.0	1.0