

SUMMARY OF QUANTITIES

CODE NUMBER	ITEM	QUANTITY	UNIT
21101615	TOPSOIL FURNISH AND PLACE, 4"	562	S.Y.
25000400	NITROGEN FERTILIZER NUTRIENT	10.4	LB
25000500	PHOSPHORUS FERTILIZER NUTRIENT	10.4	LB
25000600	POTASSIUM FERTILIZER NUTRIENT	10.4	LB
25200100	SODDING	562	S.Y.
25200200	SUPPLEMENTAL WATERING	8.6	UNIT
40200800	AGGREGATE SURFACE COURSE, TYPE B (CRUSHED LIMESTONE)	9.4	TON
42300200	P.C.C. DRIVEWAY PAVEMENT, 6"	336	S.Y.
42400100	P.C.C. SIDEWALK, 4"	7,837	S.F.
42400800	DETECTABLE WARNING	273	S.F.
44000200	DRIVEWAY PAVEMENT REMOVAL	260	S.Y.
44000300	CURB REMOVAL	122	FT.
44000500	COMBINATION CURB AND GUTTER REMOVAL	720	FT.
44000600	SIDEWALK REMOVAL	8,114	S.F.
44201749	CLASS D PATCHES, TYPE 1, 9"	173	S.Y.
50901760	PIPE HANDRAIL	15	FT.
60260300	INLET TO BE ADJUSTED WITH NEW TYPE 1 FRAME, OPEN LID	2	EA.
60603800	COMBINATION CONCRETE CURB AND GUTTER, 8-6.12	720	FT.
67100100	MOBILIZATION	1	L. SUM
72000100	SIGN PANEL, TYPE 1	75.7	S.F.
72400600	RELOCATE SIGN PANEL ASSEMBY, TYPE B	1	EA.
72900100	METAL POST, TYPE A	159.5	FOOT
Δ 78006130	PREFORMED THERMOPLASTIC PAVEMENT MARKING - LINE 6"	357	FT.
X7010216	TRAFFIC CONTROL AND PROTECTION, (SPECIAL)	1	L. SUM
XX000300	CONCRETE STEPS	26.2	S.F.
20012455	CONCRETE STEPS REMOVAL	1	EA.
XX006498	COMBINATION CONCRETE CURB AND SIDEWALK 4 INCH (SPECIAL)	1,351	S.F.
20013798	CONSTRUCTION LAYOUT	1	L.S.

Δ SPECIALTY ITEMS

GENERAL NOTES:

- ALL CONSTRUCTION SHALL BE IN ACCORDANCE WITH ILLINOIS DEPARTMENT OF TRANSPORTATION STANDARD SPECIFICATIONS FOR ROAD AND BRIDGE CONSTRUCTION, ADOPTED JANUARY 1, 2012 AND THE SUPPLEMENTAL SPECIFICATIONS AND RECURRING SPECIAL PROVISIONS OF THE STATE OF ILLINOIS, ADOPTED JANUARY 1, 2014.
 - ALL EXISTING UNDERGROUND UTILITIES SHOWN ON PLANS ARE APPROXIMATE. EXACT LOCATIONS AND DEPTHS SHALL BE DETERMINED BY THE CONTRACTOR PRIOR TO CONSTRUCTION. CONTRACTOR SHALL CALL JULIE AT 1-800-892-0123, 48 HOURS PRIOR TO CONSTRUCTION.
 - THE CONTRACTOR SHALL BE RESPONSIBLE FOR THE PROTECTION OF ALL UTILITIES WITHIN THE CONSTRUCTION LIMITS. IF ANY UTILITY IS DAMAGED DURING THE COURSE OF CONSTRUCTION, THE UTILITY OWNER SHALL BE NOTIFIED IMMEDIATELY. THE CONTRACTOR SHALL BE RESPONSIBLE FOR ANY EXPENSES INCURRED TO REPAIR THE UTILITY.
 - IF A UTILITY CONFLICT ARISES WHICH WILL RESULT IN POTENTIAL DAMAGE TO A UTILITY OR WILL CAUSE THE DESIGN TO BE REVISED, CONTACT THE ENGINEER.
 - DRAINAGE AND STORM STRUCTURES SHALL BE KEPT FREE OF DEBRIS AND DIRT DURING THE COURSE OF CONSTRUCTION. CONTRACTOR SHALL BE RESPONSIBLE FOR ANY DAMAGE CAUSED BY ANY STORM SEWER BACKUPS.
 - NO TREES WITHIN THE THE CONTRACT LIMITS ARE TO BE REMOVED, ANY CONFLICT WITH EXISTING TREES, CONTRACTOR TO NOTIFY ENGINEER PRIOR TO CONSTRUCTION.
 - EARTH EXCAVATION AND BACKFILL FOR NEW CURB AND GUTTERS, DRIVEWAY PAVEMENTS AND SIDEWALKS SHALL BE INCLUDED IN THE UNIT COST OF THE VARIOUS ITEMS.
 - ALL ELEVATIONS SHOWN ON THE PLANS ARE ESTABLISHED FROM U.S.G.S. MEAN SEA LEVEL DATUM.
 - PRIOR TO THE USE OF ANY NEW BORROW AREAS, USE AREAS (TEMPORARY ACCESS ROADS, DETOURS, RUN-AROUNDS, ETC.) AND/OR WASTE AREAS, THE CONTRACTOR SHALL FILE THE REQUIRED ENVIRONMENTAL RESOURCE REQUEST SURVEYS ACCORDING TO SECTION 107.22 OF THE STANDARD SPECIFICATIONS. THESE SURVEYS ARE REQUIRED IN ORDER FOR THE DEPARTMENT TO CONDUCT CULTURAL AND BIOLOGICAL RESOURCE SURVEYS FOR THE NEW SITE.
- PRIOR TO ANY WASTE MATERIALS BEING REMOVED FROM THE CONSTRUCTION SITE THE REQUIRED ENVIRONMENTAL RESOURCE SURVEYS WILL NEED TO BE OBTAINED AND FILED BY THE CONTRACTOR. EXCESS WASTE PRODUCTS REMOVED FROM THE CONSTRUCTION SITE SHALL BE DISPOSED OF AS REQUIRED IN SECTION 202.03 OF THE STANDARD SPECIFICATIONS.
- ANY PROTRUDING METAL BARS SHALL BE REMOVED PRIOR TO THE DISPOSAL OF BROKEN CONCRETE AT APPROVED DISPOSAL SITES.
- THE REQUIRED ENVIRONMENTAL RESOURCE DOCUMENTATION SHALL INCLUDE THE FOLLOWING:
- BDE FORM 2289 (CULTURAL AND NATURAL RESOURCES REVIEW OF BORROW AREAS)
 - BDE FORM 2290 (WASTE/USE AREA REVIEW)
 - A LOCATION MAP SHOWING THE SIZE LIMITS AND LOCATION OF THE USE AREA
 - SIGNED PROPERTY OWNER AGREEMENT FORM - D4 P0100
 - COLOR PHOTOGRAPHS DEPICTING THE USE AREA
 - BORROW AREA ENTRY AGREEMENT FORM - D4 P0101
- PLEASE NOTE THAT A MINIMUM OF FOUR WEEKS SHALL BE ALLOWED FOR THE DISTRICT TO OBTAIN THE REQUIRED ENVIRONMENTAL CLEARANCES.
- SIDEWALKS INSTALLED AT A CROSS SLOPE GREATER THAN 2.00% SHALL BE REMOVED AND REPLACED AT THE CONTRACTOR'S EXPENSE.

P:\112-168-SRTS-Elmwood\DWG\SUMMARY AND NOTES_12-168.dwg, Feb 24, 2014

<p>MOHR & KERR ENGINEERING & LAND SURVEYING, P.C. 7265 N. University Ave. Peoria, Illinois 61614 Phone: (309) 692-8124 Fax: (309) 692-8001 www.mohr-kerr.com Professional Design Firm #14-000281</p>	P:\112-168-SRTS-Elmwood\DWG\SUMMARY AND NOTES_12-168.dwg	DESIGNED SDK	REVISED	<p align="center">STATE OF ILLINOIS DEPARTMENT OF TRANSPORTATION</p>	<p align="center">SAFE ROUTE TO SCHOOL - CITY OF ELMWOOD, IL SUMMARY OF QUANTITIES AND GENERAL NOTES</p>	F.A. ROUTE	SECTION	COUNTY	TOTAL SHEETS	SHEET NO.
	PLOT SCALE: 1" = 2'	DRAWN MH/DK	REVISED			---	12-00003-00-SW	PEORIA	4	4
	DATE 02-24-14	CHECKED SDK	REVISED			FED PROJ. NO. SRTS-4009(266)		CONTRACT NO. 89651		ILLINOIS FEDERAL ROAD DIST NO. 4

SCALE: SHEET NO. 4 OF 10 SHEETS STA. TO STA.